

Lab 3 — Bootstrap

Name: Aditya Sinha

Reg. No: 230905218

Class & Section: CSE-A1

Roll No: 27

1. Design the student bio-data form using button, label, textbox, radio button, table and checkbox.

Code :

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <title>WP Lab – Q3</title>
    <link

href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.
css"
    rel="stylesheet"
  />
  <style>
    :root {
      --accent: #6f42c1;
    }
    body {
      background: linear-gradient(180deg, #f6f8ff 0%, #ffffff 60%);
    }
    .hero {
      background: linear-gradient(
        90deg,
        rgba(111, 66, 193, 0.12),
        rgba(99, 102, 241, 0.06)
      );
      border-radius: 0.75rem;
      padding: 2rem;
    }
    .top-area {
      min-height: 34vh;
      display: flex;
      align-items: center;
    }
    .card-glow {
      box-shadow: 0 8px 20px rgba(99, 102, 241, 0.08);
      border: none;
    }
  </style>
</html>
```

```

        .section-head {
            color: var(--accent);
            font-weight: 600;
        }
        .decor-badge {
            background: linear-gradient(90deg, #6f42c1, #7b61ff);
            color: #fff;
        }
        .input-lg {
            height: calc(1.5em + 1rem + 2px);
        }
        @media (max-width: 767px) {
            .top-area {
                padding: 1rem 0;
            }
        }
    </style>
</head>
<body>
    <div class="container py-5">
        <!-- Top section -->
        <div class="row mb-4">
            <div class="col-12 hero top-area">
                <div class="w-100">
                    <div class="d-flex justify-content-between align-items-start
compact
mb-3">
                        <div>
                            <h2 class="mb-1 section-head">
                                Create with Bootstrap – Top Panel
                            </h2>
                            <p class="text-muted mb-0">
                                Example using input groups, badges and buttons for a
                                search & action area.
                            </p>
                        </div>
                        <div class="text-end">
                            <span class="badge decor-badge rounded-pill p-2">
                                Lab 3 – Q3</span>
                        </div>
                    </div>
                </div>
            </div>
            <div class="row g-3 align-items-center">
                <div class="col-md-6">
                    <label class="form-label small text-muted">Search</label>
                    <div class="input-group input-group-lg">
                        <span class="input-group-text">🔍</span>
                        <input
                            type="text"
                            class="form-control"
                            placeholder="Search projects, files or topics"
                        />
                        <button class="btn btn-outline-primary" type="button">

```

```

        Go
      </button>
    </div>
  </div>

  <div class="col-md-3">
    <label class="form-label small text-muted">Filter</label>
    <div class="input-group">
      <select class="form-select">
        <option selected>All</option>
        <option>Inputs</option>
        <option>Buttons</option>
        <option>Badges</option>
      </select>
      <span class="input-group-text"
        >Items <span class="badge bg-secondary ms-2">34</span>
    </span>
  >
    </div>
  </div>

  <div class="col-md-3 text-md-end">
    <label class="form-label small text-muted d-block"
      >Actions</label>
    >
    <div class="btn-group" role="group">
      <button class="btn btn-sm btn-outline-secondary">
        Export
      </button>
      <button class="btn btn-sm btn-primary">New</button>
    </div>
  </div>
</div>
</div>
</div>
</div>

<!-- Bottom section divided into 3 parts -->
<div class="row">
  <div class="col-12">
    <div class="row g-4">
      <!-- Left card: Input groups -->
      <div class="col-lg-4">
        <div class="card card-glow p-3 h-100">
          <div class="card-body">
            <h5 class="card-title">Input Groups</h5>
            <p class="text-muted small">
              Different input-group patterns for forms.
            </p>

            <div class="mb-3">
              <label class="form-label">Username</label>
              <div class="input-group">
                <span class="input-group-text">@</span>

```

```

        <input
          type="text"
          class="form-control"
          placeholder="username"
        />
      </div>
    </div>

    <div class="mb-3">
      <label class="form-label">Amount</label>
      <div class="input-group">
        <input type="number" class="form-control" />
        <span class="input-group-text">.00</span>
        <button class="btn btn-outline-success">Pay</button>
      </div>
    </div>

    <div>
      <label class="form-label">Search with tags</label>
      <div class="input-group">
        <input
          class="form-control"
          type="search"
          placeholder="search tags..."
        />
        <button class="btn btn-outline-
secondary">Add</button>
      </div>
      <div class="mt-2">
        <span class="badge bg-info me-1">HTML</span>
        <span class="badge bg-warning text-dark me-
1">CSS</span>
        <span class="badge bg-success">Bootstrap</span>
      </div>
    </div>
  </div>
</div>
</div>

<!-- Middle card: Buttons & groups -->
<div class="col-lg-4">
  <div class="card card-glow p-3 h-100">
    <div class="card-body">
      <h5 class="card-title">Buttons & Groups</h5>
      <p class="text-muted small">
        Useful action groups and badge counters.
      </p>

      <div class="mb-3">
        <div class="btn-toolbar" role="toolbar">
          <div class="btn-group me-2" role="group">
            <button class="btn btn-outline-
primary">Left</button>
            <button class="btn btn-primary">Middle</button>

```

```

        <button class="btn btn-outline-
primary">Right</button>
    </div>
    <div class="btn-group" role="group">
        <button class="btn btn-outline-
secondary">Edit</button>
        <button class="btn btn-outline-secondary">
            Delete
        </button>
    </div>
</div>
</div>

<div class="mb-3">
    <label class="form-label">Stateful Buttons</label>
    <div class="d-flex gap-2">
        <button class="btn btn-sm btn-success">
            Accept
            <span class="badge bg-white text-success ms-
2">4</span>
        </button>
        <button class="btn btn-sm btn-danger">
            Reject
            <span class="badge bg-white text-danger ms-
2">1</span>
        </button>
        <button class="btn btn-sm btn-outline-secondary">
            Maybe
        </button>
    </div>
</div>

<div>
    <label class="form-label">Split action</label>
    <div class="btn-group">
        <button class="btn btn-primary">Action</button>
        <button
            type="button"
            class="btn btn-primary dropdown-toggle dropdown-
toggle-split"
            data-bs-toggle="dropdown"
        ></button>
        <ul class="dropdown-menu">
            <li><a class="dropdown-item" href="#">Option 1</a>
</li>
            <li><a class="dropdown-item" href="#">Option 2</a>
</li>
        </ul>
    </div>
</div>
</div>
</div>
</div>

```

```

<!-- Right card: Forms + badges -->
<div class="col-lg-4">
  <div class="card card-glow p-3 h-100">
    <div class="card-body">
      <h5 class="card-title">Compact Form</h5>
      <p class="text-muted small">
        Combines inputs, badges and micro-actions.
      </p>

      <form class="mb-3">
        <div class="mb-2">
          <label class="form-label small">Email</label>
          <div class="input-group">
            <input
              type="email"
              class="form-control"
              placeholder="name@example.com"
            />
            <span class="input-group-text">@mail</span>
          </div>
        </div>

        <div class="mb-2">
          <label class="form-label small">Notify</label>
          <div class="d-flex align-items-center gap-2">
            <div class="form-check form-switch">
              <input
                class="form-check-input"
                type="checkbox"
                id="switchNotify"
                checked
              />
              <label
                class="form-check-label small"
                for="switchNotify"
                >on</label>
            >
          </div>
          <span class="badge bg-primary">Realtime</span>
        </div>
      </div>

      <div
        class="mt-3 d-flex justify-content-between align-
items-center"
      >
        <div>
          <small class="text-muted">Status</small>
          <div>
            <span class="badge bg-success">Active</span>
            <span class="badge bg-light text-
muted">Beta</span>
          </div>
        </div>
      </div>

```

```
<div>  
    <button class="btn btn-outline-  
primary">Save</button>  
    <button class="btn btn-outline-danger ms-2">  
        Cancel  
    </button>  
</div>  
</div>  
</form>  
</div>  
</div>  
</div>  
</div>  
</div>  
</div>  
</div>  
  
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle  
.min.js"></script>  
</body>  
</html>
```

First name:

Enter Your First Name

Last name:

Enter Your Last Name

Age:

Enter Your Age

Nationality

- ☐ Indian
- ☐ Not Indian

Qualification

- ☐ High School Certificate (12th)
- ☐ Under Graduate
- ☐ Post Graduate

Class	Marks (%)	Year Passed
10th	<div>Marks</div>	<div>Year</div>

Submit

.

First name:

Last name:

Age:

Nationality

- ☒ Indian
☐ Not Indian

Qualification

- ☒ High School Certificate (12th)
☒ Under Graduate
☐ Post Graduate

Class	Marks (%)	Year Passed
10th	<input type="text" value="94"/>	<input type="text" value="2021"/>
12th	<input type="text" value="77"/>	<input type="text" value="2023"/>
UG	<input type="text" value="8.25"/>	<input type="text" value="2027"/>

2. Design a web page which shows the database-oriented CRUD operation. Consider Employee data.

Code :

```
<!doctype html>
<html lang="en">
<head>
```

```

<title>Bootstrap Program 2</title>
<meta charset="utf-8" />
<meta name="viewport" content="width=device-width, initial-scale=1" />

<link

href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.
css"
    rel="stylesheet"
    integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
    crossorigin="anonymous"
    />

<script src="q2.js" defer></script>
</head>

<body class="p-3">
  <div class="container">
    <!-- Add Employee Form -->
    <div class="row mb-3">
      <div class="col-md-3">
        <input
          id="empName"
          class="form-control"
          placeholder="Employee Name"
        />
      </div>
      <div class="col-md-3">
        <input id="empPos" class="form-control" placeholder="Position"
      />
    </div>
    <div class="col-md-3">
      <input id="empSalary" class="form-control" placeholder="Salary"
    />
    </div>
    <div class="col-md-3">
      <button class="btn btn-primary w-100"
onclick="addRow()">Add</button>
    </div>
  </div>

  <!-- Table -->
  <table class="table table-bordered table-hover" id="empTable">
    <thead class="table-dark">
      <tr>
        <th>#</th>
        <th>Employee Name</th>
        <th>Employee Position</th>
        <th>Employee Salary</th>
        <th>Actions</th>
      </tr>
    </thead>
    <tbody>

```

```
<tr>
  <th>1</th>
  <td>Aditya Sinha</td>
  <td>SDE-2</td>
  <td>2000000</td>
  <td>
    <button class="btn btn-sm btn-warning"
onclick="editRow(this)">
      Edit
    </button>
    <button class="btn btn-sm btn-danger"
onclick="deleteRow(this)">
      Delete
    </button>
  </td>
</tr>
<tr>
  <th>2</th>
  <td>Ainesh Mohan</td>
  <td>SDE-1</td>
  <td>900000</td>
  <td>
    <button class="btn btn-sm btn-warning"
onclick="editRow(this)">
      Edit
    </button>
    <button class="btn btn-sm btn-danger"
onclick="deleteRow(this)">
      Delete
    </button>
  </td>
</tr>
<tr>
  <th>3</th>
  <td>Harshit Srivastava</td>
  <td>SDE-0</td>
  <td>2000</td>
  <td>
    <button class="btn btn-sm btn-warning"
onclick="editRow(this)">
      Edit
    </button>
    <button class="btn btn-sm btn-danger"
onclick="deleteRow(this)">
      Delete
    </button>
  </td>
</tr>
</tbody>
</table>
</div>
</body>
</html>
```

```
let editTarget = null;

function addRow() {
  const name = document.getElementById("empName").value.trim();
  const pos = document.getElementById("empPos").value.trim();
  const salary = document.getElementById("empSalary").value.trim();

  if (!name || !pos || !salary) {
    alert("All fields are required.");
    return;
  }

  const table =
document.getElementById("empTable").querySelector("tbody");
  const rowCount = table.rows.length + 1;

  const row = table.insertRow();

  const cellIndex = row.insertCell(0);
  const cellName = row.insertCell(1);
  const cellPos = row.insertCell(2);
  const cellSalary = row.insertCell(3);
  const cellActions = row.insertCell(4);

  cellIndex.innerHTML = rowCount;
  cellName.innerHTML = name;
  cellPos.innerHTML = pos;
  cellSalary.innerHTML = salary;
  cellActions.innerHTML = `
    <button class="btn btn-sm btn-warning"
onclick="editRow(this)">Edit</button>
    <button class="btn btn-sm btn-danger"
onclick="deleteRow(this)">Delete</button>
  `;

  clearInputs();
}

function editRow(btn) {
  const row = btn.closest("tr");

  if (editTarget === row) return;

  editTarget = row;

  const name = row.cells[1].innerText;
  const pos = row.cells[2].innerText;
  const salary = row.cells[3].innerText;

  document.getElementById("empName").value = name;
  document.getElementById("empPos").value = pos;
  document.getElementById("empSalary").value = salary;
}
```

```
const addBtn = document.querySelector("button[onclick='addRow()']");
addBtn.innerText = "Update";
addBtn.classList.replace("btn-primary", "btn-success");
addBtn.setAttribute("onclick", "updateRow()");
}

function updateRow() {
  if (!editTarget) return;

  const name = document.getElementById("empName").value.trim();
  const pos = document.getElementById("empPos").value.trim();
  const salary = document.getElementById("empSalary").value.trim();

  if (!name || !pos || !salary) {
    alert("All fields are required.");
    return;
  }

  editTarget.cells[1].innerText = name;
  editTarget.cells[2].innerText = pos;
  editTarget.cells[3].innerText = salary;

  resetForm();
}

function deleteRow(btn) {
  const row = btn.closest("tr");
  row.remove();
  renumberRows();
}

function renumberRows() {
  const rows =
    document.getElementById("empTable").querySelector("tbody").rows;

  for (let i = 0; i < rows.length; i++) {
    rows[i].cells[0].innerText = i + 1;
  }
}

function clearInputs() {
  document.getElementById("empName").value = "";
  document.getElementById("empPos").value = "";
  document.getElementById("empSalary").value = "";
}

function resetForm() {
  clearInputs();

  editTarget = null;

  const addBtn = document.querySelector("button[onclick='updateRow()']");
  addBtn.innerText = "Add";
```

```
addBtn.classList.replace("btn-success", "btn-primary");  
addBtn.setAttribute("onclick", "addRow()");  
}
```

Employee Name

Position

Salary

Add

#	Employee Name	Employee Position	Employee Salary	Actions
1	Aditya Sinha	SDE-2	2000000	<div>Edit</div> <div>Delete</div>
2	Ainesh Mohan	SDE-1	900000	<div>Edit</div> <div>Delete</div>
3	Harshit Srivastava	SDE-0	2000	<div>Edit</div> <div>Delete</div>

dfgfh

dfshn

14

Add

#	Employee Name	Employee Position	Employee Salary	Actions
---	---------------	-------------------	-----------------	---------

1	Aditya Sinha	SDE-2	2000000	<div>Edit</div> <div>Delete</div>
2	Ainesh Mohan	SDE-1	900000	<div>Edit</div> <div>Delete</div>
3	Harshit Srivastava	SDE-0	2000	<div>Edit</div> <div>Delete</div>

Employee Name

Position

Salary

Add

#	Employee Name	Employee Position	Employee Salary	Actions
1	Aditya Sinha	SDE-2	2000000	<div>Edit</div> <div>Delete</div>
2	Ainesh Mohan	SDE-1	900000	<div>Edit</div> <div>Delete</div>
3	Harshit Srivastava	SDE-0	2000	<div>Edit</div> <div>Delete</div>
4	dfgfh	dfshn	14	<div>Edit</div> <div>Delete</div>

3. Create a web page using bootstrap as mentioned. Divide the page into 2 parts top and bottom, then divide the bottom into 3 parts and design each top and bottom part using different input groups, input, badges, buttons and button groups. Make the design more attractive.

Code :

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <title>Bootstrap Layout Program</title>

    <link

href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.
css"
    rel="stylesheet"
  />

    <script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle
.min.js"
    defer
  ></script>
</head>

<body class="bg-light">
  <div class="container py-4">
    <!-- TOP SECTION -->
    <div class="card mb-4 shadow">
      <div class="card-body">
        <h4 class="card-title">
          User Dashboard
          <span class="badge bg-primary">Active</span>
          <span class="badge bg-success">Online</span>
        </h4>

        <p class="text-muted">
          Enter your details using the input groups below.
        </p>

        <div class="row g-3">
          <div class="col-md-6">
            <div class="input-group">
              <span class="input-group-text">Name</span>
              <input
                type="text"
                class="form-control"
                placeholder="Enter Name"
              />
            </div>
          </div>

          <div class="col-md-6">
            <div class="input-group">
```

```

        <span class="input-group-text">Email</span>
        <input
            type="email"
            class="form-control"
            placeholder="Enter Email"
        />
    </div>
</div>

<div class="col-md-6">
    <div class="input-group">
        <span class="input-group-text">Username</span>
        <input
            type="text"
            class="form-control"
            placeholder="Username"
        />
    </div>
</div>

<div class="col-md-6">
    <div class="input-group">
        <span class="input-group-text">Password</span>
        <input
            type="password"
            class="form-control"
            placeholder="Password"
        />
    </div>
</div>
</div>

<div class="mt-3">
    <button class="btn btn-primary me-2">Submit</button>
    <button class="btn btn-outline-secondary">Reset</button>
</div>
</div>
</div>

<!-- BOTTOM SECTION -->
<div class="row g-4">
    <!-- Bottom Part 1 -->
    <div class="col-md-4">
        <div class="card h-100 shadow-sm">
            <div class="card-body">
                <h5 class="card-title">
                    Actions
                    <span class="badge bg-warning text-dark">New</span>
                </h5>

                <div class="btn-group mb-3">
                    <button class="btn btn-success">Add</button>
                    <button class="btn btn-danger">Delete</button>
                    <button class="btn btn-info">Edit</button>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        </div>

        <p class="text-muted">
            Perform CRUD operations using button groups.
        </p>

        <button class="btn btn-outline-primary w-100">
            View Details
        </button>
    </div>
</div>
</div>

<!-- Bottom Part 2 -->
<div class="col-md-4">
    <div class="card h-100 shadow-sm">
        <div class="card-body">
            <h5 class="card-title">
                Notifications
                <span class="badge bg-danger">3</span>
            </h5>

            <ul class="list-group mb-3">
                <li class="list-group-item d-flex justify-content-
between">
                    New Message
                    <span class="badge bg-primary rounded-pill">1</span>
                </li>
                <li class="list-group-item d-flex justify-content-
between">
                    System Alert
                    <span class="badge bg-warning text-dark rounded-
pill">1</span>
                </li>
                <li class="list-group-item d-flex justify-content-
between">
                    Updates
                    <span class="badge bg-success rounded-pill">1</span>
                </li>
            </ul>

            <button class="btn btn-outline-secondary w-100">View
All</button>
        </div>
    </div>
</div>

<!-- Bottom Part 3 -->
<div class="col-md-4">
    <div class="card h-100 shadow-sm">
        <div class="card-body">
            <h5 class="card-title">
                Quick Controls
                <span class="badge bg-info">Beta</span>

```

```

</h5>

<div class="mb-3">
  <label class="form-label">Search</label>
  <div class="input-group">
    <input
      type="text"
      class="form-control"
      placeholder="Search..."
    />
    <button class="btn btn-outline-primary">Go</button>
  </div>
</div>

<div class="btn-group w-100">
  <button class="btn btn-secondary">Settings</button>
  <button class="btn btn-secondary">Profile</button>
  <button class="btn btn-secondary">Help</button>
</div>
</div>
</div>
</div>
</div>
</body>
</html>

```

User Dashboard

Active

Online

Enter your details using the input groups below.

Name

Email

Username

Password

Submit

Reset

Actions

New

Add

Delete

Edit

Perform CRUD operations using button groups.

View Details

Notifications

3

New Message

1

System Alert

1

Updates

1

View All

Quick Controls

Beta

Search

Go

Settings

Profile

Help

4. Design your class timetable using bootstrap table and carousel.

Code :

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <title>Timetable Carousel</title>

    <link

href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.
css"
    rel="stylesheet"
  />

    <script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle
.min.js"
    defer
  ></script>

    <style>
      .day-card {
        border: 1px solid #dee2e6;
        border-radius: 10px;
        padding: 12px;
        background: #fff;
      }

      .day-title {
        font-weight: 600;
        text-align: center;
        background: #343a40;
        color: #fff;
        border-radius: 6px;
        padding: 6px;
        margin-bottom: 10px;
      }

      .period {
        font-size: 0.9rem;
        padding: 6px;
        border-bottom: 1px solid #e9ecef;
      }

      .period:last-child {
        border-bottom: none;
      }
    </style>
  </head>
```

```

<body class="bg-light p-4">
  <div class="container">
    <h4 class="mb-3 text-center">Weekly Timetable</h4>

    <div id="timetableCarousel" class="carousel slide" data-bs-
ride="false">
      <div class="carousel-inner">
        <!-- Slide 1: Mon - Wed -->
        <div class="carousel-item active">
          <div class="row g-3">
            <div class="col-md-4">
              <div class="day-card">
                <div class="day-title">Monday</div>
                <div class="period">9:00 - 10:00 → PE-1</div>
                <div class="period">10:00 - 11:00 → PCAP</div>
                <div class="period">11:30 - 12:30 → CD</div>
                <div class="period">12:30 - 1:30 → OE</div>
                <div class="period">2:00 - 4:00 → WPL (Lab)</div>
              </div>
            </div>

            <div class="col-md-4">
              <div class="day-card">
                <div class="day-title">Tuesday</div>
                <div class="period">9:00 - 10:00 → CD</div>
                <div class="period">10:00 - 11:00 → CD</div>
                <div class="period">11:30 - 12:30 → PCAP</div>
                <div class="period">2:00 - 4:00 → EEPM</div>
              </div>
            </div>

            <div class="col-md-4">
              <div class="day-card">
                <div class="day-title">Wednesday</div>
                <div class="period">9:00 - 10:00 → EEPM</div>
                <div class="period">10:00 - 11:00 → CD</div>
                <div class="period">11:30 - 12:30 → PCAP</div>
                <div class="period">2:00 - 4:00 → WPL (Lab)</div>
              </div>
            </div>
          </div>
        </div>

        <!-- Slide 2: Thu - Sat -->
        <div class="carousel-item">
          <div class="row g-3">
            <div class="col-md-4">
              <div class="day-card">
                <div class="day-title">Thursday</div>
                <div class="period">9:00 - 10:00 → PPL</div>
                <div class="period">10:00 - 11:00 → ASE</div>
                <div class="period">11:30 - 12:30 → CD</div>
                <div class="period">2:00 - 4:00 → OE</div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

    </div>

    <div class="col-md-4">
      <div class="day-card">
        <div class="day-title">Friday</div>
        <div class="period">9:00 - 10:00 → CD</div>
        <div class="period">10:00 - 11:00 → OE</div>
        <div class="period">11:30 - 12:30 → PE-2</div>
        <div class="period">12:30 - 1:30 → EEPM</div>
      </div>
    </div>

    <div class="col-md-4">
      <div class="day-card">
        <div class="day-title">Saturday</div>
        <div class="period">1:00 - 2:00 → PE-1</div>
        <div class="period">2:00 - 4:00 → PCAP</div>
      </div>
    </div>
  </div>
</div>

<!-- Controls -->
<button
  class="carousel-control-prev"
  type="button"
  data-bs-target="#timetableCarousel"
  data-bs-slide="prev"
>
  <span class="carousel-control-prev-icon"></span>
</button>

<button
  class="carousel-control-next"
  type="button"
  data-bs-target="#timetableCarousel"
  data-bs-slide="next"
>
  <span class="carousel-control-next-icon"></span>
</button>
</div>
</div>
</body>
</html>

```

Weekly Timetable		
Monday	Tuesday	Wednesday
9:00 - 10:00 → PE-1	9:00 - 10:00 → CD	9:00 - 10:00 → EEPM
10:00 - 11:00 → PCAP	10:00 - 11:00 → CD	10:00 - 11:00 → CD
11:30 - 12:30 → CD	11:30 - 12:30 → PCAP	11:30 - 12:30 → PCAP
12:30 - 1:30 → OE	2:00 - 4:00 → EEPM	2:00 - 4:00 → WPL (Lab)
2:00 - 4:00 → WPL (Lab)		