9.1.2

EE24BTECH11001 - Aditya Tripathy

Question:
Plot a solution to the following differential equation:
$y' + 5y = 0$
Solution:
The aim is to find the difference equation using the trapezoidal law using the following
initial conditions, $x_0 = 0, y_0 = 1$

$$y' = -5y \tag{0.1}$$

$$\int_{y_n}^{y_{n+1}} dy = \int_{x_n}^{x_{n+1}} -5y \, dx \tag{0.2}$$

$$\tag{0.3}$$

Using the trapezoidal rule,

$$J = \int_a^b f(x) \, dx \tag{0.4}$$

$$\approx h\left(\frac{1}{2}f(x) + f(x_1) + f(x_2) \cdots + f(x_{n-1}) + \frac{1}{2}f(b)\right) \tag{0.5}$$

$$\frac{y_{n+1} - y_n}{1}\left(\frac{1}{2} + \frac{1}{2}\right) = -5\frac{x_{n+1} - x_n}{1}\left(\frac{y_n}{2} + \frac{y_{n+1}}{2}\right) \tag{0.6}$$

$$\rightarrow y_{n+1} = \frac{(2 - 5h)\,y_n}{5h + 2} \tag{0.7}$$

Another way we can arrive at the differnce equation is by using the Bilinear transform,
Applying Laplace Transform to both sides of the differential equation,

$$sY - sy_0 + 5Y = 0 \tag{0.8}$$

$$Y(s) = \frac{sy_0}{s + 5} \tag{0.9}$$

$$\tag{0.10}$$

Apply Bilinear Transform, with T = h

$$s = \frac{2}{T} \frac{1 - z^{-1}}{1 + z^{-1}} \tag{0.11}$$

$$Y(z) = \frac{2y_0\left(1 - z^{-1}\right)}{2\left(1 - z^{-1}\right) + 5h\left(1 + z^{-1}\right)} \tag{0.12}$$

$$Y(z) = \frac{2y_0\left(1 + z^{-1}\right)}{(2 + 5h) + (5h - 2)z^{-1}} \tag{0.13}$$

$$\alpha = -\frac{5h - 2}{5h + 2} \tag{0.14}$$

$$Y = \frac{2y_0}{5h + 2}\left(\frac{1}{1 - \alpha z^{-1}} + \frac{z^{-1}}{1 - \alpha z^{-1}}\right) \tag{0.15}$$

Applying inverse Z-transform,

$$y_n = \frac{2y_0}{5h + 2}\left(\alpha^n u[n] + \alpha^{n-1} u[n - 1]\right) \tag{0.16}$$

$$\tag{0.17}$$

To check how close the approximate graph is to the actual solution, we will solve the original equation using a Laplace Transform method:

Let $\mathcal{L}(y) = Y$

$$(sY - y_0) + 5Y = 0 \tag{0.18}$$

$$(s + 5)Y = y_0 \tag{0.19}$$

$$Y = \frac{1}{s + 5} \tag{0.20}$$

$$\tag{0.21}$$

Substituting $y_0 = 1$,

$$Y = \frac{1}{s + 5} \tag{0.22}$$

$$\tag{0.23}$$

Now, we take the inverse laplace transform to get a solution,

$$\mathcal{L}^{-1}\left(\frac{1}{s + 5}\right) = e^{-5x}u(x) \tag{0.24}$$

For the following approximate graph, I chose $h = 0.01$ and $h = 0.1$.

Fig. 0.1: Approximate solution of the DE