## **■** NetApp

## **NDMP** error messages

ONTAP 9

NetApp January 13, 2022

This PDF was generated from https://docs.netapp.com/us-en/ontap/tape-backup/network-communication-error-reference.html on January 13, 2022. Always check docs.netapp.com for the latest.

## **Table of Contents**

DMP error messages	1
Network communication error	1
Message from Read Socket: error_string	1
Message from Write Dirnet: error_string	1
Read Socket received EOF	1
ndmpd invalid version number: version_number ``	
ndmpd session session_ID not active	2
Could not obtain vol ref for Volume volume_name	2
Data connection type ["NDMP4_ADDR_TCP" "NDMP4_ADDR_TCP_IPv6"] not supported for	
["IPv6" "IPv4"] control connections	3
DATA LISTEN: CAB data connection prepare precondition error	3
DATA CONNECT: CAB data connection prepare precondition error	3
Error:show failed: Cannot get password for user ' <username>'</username>	4

## **NDMP** error messages

### **Network communication error**

Message

Network communication error

Cause

Communication to a remote tape in an NDMP three-way connection has failed.

· Corrective action

Check the network connection to the remote mover.

## Message from Read Socket: error\_string

Message

Message from Read Socket: error string

Cause

Restore communication from the remote tape in NDMP 3-way connection has errors.

· Corrective action

Check the network connection to the remote mover.

### Message from Write Dirnet: error\_string

Message

Message from Write Dirnet: error string

Cause

Backup communication to a remote tape in an NDMP three-way connection has an error.

· Corrective action

Check the network connection to the remote mover.

### Read Socket received EOF

Message

Read Socket received EOF

#### Cause

Attempt to communicate with a remote tape in an NDMP three-way connection has reached the End Of File mark. You might be attempting a three-way restore from a backup image with a larger block size.

#### · Corrective action

Specify the correct block size and retry the restore operation.

## ndmpd invalid version number: version\_number ``

#### Message

```
ndmpd invalid version number: version number
```

#### Cause

The NDMP version specified is not supported by the storage system.

#### Corrective action

Specify NDMP version 4.

## ndmpd session session\_ID not active

#### Message

```
ndmpd session session ID not active
```

#### Cause

The NDMP session might not exist.

#### · Corrective action

Use the ndmpd status command to view the active NDMP sessions.

### Could not obtain vol ref for Volume volume\_name

#### Message

```
Could not obtain vol ref for Volume vol_name
```

#### Cause

The volume reference could not be obtained because the volume might be in use by other operations.

#### · Corrective action

Retry the operation later.

# Data connection type ["NDMP4\_ADDR\_TCP"|"NDMP4\_ADDR\_TCP\_IPv6"] not supported for ["IPv6"|"IPv4"] control connections

#### Message

Data connection type ["NDMP4\_ADDR\_TCP"|"NDMP4\_ADDR\_TCP\_IPv6"] not supported for ["IPv6"|"IPv4"] control connections

#### Cause

In node-scoped NDMP mode, the NDMP data connection established must be of the same network address type (IPv4 or IPv6) as the NDMP control connection.

#### · Corrective action

Contact your backup application vendor.

## DATA LISTEN: CAB data connection prepare precondition error

#### Message

DATA LISTEN: CAB data connection prepare precondition error

#### Cause

NDMP data listen fails when the backup application has negotiated the CAB extension with the NDMP server and there is a mismatch in the specified NDMP data connection address type between the NDMP CAB DATA CONN PREPARE and the NDMP DATA LISTEN messages.

#### · Corrective action

Contact your backup application vendor.

## DATA CONNECT: CAB data connection prepare precondition error

#### Message

DATA CONNECT: CAB data connection prepare precondition error

#### Cause

NDMP data connect fails when the backup application has negotiated the CAB extension with the NDMP server and there is a mismatch in the specified NDMP data connection address type between the NDMP CAB DATA CONN PREPARE and the NDMP DATA CONNECT messages.

#### Corrective action

## Error:show failed: Cannot get password for user '<username>'

#### Message

Error: show failed: Cannot get password for user '<username>'

#### Cause

Incomplete user account configuration for NDMP

#### Corrective action

Ensure that the user account is associated with the SSH access method and the authentication method is user password.

#### **Copyright Information**

Copyright © 2022 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

#### **Trademark Information**

NETAPP, the NETAPP logo, and the marks listed at <a href="http://www.netapp.com/TM">http://www.netapp.com/TM</a> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.