

PULSEBIO DIAGNOSTICS & LABS

NABL ACCREDITED & ISO 15189:2022 CERTIFIED LABORATORY

Central Diagnostic Facility, 102 Health Avenue, Bengaluru, Karnataka - 560076 | Phone: +91 80 4920 1100

Patient Name: Aditya Sharma

Age / Gender: 24 Yrs / Male

Referring Doctor: Self / Wellness Check

Report ID: REP-2026-154

Booking Ref: BK-2026-2367

Report Date: 2026-10-08

Sample Type: Venous Blood (EDTA/Serum)

DEPARTMENT OF PATHOLOGY - KIDNEY FUNCTION TEST (KFT / RFT)

TEST PARAMETER	RESULT	UNIT	REFERENCE RANGE
Blood Urea Nitrogen (BUN)		mg/dL	7 - 20
Serum Creatinine		mg/dL	0.7 - 1.3
Serum Uric Acid		mg/dL	3.5 - 7.2
Serum Calcium		mg/dL	8.8 - 10.2
Estimated GFR (eGFR)		mL/min/1.73m ²	> 90

CLINICAL REMARKS & INTERPRETATION:

Normal clinical findings. Correlate with clinical condition.

NABL VERIFIED

Scan to verify authenticity

Verified Digitally

Dr. Arvind Mehra, MD (Pathology)

Chief Pathologist & Laboratory Director

End of Report. This report is generated electronically and requires no physical signature under IT Act 2000.