1

Solution with figure

Aditya Vikram Singh*




Fig. 0. Triangle

parameter	value	description
m ₁	$\begin{pmatrix} 9 \\ 4 \end{pmatrix}$	AB
m ₂	$\begin{pmatrix} -5 \\ -1 \end{pmatrix}$	BC
m ₃	$\begin{pmatrix} -4 \\ -3 \end{pmatrix}$	AC
B-A	5.83	AB
C - B	6.40	BC
A - C	9.21	AC
rank	3	points are not collinear
$\mathbf{n}_1^{ op}$	$\begin{pmatrix} 4 & -9 \end{pmatrix}$	A D
c_1	-3	AB
$\mathbf{n}_{2}^{ op}$	$\begin{pmatrix} -1 & 5 \end{pmatrix}$	D.C.
c_2	5	BC
$\mathbf{n}_{3}^{ op}$	(-3 4)	AG
c_3	-39	—AC
area	18.5	area of triangle
∠A	12.90740°	Angle
∠B	12.65255°	Angle
∠C	154.44003°	

TABLE 0 Bisector

parameter	value	description
D	(1.5) (-4.5)	midpoint of line BC
E	$\begin{pmatrix} -3 \\ -2.5 \end{pmatrix}$	midpoint of line AC
F	$\begin{pmatrix} -0.5 \\ 3 \end{pmatrix}$	midpoint of line AB
$\mathbf{n}_{4}^{ op}$	(3.5 -6.5)	AD
c_4	18	AD
$\mathbf{n}_{5}^{ op}$	(-2.5 7)	BE
C5	4	DE.
$\mathbf{n}_{6}^{ op}$	(-1 -0.5)	CE
c_6	-22	CF
G	(-0.666666666666666666666666666666666666	dentroid of triangle

TABLE 0 Bisector

parameter	value	description
\mathbf{n}_{7}^{T}	$\begin{pmatrix} -5 & -1 \end{pmatrix}$	$-$ A D_1
c_7	-9	AD_1
$\mathbf{n}_{8}^{ op}$	$\begin{pmatrix} -4 & -3 \end{pmatrix}$	BE_1
c_8	9	BE_1
\mathbf{n}_{9}^{T}	(9 4)	CF_1
<i>c</i> ₉	0	Cr ₁
Н	$\begin{pmatrix} -9.36 \\ 22.81 \end{pmatrix}$	orthocentre of triangle

TABLE 0 BISECTOR




Fig. 0. Triangle

parameter	value	description
$\mathbf{n}_{10}^{ op}$	(9 4)	Perpendicular bisector of AB
c_{10}	22	r espendicular discetor of AB
$\mathbf{n}_{11}^{ op}$	$\begin{pmatrix} -5 & -1 \end{pmatrix}$	Perpendicular bisector of BC
c_{11}	-16.5	r espendicular disector of BC
$\mathbf{n}_{12}^{ op}$	$\begin{pmatrix} -4 & -3 \end{pmatrix}$	Perpendicular bisector of CA
c_{12}	-5.5	respondicular discetor of CA
0	(3.681)	
	(-6.409) Circ	Circumcircle
radius	4.65	

TABLE 0 BISECTOR




Fig. 0. Triangle




Fig. 0. Triangle