

A price feed you cannot write to.

Real Ethereum-mainnet Chainlink rounds proven onto Creditcoin by the Attestcoin Protocol, and parametric depeg cover that settles because a round happened — not because anyone approved it.

Every price on a young chain is somebody's word.

Chainlink does not publish on Creditcoin. To get a price there today you run a relayer, a multisig, or a bridge committee — and whatever the architecture diagram says, the number arrives because **a party you trust asserted it**.

WHAT THAT COSTS

- A lending market on a new chain inherits **a second trust assumption** that has nothing to do with Chainlink's own security.
- The relayer can be down, censored, or wrong, and a consumer contract cannot tell which.
- Historical prices are usually unavailable at all, so anything that needs to settle against a past event has nothing to settle against.

WHAT A BUILDER ACTUALLY WANTS

- The **same** number Chainlink published on Ethereum, with the same provenance.
- No new party to trust, and no admin key anywhere that can write a price.
- The ordinary **AggregatorV3Interface**, so existing code compiles unchanged.

A Chainlink round is an Ethereum transaction.

Every price update is an **AnswerUpdated** log inside a mainnet transaction. The Attestcoin Protocol proves mainnet transactions to Creditcoin natively, through the Block Prover precompile at **0x...0FD2**. Put those two facts together and the relayar disappears.

NOT THIS

an off-chain service reads a price and writes it into a contract

trust moves from Ethereum consensus to whoever runs the service

THIS

anyone submits the original transaction's bytes plus an inclusion and continuity proof; the precompile verifies them; the contract decodes the log out of bytes that were just verified

trust stays with Ethereum consensus, Chainlink's aggregator, and Creditcoin's attestor set — no project-run server is in the path

CONSEQUENCE

there is **no setPrice**, and no admin function that can write, alter or delete a price

a structural test walks the compiled ABI and fails if any state-changing registry function ever gains a signed-integer input

Seven checks, and a round is stored.

Submission is **permissionless**. A malicious caller can only waste their own gas: every path out of this list is a revert.

- **1.** the query id has never been processed — replay protection before anything is spent
- **2.** the precompile returned true for inclusion *and* continuity
- **3.** the transaction type is one the decoder supports
- **4.** the source receipt status is 1 — a reverted transaction's logs are never believed
- **5.** the log's emitter is an active aggregator registered **for that same chain key** — without this, a Sepolia proof could pass as mainnet
- **6.** the log is exactly **AnswerUpdated**: 3 topics, 32 bytes of data
- **7.** that round has not been stored before

The 2023 USDC depeg, sitting on Creditcoin.

On 11 March 2023, as Silicon Valley Bank failed, Chainlink’s USDC/USD feed printed eighty-eight cents. That exact round was imported from its original mainnet transaction — three years of continuity proven in one call.

\$0.880000000

Chainlink updatedAt 2023-03-11 07:51:23Z
Ethereum block 16,803,472, transaction index 61

SOURCE	0x24500a30910fb1a99d...58dcfbddacd8 Ethereum mainnet — open it on Etherscan and compare
PROVEN	0x5c5f1c6d7351ccd1c2...b211aadb3a7c 650,223 gas · 529 continuity roots
IN THE RECEIPT	TransactionVerified from 0x...0FD2, then RoundProven from the registry the precompile’s own event and ours, in the same transaction

PegGuard: cover that pays because a round happened.

A holder buys “pay me if this feed prints below the strike this week”. To collect, somebody proves the breaching round. There is **no adjuster, no vote, and no admin function** that can approve or deny a claim.

POLICY	PREMIUM	PAYOUT	BACK TO THE POOL
Full — a trigger	0.058333333333333333 CTC	50.000000000000000000 CTC	0
Proportional — the depth of the breach	0.035 CTC	4.413064841323284691 CTC	45.586935158676715309 CTC

Proportional pays **notional × (strike – answer) ÷ strike**, so an 8.8% breach pays 8.8% — and costs 40% less, because it pays less. The pool reserves the full notional either way, and releases what the breach did not claim. A share of every premium goes to whoever *first proved* the round.

Three rounds, one continuity proof.

recordRoundBatch drives the precompile's second surface: its batch overload verifies many transactions against one shared proof. It is not unconditionally cheaper, and publishing only the flattering half would be dishonest.

ROUNDS	SPAN	PROVEN SEPARATELY	BATCHED	DIFFERENCE
3	4 blocks	939,766	769,283	-18.1%
3	390 blocks	1,084,232	1,052,808	-2.9%
2	247 blocks	691,338	792,207	+14.6%
4	845 blocks	1,340,319	1,727,572	+28.9%

A shared proof spans the first block to the last; a single one reaches only its own checkpoint. Reproduce both with **pf prove-batch --compare --dry-run**.

What it does not do.

This section is the differentiator, not the disclaimer. An Attestcoin integration that claims more than this is overselling itself.

- **It proves history, not state.** It can prove round R happened and printed X. It can never prove R is the latest round, or what latestRoundData returns on mainnet right now.
- **The feed is a lower bound.** Consumers must apply their own staleness check, exactly as a careful mainnet Chainlink consumer does.
- **PegGuard is immune to that limit**, which is the point of the pairing: a policy pays if *any* round in the window breached. Existence is precisely what a transaction proof establishes.
- **You cannot insure a depeg that already printed.** Cover always starts in the future. A deliberate safety property, and the reason the claim demo uses a live round.
- **Feed registration is owner-managed.** Centralisation of *configuration*, never of data.
- **Permissionless registration was specified, researched, and not shipped.** Zero AggregatorConfirmed events exist across thirteen major mainnet feeds since the start of the attestable window, so the feature would be code no proof could ever exercise.

Shipped, deployed, and checkable in five minutes.

Three contracts source-verified on Blockscout, three feeds carrying proven rounds, and a keeper that ran sixteen hours unattended.

ON CHAIN

- the 2023 depeg round, imported
- a claim settled by proof — five events in one transaction
- the same round paid two ways
- three rounds on one continuity proof
- prover bounty accrued and withdrawn

VERIFIED

- **131** contract tests, no network access
- **25** CLI tests
- **99.0%** line coverage on src/
- decode tested against real captured mainnet bytes
- attestation lag measured at 7.4–8.8 min

NEXT

- more feeds, and a keeper network the bounty already pays for
- richer payout curves on the same settlement rail
- permissionless registration the moment Chainlink rotates an aggregator upstream