


A thick dark blue vertical bar runs down the left side of the page. A blue arrow points to the right, starting from the vertical bar and pointing towards the ExxonMobil logo.

MRM // McCANN

ExxonMobil

Energy lives here™

SRS Document for P&SG
Wireframes

Mishra, Aditya (NDH-MRM)
INTERPUBLIC

Exxon Mobil P&SG – Software Requirement Specification

Introduction/System Overview

Exxon Mobil P&SG Wireframe Web application will be an online platform where ship merchants and other marine travelers can access information related to availability of Exxon Mobile products and services at several marine geographical locations like ports and shipyards across the globe.

The P&SG application will be one-point web based online destination where merchants or any other marine stakeholders can locate ports/shipyards, see availability of Exxon Mobil products and services, compare the Exxon Mobil port outlets on the basis of product, services and ratings and estimate/plan his/her order on the basis of delivery date, mode and volume.

The proposed Web Application will include intuitive map for quick navigation and information search. Its UI (User Interface) will be highly responsive and will provide easy operation on all sort of screens. It will have uncomplicated information processing mechanism and will provide almost all information or maximum possible information on one single page with maximum three click.

Document Purpose

This SRS describes Exxon Mobil P&SG Wireframe Web application's functional and non-functional requirements for its perfect release. This document is intended to be used by the members of the project team that will implement and verify the correct functioning of the system. Unless otherwise noted, all requirements specified here are of high priority and committed to timely and perfect release of the software at client's behest.

Intended Audience

This software intends to guide client, project managers, developers, testers and end users about the scope and necessity of the software. This document is intended to be used by the members of the project team that will implement and verify the correct functioning of the system.

The developers and project managers need to become intimately familiar with the SRS. Others involved in the project need to review the document as such testers need an understanding of the system features to develop meaningful test cases and give useful feedback to the developers.

Project Scope and Vision Statement

The aim of the **P&SG Wireframe** application is to be a comprehensive guide tool for ship authorities/merchants who are looking for oil and related services while on the voyage or planning for a voyage. Below are main highlights of the proposed **P&SG Wireframe project**.

In Scope:

- ✓ Improving look and feel of current **P&SG Wireframe** application and provide it a world class outlook.
- ✓ Making current application more user friendly with minimum information search complexities.
- ✓ UI (User Interface) will be highly responsive and will supports all type of screens.
- ✓ Will cut down complexity in applicable pages, will let users to reach the final result in maximum three clicks.
- ✓ Will include graphical intuitive map where user search results will be highlighted in dots and users will be able to see the detailed information while clicking on the highlighted dots.
- ✓ Will include intuitive search bar for quick and better results.
- ✓ Will include intuitive country search bar that will provide quick and relatively automated results on the basis of user search input.
- ✓ Users will be able to see the port details and products and services details as per geographical location selected in the map or search bar.
- ✓ Will show port summary along with product details and lead-time.
- ✓ Will show delivery mode/barging detail and delivery volume available at port.
- ✓ Users can compare ports (maximum four) and be able to choose the best one for his/her requirement.
- ✓ Will include Order Check Tool where user can validated their order at a particular port outlet on basis of de livery date, lead time, volume etc.
- ✓ Comparison of various ports in the single frame

Out of Scope

- ✓ Exxon will be responsible for making change in port & service guide Related Information as on any information change.
- ✓ Asp.net will be used as front end development tool since whole site is developed with asp.net therefore it's easy to Upgrade & maintain website in same programming

language subsequently .net framework platform required.

- ✓ Exxon must have SQL Server 2000 as Database server.
- ✓ Database management (Backup, Recovery, maintenance plan) should be on regular basis.
- ✓ .Net supported web server as IIS Required.

Definitions, Acronyms, and Abbreviations

Definitions, Acronyms and Abbreviations

SRS:	Software Requirement Specification
IIS:	Internet Information Services
WUI:	Web User Interface
HTTP:	Hypertext Transfer Protocol
GUI:	Graphical User Interface
MTBF:	Mean Time between Failures
MTTR:	Mean Time Transaction Recovery
KLOC:	Thousands Line of Code
RSP1:	Result Service Pack 1

References

- Appendix A: SRS flow diagram
- Appendix B: User Interfaces
- Appendix C: Naming Conventions

System Analysis & Client Requirement

Home Page

Home Page will be the initial and main web page of the application. Users will land on this page while visiting the application through its URL. It will also serve as the main page for visitors/user navigating the application through search engine. This page will also facilitate navigation to other pages of application like Area Search Page, Product Search Page, Shipyard Search Page etc. through predefined tabs.

Client Requirements:

- *Intuitive Map*
- *Country Listing*
- *Intuitive Search Bar showcasing:*
 - *Country*
 - *Port*
 - *Product*
 - *3 Clicks to reach at result*
- *Prominently showcasing three main elements across the website*
 - *Contact US*
 - *How to Order*

Execution:

- ✓ Home Page will include a graphical map that will highlight the port location based on user's search input.
- ✓ It will have country listing mapped in the database and application.
- ✓ Search bar will be intuitive that will show case the relative searches based on the user input.
- ✓ User's inputs will be highlighted in the map in the form of dot. Users can click on these dots to see further details.
- ✓ The intuitive search bar must facilitate quick and better results.
- ✓ Users must be able to reach the result page in maximum three clicks after providing inputs in the search bar.

Prototype Home Page

ExxonMobil
Marine Fuels & Lubricants

Home Area Search Product Search Shipyard Search Order Check Tool My product My Port



Contact Us
How to Use
How to Order

Q INDIA (Country, Port & Product)

Mumbai
Chennai

Exxon Mobil Corporation | Global Websites | Contact Us
Copyright | Terms & Conditions | Privacy Policy | Accessibility | Site Map.



Page Flow:

- User will have an option to type Country, Port or Product name in the intuitive search bar.
- Typed input will get highlighted on the map.
- User can click on the map and see the details.

Area Search Page

Area Search Page will facilitate search of geographical locations across the globe. Names of the ports available in a particular area and their star rating, bulk availability, barging options and lead times will appear based on the user input.

Client Requirements:

- User should be able to see the products based on the geography selected or chosen
- Product details along with the port details helping in buying process
- Lead time specifications
- Showcasing port summary
- Port compare option for the users

Execution:

- Here users can select “Maritime” or “Region” and the list will drop down for further drilling the options i.e. ports.
- When user clicks or select the particular area, he / she will get the details about the ports available in the area along with the products and services.
- Post selecting the area user will be able to see the port detailed details and selects the product he / she wants to buy.
- Users will also have option to compare ports based on available products, services and other criteria by clicking on the compare tab.

Prototype Area Search Page



Home Area Search Product Search Shipyard Search Compare

My product My Port

☒ LTR ☐ USG

Maritime	Port Name	Star Rating	Bulk Availability	Barging	Lead Time	Select
North America (Pacific)	Anacortes (W...)	★★★★★	Yes	Yes	2 Days	☐ Checkbox
North America Atlantic	Aberdeen (WA)	★★★★★	Yes	Yes	3 Days	☐ Checkbox
US Gulf	Astoria (OR)	★★★★★	Yes	Yes	2 Days	☐ Checkbox
Central America						
Region						

Contact Us

How to Use

How to Order

Exxon Mobil Corporation Global Websites Contact Us

Copyright Terms & Conditions Privacy Policy Accessibility Site Map.

ExxonMobil Esso Mobil

Port Page

Port page will be the ultimate result destination in both cases whether the user is searching by area or product criteria.

Users will be able to open the port page by selecting name of the port from the list of ports that appear when the user search certain area/product in home page intuitive search bar or in area search page or product search page.

Port Page will showcase the port details including available products, required lead time for delivery, available services like bulk availability/ barging availability, services rating and extra charge applicable.

Requirements

- ✓ Page should provide complete detail related to the port that would help the users to take better buying decision.
- ✓ Page should provide complete details of the products available at the port.
- ✓ Page should provide complete detail of the services available at the port like bulk availability, barging availability along with service star rating.
- ✓ Page should provide complete understanding of lead time. Here lead time means the time required for delivery of particular order.
- ✓ Page should have provision to showcase basis details like working hours, whether they work overtime, whether extra charges are available etc.
- ✓ It should provide details of the extra charges.

Prototype Port Page



[Home](#)
[Area Search](#)
[Product Search](#)
[Shipyard Search](#)

[My product](#)
[My Port](#)

Home>Area Search>Port Page

Port Name: Aberdeen

Lead Time: 2 Working Days		Sub Port (s)		Services	
Maritime Area: North America Pacific Country: United States Remarks				Star Rating: ★★★★★ Bulk Availability: Yes Barging Availability:	
Product Product Name Mobilgard 5100 Mobilgard 570 Mobilgard M330		Bulk MOQ (10000 Ltr - 2000 Ltr) Barge (B) - Truck (T) Barge (B) - (N/A) Truck (T) - (N/A)		Packed MOQ (800 Ltr) Drum (D) Drum (D) Drum (D)	
				Ancillary MOQ (800 Ltr - 60 Ltr) Drum (D) - Bulk (B) - Pail (P) Drum (D) - Cartridge (C) - Bulk (B) Drum (D) - Bulk (B)	
Additional Port Information Operation Hours: 08:00 Hrs - 18:00 Hrs Overtime: No Extra Charges: Applicable All Potential Extra Charges: Subject to Inquiry			Service / Extra Charges Region: North America UN Code: US GHR Time Zone: GMT - 8 Longitude / Latitude: 123.81 , 46.975 Memo		

[Exxon Mobil Corporation](#)
[Global Websites](#)
[Contact Us](#)

[Copyright](#)
[Terms & Conditions](#)
[Privacy Policy](#)
[Accessibility](#)
[Site Map](#)

Product Search Page

Product Search Page will let users to search a particular product and its availability in various ports situated in various geographical locations across the globe.

Here user will get option to search and select the product. He/she can further see the availability of the specific product in various geographical area and ports. User can also compare the specific ports on the basis of availability of products and services provided by them.

Requirements/Feature

- ✓ Product Search Page will include intuitive search bar, that will show multiple options when the user will type the name of product.
- ✓ User will have option to select the products from the search list.
- ✓ User must have option to refine his search from broader to narrow.
- ✓ It must provide insights about availability of product in terms of regions, countries, maritime areas and package type so that user can refine his search.
- ✓ User should have option to compare the ports.
- ✓ User should have option to bookmark/add a product in "My Product".

Prototype Product Search Page

[Home](#)
[Area Search](#)
[Product Search](#)
[Shipyards Search](#)

[My product](#)
[My Port](#)

[Compare Port](#)
[New Search](#)
[Go to Search Result](#)

Product Name	Category	Type	MOQ	Checkbox
MobilGard 10	Engine Oil	S	800	☐
MobilGard 20	Gear Oil	A	800	☐

Selected Product

MobilGard 10

MobilGard 20

Apply

[Contact Us](#)
[How to Use](#)
[How to Order](#)

Refine your search (Total 472 ports found)

By Region

North America (65)

Asia Pacific (133)

Europe (176)

By Country

Sri Lanka (4)

India (2)

Taiwan (5)

By Maritime Area

Asia North (48)

Red Sea (3)

Japan (39)

By Package Type

Drum

Pail

Ports

☐

Aalborg Denmark Europe Scandinavia-West

☐

Aalesund Norway Europe Scandinavia-West

☐

Aarhus Denmark Europe Scandinavia-West

☐

Aberdeen (VA) United States North America North America - Pacific

☐

Aberdeen Ports United Kingdom Europe UK & Ireland

☐

Abu Dhabi United Arab Emirates Africa / Middle East Arabian Gulf

☐

Adelaide Australia Asia Pacific Australasia

☐

Akita Japan Asia Pacific Japan

☐

Alexandria Ports Egypt Africa / Middle East Mediterranean East & Black Sea

☐

Algeiras Spain Europe Mediterranean West

☐

Allaga Turkey Europe Mediterranean East & Black Sea

☐

Alicante Spain Europe Mediterranean West

☐

Amsterdam Netherlands Europe Europe NorthWest

☐

Anacortes (VA) United States North America North America - Pacific

Exxon Mobil Corporation

Global Websites

Contact Us

Copyright

Terms & Conditions

Privacy Policy

Accessibility

Site Map

ExxonMobil

Esso

Mobil

Page Flow:

- User will have type the name of the product in intuitive search bar.
- Intuitive search bar will show the related options, users can select multiple options from the search bar.
- After selecting the options users will get more filter options to specify the search result.

Note: All searches here will also results in the port page and port comparison ultimately that will remain same as in the Area Search Page. The ultimate objective of these both Area Search and Product Search search-criteria is to provide users insights about products and their availability at various ports so that users can make better buying decision during voyage or before setting for a voyage.

Compare Port Page

Compare Port Page facilitates comparison of ports appearing after the search result. Users can select ports for comparison and compare them based on services and products. In the services section star rating, lead time, bulk availability and barging availability will be the primary comparison criteria. While in Product section volume, mode of transport and bulk availability will be primary comparison criteria.

Requirements

- ✓ Primary objective of “Compare Port Page” is to provide users better insight of services, products and other factors of the ports so that buyer/user can take better decisions while on a voyage or planning a voyage. So various data must be presented in such a way that provide better comparative analysis prima-facie.
- ✓ Compare Port Page will provide the comparative data of ports based on services, products and additional charges.
- ✓ In the services section comparative data of the all the selected ports based on star rating, lead time, bulk availability and barging availability.
- ✓ In product section comparative data of the product available at ports will appear based on volume, mode of transport and bulk availability etc.
- ✓ There will be an extra charges section where extra charges details of the all the ports will appears.
- ✓ Maximum four ports will be compared at a time.
- ✓ Users will have option to remove a particular port from the comparison.
- ✓ Users will have option to add a particular port to My Exxon Mobile List or **My Port**.

Prototype Compare Port Page



[Home](#)
[Area Search](#)
[Product Search](#)
[Shipyards Search](#)

[My product](#)
[My Port](#)

COMPARE PORT

[Compare Port](#)

[New Search](#)

[Go to Search Result](#)

Mineral products are in Black Synthetics are in red

Main Port	Aalesund	Aalborg
	Maritime Area: Scandinavia-West Country: Norway Region: Europe	Maritime Area: Scandinavia-West Country: Denmark Region: Europe
	☐ Remove from Comparison	☐ Remove from Comparison
	☐ Add to My ExxonMobil List	☐ Add to My ExxonMobil List
Sub Ports		
Services		
Star Rating	★ ★ ★	★ ★ ★
Lead Time	3	3
Bulk Availability	Yes	Yes
Barging Availability	No	No
+		
Products	Mobilgard Bulk	Mobilgard Packed
Minimum Volume per Grade, Truck	2,000 Ltr.	2,000 Ltr.
Minimum Volume Aggregate, Truck	10,000 Ltr.	10,000 Ltr.
Minimum Volume per Grade, Barge		
Minimum Volume Aggregate, Barge		
Mode of Transport	Truck (T), Barge (B)	
Mobilgard Bulk	MOBILGARD 300 ⓘ MOBILGARD 300 C T MOBILGARD 312 T MOBILGARD 412 T MOBILGARD 450 NC ⓘ MOBILGARD 525 T MOBILGARD 560 VS MOBILGARD 570 T ⓘ MOBILGARD ADL 40 T	MOBILGARD 300 ⓘ MOBILGARD 300 C T MOBILGARD 312 T MOBILGARD 412 T MOBILGARD 450 NC ⓘ MOBILGARD 5100 T ⓘ MOBILGARD 525 T MOBILGARD 560 VS MOBILGARD 570 T ⓘ MOBILGARD ADL 40 T
Extra Charges		
All Potential Extra Charges	Subject to Inquiry	Subject to Inquiry

Page Description:

User will have option to compare up-to 4 ports on this page.

Order Check Tool

Order Check Tool will be a very important ingredient of Port page. This tool will let users to validate several factors involved in order of particular product. Here users can validate their order based on several parameters like minimum volume pack, lead time, mode of transport, barge availability etc.

Requirements

- ✓ This tool will let users validate a prospective order before finalizing it.
- ✓ It will include options that will provide users complete assessment of the order before it consummate.
- ✓ There will be option showing minimum volume pack and there will be option showing quantity of minimum volume pack if delivered through barge.
- ✓ There will be an option showing minimum synthetic volume packed.
- ✓ There will be options to share lead time and default mode of transport to the users.
- ✓ There will be options showing minimum per grade and minimum per aggregate volume in cases of both truck and barge.

Prototype Order Check Tool Page

Home Area Search Product Search Shipyard Search

My product My Port

ORDER CHECK TOOL

Port	Enter and Select Name Holiday List	Product	Select Product Pack	Validation Date & Time Earliest Delivery Date Requested Delivery Date	Date & Time Date & Time Date & Time
------	---------------------------------------	---------	-------------------------------------	---	---

PORT INFORMATION

Port Details

Standard

Special

Delivery Region:	Africa / Middle East	Lead Time (Working Days)	4	
Country:	Egypt	Default Mode of Transport	Truck	
Port:	Alexandria Ports	minimum per Grade, Truck	0	
Minimum Volume Pack (Ltr)	800	minimum Aggregate, Truck	0	
Minimum Volume Pack (If Supplied with Bulk by Barge) Ltr	800	minimum per Grade, Barge	2000	
		minimum Aggregate, Barge	6000	
Minimum Synthetic Volume Packed (Ltr)				

Contact Us
How to Use
How to Order

ORDER LIST

Item	Product Name	Quantity	Package	Alternative Request	Remove

ORDER VALIDATION

Validate Now

Product	Pack Volume Calculation	Bulk Volume Calculation		Lead Time Calculation
		Per Grade	Aggregate Quantity	
		Standard	Special	
Offer criteria met				
Difference Lt. / Days Total Ordered Vol. Lt.				

Page Flow

- User search the port from top.
- User selects the product and delivery time along with the package type.
- After this user specify the product quantity. So, he can validate the order and gets the result if it pass or fail.

Shipyard Search Page

Shipyard Search Page facilitates search of Shipyard as per user requirement. With help of this page, users can search and locate various shipyards across the globe as per their voyage plan or other requirements. A **shipyard** (also called a **dockyard**) is a place where ships are built and repaired. This page will list the Shipyards having Exxon Mobile outlets.

Requirements

- ✓ Include list of shipyard in various geographical locations having Exxon Mobile outlet.
- ✓ Include shipyard summary involving available products, bulk availability, barging details , bulk MCQ, packed MCQ, ancillary MCQ details and services/extra charges details.
- ✓ Page should provide complete details of the products available at the shipyard.
- ✓ Page should provide complete detail of the services available at the shipyard like bulk availability, barging availability.
- ✓ Page should provide complete understanding of lead time. Here lead time means the time required for delivery of particular order.
- ✓ Page should have provision to showcase basis details like working hours, whether they work overtime, whether extra charges are available etc.
- ✓ It should provide details of the extra charges.

Page Flow

User gets the product detail available on shipyard.



Home Area Search Product Search Shipyard Search

My product My Port

Home>Shipyard Page>Shipyard View

☒ LTR ☐ USG

Shipyard Name: Fujian Province Shipyards

Lead Time: 2 Working Days		Shipyard (s)		Services	
Country: China		Fujian Mawein Shipyard		Bulk Availability: Yes Barging Availability: 	
Remarks		Xiamen Shipbuilding Industry Co Ltd			
Product		Bulk MOQ (10000 Ltr - 2000 Ltr)		Ancillary MOQ (800 Ltr - 60 Ltr)	
Product Name					
MobilGard 5100		Barge (B) - Truck (T)		Drum (D) - Bulk (B) - Pail (P)	
MobilGard 570		Barge (B) - (N/A)		Drum (D) - Cartridge (C) - Bulk (B)	
MobilGard M330		Truck (T) - (N/A)		Drum (D) - Bulk (B)	
Additional Port Information				Service / Extra Charges	
Operation Hours		08:00 Hrs - 18:00 Hrs		Region: Asia Pacific	
Overtime		No		UN Code:	
Extra Charges		Applicable		Time Zone: GMT - 8	
All Potential Extra Charges		Subject to Inquiry		Longitude / Latitude 123.81 , 46.975	
				Memo	

My Product Page

My product page will allow users to enlist and bookmark their favorite products to their favorite. It will help users to shortlist particular product and refer to it every time they are looking for a product. So with help of this page users can create a list of the products they are looking for and use it for future references.

Requirements

- ✓ It will facilitate shortlisting of the favorite products from users' perspective.
- ✓ While searching the product user must have an option to save/add a particular product to my product page.
- ✓ The page must display the list of products added by the user while searching.
- ✓ User will have option to remove product from the list.
- ✓ User will have option to choose delivery style like bulk, drum, pail, cartridge etc.

Prototype My Product Page

[Home](#)
[Area Search](#)
[Product Search](#)
[Shipyard Search](#)

[My product](#)
[My Port](#)

Home>Area Search>Port Page

☒ LTR ☐ USG

Port Name: Aberdeen

Lead Time: 2 Working Days		Sub Port (s)		Services	
Maritime Area: North America Pacific Country: United States Remarks				Star Rating: Bulk Availability: Yes Barging Availability:	
Product Product Name Mobilgard 5100 Mobilgard 570 Mobilgard M330	Bulk MOQ (10000 Ltr - 2000 Ltr) Barge (B) - Truck (T) Barge (B) - (N/A) Truck (T) - (N/A)	Packed MOQ (800 Ltr) Drum (D) Drum (D) Drum (D)	Ancillary MOQ (800 Ltr - 60 Ltr) Drum (D) - Bulk (B) - Pail (P) Drum (D) - Cartridge (C) - Bulk (B) Drum (D) - Bulk (B)		
Additional Port Information Operation Hours: 08:00 Hrs - 18:00 Hrs Overtime: No Extra Charges: Applicable All Potential Extra Charges: Subject to Inquiry			Service / Extra Charges Region: North America UN Code: US 6HR Time Zone: GMT - 8 Longitude / Latitude: 123.81 , 46.975 Memo		

Exxon Mobil Corporation
 Copyright

Global Websites
 Terms & Conditions
 Privacy Policy

Contact Us
 Accessibility
 Site Map.

Page Flow:

- ✓ While searching the product, once user will get the list of product, he will get option to add the port to my port/favorite.
- ✓ User can click on the given option and add the product to my product.

- ✓ Once user add the product to my product, the product will appear in the list on this page.

My Port Page

My port page will let users to shortlist and bookmark their favorite ports. While visiting the page of a particular port, user will get option to add it to his favorite list. Ports added to the favorite list will appear in this page.

Requirements

- ✓ It will facilitate shortlisting of the favorite ports from users' perspective.
- ✓ While visiting a particular port user must have an option to save/add a particular port to my port page.
- ✓ The page must display the list of port added by the user while searching.
- ✓ User will have option to remove port from the list.
- ✓ The port list will provide brief information of the port like region, country and star rating.

Prototype My Port Page

port



MY PORT

Select Port	Region	Country	Star Rating
☐ Las Palmas	Africa / Middle East	Canary Islands	★★★★☆

Exxon Mobil Corporation
Global Websites
Contact Us

Copyright
Terms & Conditions
Privacy Policy
Accessibility
Site Map.

ExxonMobil
Esso
Mobil

Page Flow

- ✓ While visiting particular port page, he will get option to add the port to my port/favorite.
- ✓ User can click on the given option and add the port to my port.
- ✓ Once user add the port to my port, the port will appear in the list on this page.

P&SG Web Application Process Flow

