


# Arduino Smart Cane

Obstacle Detection for the Visually Impaired





# Problem Statement: Navigating the World Blindfolded

## 285 Million People

Worldwide face visual impairment, encountering daily obstacles that threaten their safety and independence

## Touch-Based Detection

Traditional white canes only detect obstacles upon contact, creating risk of injury and limiting confidence

## Accessibility Gap

Urgent need for affordable, intuitive technology that enhances mobility without complex training


# Proposed Solution: The Arduino Smart Cane

## Intelligent Obstacle Detection

Our Arduino Smart Cane revolutionizes mobility assistance by integrating ultrasonic sensors that detect obstacles **before** physical contact occurs.

The system provides instant, multi-sensory feedback through buzzer sounds and vibration motors, alerting users to potential hazards in their path.

Built on the versatile Arduino microcontroller platform, the design remains compact, affordable, and fully customizable to individual needs.



# CODE (c/c++)

```
1 // === Pin Definitions ===
2 const int trigPin = 9;
3 const int echoPin = 10;
4 const int ledPin = 3;
5 const int buzzerPin = 4;
6
7 // === Variables ===
8 long duration;
9 int distance;
10
11 void setup() {
12     pinMode(trigPin, OUTPUT);
13     pinMode(echoPin, INPUT);
14     pinMode(ledPin, OUTPUT);
15     pinMode(buzzerPin, OUTPUT);
16     Serial.begin(9600); // For monitoring distance
17 }
18
19 void loop() {
20     // --- Trigger ultrasonic pulse ---
21     digitalWrite(trigPin, LOW);
22     delayMicroseconds(2);
23     digitalWrite(trigPin, HIGH);
24     delayMicroseconds(10);
25     digitalWrite(trigPin, LOW);
26
27     // --- Measure the echo duration ---
28     duration = pulseIn(echoPin, HIGH);
29     distance = duration * 0.034 / 2; // Convert to cm
30
31     Serial.print("Distance: ");
32     Serial.print(distance);
33     Serial.println(" cm");
34
35     // --- If object is close enough ---
36     if (distance <= 50 && distance > 0) {
37         // Faster blinking & higher tone as object gets closer
38         int delayTime = map(distance, 2, 25, 50, 500); // speed of beep/blink
39         int pitch = map(distance, 2, 25, 2000, 500); // tone frequency
40
41         digitalWrite(ledPin, HIGH);
42         tone(buzzerPin, pitch); // Play buzzer at mapped pitch
43         delay(delayTime);
44         digitalWrite(ledPin, LOW);
45         noTone(buzzerPin); // Stop buzzer
46         delay(delayTime);
47     }
48     else {
49         digitalWrite(ledPin, LOW);
50         noTone(buzzerPin);
51     }
52 }
53
```

# Key Features



## Extended Detection Range

Ultrasonic sensor detects obstacles up to 13 feet ahead, providing ample warning time for navigation adjustments



## Proximity-Based Alerts

Feedback intensity escalates as obstacles approach—faster beeps and stronger vibrations indicate closer hazards



## Visual Indicators

Optional LED alerts provide additional cues for users with partial vision or for caregiver monitoring



## Durable Construction

Lightweight PVC cane body houses embedded electronics, ensuring durability while maintaining ease of use



# Target Audience

## Visually Impaired Individuals

Primary users seeking safer, more confident navigation in daily environments—from busy sidewalks to indoor spaces

## Caregivers & Rehabilitation Rehabilitation Centers

Healthcare professionals and facilities searching for practical assistive technology solutions that enhance patient independence

## Educational Institutions

Schools and universities promoting STEM education through meaningful projects with real-world social impact



# Technology Stack



## Arduino Controller

Uno or Nano microcontroller processes sensor data and coordinates feedback systems



## HC-SR04 Sensor

Ultrasonic distance sensor provides accurate obstacle detection in real-time




## Haptic Feedback

Vibration motor and piezo buzzer deliver multi-sensory alerts to the user



## Power System

9V battery with voltage regulation ensures reliable, portable operation



# Implementation Plan

## Hardware Assembly

Gather and organize all components: sensor, Arduino board, buzzer, vibration motor, and power supply

## Circuit Integration

Wire components following detailed schematics; upload obstacle detection code to Arduino microcontroller

## Testing & Calibration

Verify sensor accuracy and feedback responsiveness in controlled indoor and outdoor environments

## Physical Integration

Embed electronics into cane body with ergonomic design considerations for comfortable daily use

## User Trials

Conduct real-world testing with target users; iterate design based on comprehensive feedback



# Impact & Benefits

## Enhanced Safety

Alerts users *before* obstacles are reached, dramatically reducing accidents and injuries during navigation

## Greater Independence

Empowers visually impaired users with confidence to navigate unfamiliar environments autonomously

## Affordable Solution

Total cost of \$10-\$15 makes this technology accessible to low-income communities globally

## Innovation Catalyst

Encourages DIY culture and raises awareness about assistive technologies in STEM education





# Future Scope



## Multi-Directional Sensors

Detect overhead branches and ground-level hazards for comprehensive environment awareness



## Bluetooth Integration

Connect to smartphones for GPS navigation, route planning, and location sharing with caregivers



## Mobile Application

Develop companion app for personalized settings, usage analytics, and remote monitoring capabilities




## AI Recognition

Implement machine learning for intelligent object identification and context-aware obstacle classification

# Empowering Independence Through Innovation

The Arduino Smart Cane transforms a traditional mobility tool into an intelligent assistive device, combining **affordability**, **simplicity**, and **effectiveness** to improve lives.

Join us in advancing accessible technology for a safer, more inclusive world where independence is within everyone's reach.



# Team



**Aditya Kaushish**  
**25BIT0037**



**Swayam Laddha**  
**25BIT0077**



**Akshit Paliwal**  
**25BIT0099**



**Anargha Biswas**  
**25BIT0027**



**V Sanjay**  
**25BIT0100**



The background features a stylized illustration of two hands reaching upwards towards the center, with several light blue rays emanating from the point where the hands meet, creating a sense of upward movement and positivity. The overall color palette is a range of blue and grey tones.

# Thank You!