

Fictional sample created for software testing. All names, entities, numbers, and dates are invented.

EXHIBIT C

CITATION AND ADOPTION REPORT

Subject: Published work of Ilona Marta Brasch, Ph.D.

Prepared by: Marchetti Bibliometric Services LLC, 610 Wardell Avenue, Suite 3, Ann Arbor, MI 48104

Prepared for: Villaseñor & Auwae PLLC

Data pulled: October 6, 2025

Sources: ScholarIndex Plus (release 2025.3); publisher-issued citation exports; conference proceedings obtained directly from organisers

Marchetti Bibliometric Services LLC has no financial interest in Halide Loop Technologies, Inc. and has performed no other work for Dr. Brasch.

1. SUMMARY OF COUNTS

| Measure | Count |

|---|---|

| Indexed publications by Dr. Brasch | 6 |

| Total citations | 214 |

| Self-citations (any Brasch-authored work) | 19 |

| Citations by co-authors of Dr. Brasch (Achterberg, Timm, Oyelaran) | 23 |

| Independent citations (neither self nor co-author) | 172 |

| Distinct citing institutions | 61 |

| Distinct citing countries | 19 |

| Highest-cited single work | Brasch & Achterberg (2022), 96 citations |

Independent citations are those in which no author of the citing work has ever co-authored, supervised, or been supervised by Dr. Brasch, verified author by author against her full publication history.

2. SELECTED INDEPENDENT CITING WORKS

2.1 REYES-ALDANA, P., AND KOWALCZYK, M. (2024)

"Comparative regeneration economics for six lithium-selective sorbents."

International Journal of Hydrometallurgical Practice, 22(6), 1104–1131.

Affiliation: Department of Mining and Materials, Wexbridge University, Ontario, Canada.

"Across the six sorbents surveyed, only the regeneration schedule reported by Brasch and Achterberg (2022) brought cycle time below four hours without a measurable loss of selectivity, and it is against that schedule that we benchmark the remainder of this comparison."

2.2 NGOY, S. B., FAIRHURST, D., AND IVANOVA, L. (2025)

"Silica management in continuous wellhead extraction: a two-year operating review."

Geothermal Systems Engineering, 41(2), 188–207.

Affiliation: Karoo Geothermal Research Unit, University of the Southern Cape, South Africa.

"Our fouling curves reproduce, at a different silica loading, the two-stage behaviour Brasch (2024) first identified — an induction period followed by an abrupt permeability collapse — and we have adopted her induction-period metric in place of the simple pressure-drop threshold used in our earlier work."

2.3 VILLANUEVA-ORTIZ, R. (2024)

"Attrition, not selectivity, sets the floor on direct lithium extraction cost."

Minerals Process Engineering Review, 30(9), 977–994.

Affiliation: Instituto de Ingeniería de Procesos, Universidad de Altamonte, Mexico.

"Brasch's per-cycle attrition figure of 0.11 per cent is, to our knowledge, the only such figure published from continuous service on real brine rather than from synthetic laboratory feed, and we use it as the reference value throughout."

2.4 HALVORSEN, T., BJELKE, A., AND SØRHAUG, E. (2025)

"Layered manganese oxides for lithium capture: a critical review."

Reviews in Separation Science, 18(1), 12–58.

Affiliation: Fjordvik Institute of Technology, Norway.

"The field's working understanding of calcium interference in layered manganese oxides rests substantially on Brasch (2022), whose selectivity limit has since been confirmed by three independent groups."

2.5 OKPARA, C., AND LINDQVIST, H. (2025)

"Produced water as a lithium resource: a screening study of the Williston Basin."

Applied Brine Chemistry Letters, 10(4), 199–221.

Affiliation: Basin Resources Program, Sandhill State University, North Dakota.

"We applied the Brasch regeneration protocol without modification to produced water at one-sixth the lithium concentration of geothermal brine and recovered 71 per cent of theoretical loading, which suggests the method is not specific to the geothermal case."

3. ADOPTION BEYOND CITATION

3.1 Standard test method. The North American Brine Technology Council issued NABTC TM-14, "Standard Test Method for Sorbent Attrition in Continuous Brine Service" (first edition, March 2025). The method's scope section states that the procedure is "derived from the continuous-service attrition measurement described by Brasch (2025)." Dr. Brasch is not a member of the Council and did not sit on the drafting committee; the Council confirmed by e-mail dated September 30, 2025 that she was not consulted during drafting.

3.2 Independent replication. The Karoo Geothermal Research Unit (§2.2) rebuilt the bench column described in Brasch (2024) and reported reproducing the two-stage fouling curve at a different silica loading.

3.3 Teaching use. *Separation Processes II*, a graduate course at Wexbridge University, lists Brasch & Achterberg (2022) as required reading in its published 2025–2026 syllabus.

4. METHOD AND LIMITATIONS

Counts were taken from ScholarIndex Plus on October 6, 2025 and reconciled against publisher-issued exports. Conference abstracts without proceedings were excluded. Citations were classified as independent only where every author of the citing work could be checked against Dr. Brasch's co-author history; four citing works whose authorship could not be fully resolved were excluded from the independent count rather than assumed independent.

Prepared by:

/s/ D. Marchetti
Diane Marchetti
Principal, Marchetti Bibliometric Services LLC
October 6, 2025