

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day: 1	Date:
Time of Arrival:	Time of Departure:
Dept/Division: Software Development	Nature of work: Full Stack Development
Name of the Supervisor With designation and email ID:	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Briefly introduction of full Stack development ✓ Briefly introduction of internship syllabus ✓ Briefly explain of classes and internship guidelines ✓ What is the importance of internship ✓ Discussions About the today class doubts ✓ Discussion About the Next Class/Session  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-2	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Installation of Visual Studio Code and Live server Extension download. ✓ Discussion of HTML :-Hyper Text Markup Language it is used to structure and content of web pages. And Extension of html are (.html , .htm). ✓ Discussion of HTML tags:- 1)Single tags:-this are also known as self-closing tags or void elements. EX:- <link>,<base>,
, etc. 2)Double tags:-A paired tag, which is a tag that has both an opening and closing tag. EX:-bold tags , heading tags , paragraph tags etc. ✓ <html lang=""> :-The lang attribute specifies the language of the element's content. Common examples are "en" for English, "es" for Spanish, "fr" for French and so on. ✓ Head tag:-is an element that defines the head section of an HTML document. The head tag contains elements like:- ▪ Title:-Defines the document title,which appears in the browser's title bar. ▪ Meta:- Defines the author, description, keywords, and character encoding. ✓ Body tag:-is a fundamental element that defines the main content of an HTML document. ✓ Header tags:-are used to separate headings and subheadings on a webpage. They rank in order of importance, from H1 to H6. Like :<h1>,<h2>.....<h6>. ✓ paragraph tag:- is simply a block of text enclosed within the <p> tag. ✓ Anchor tag:- creates a hyperlink to web pages, files, email addresses, locations in the same page, or anything else a URL can address.” <a>” ✓ Media tags:- the additional information in the form of“<audio>, <video>,” ✓ <hr>:- element is most often displayed as a horizontal rule. ✓
:- it inserts line breaks in a text. It stands for "Break".  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-3	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Example <pre><!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>HTML Tags Example</title> </head> <body> <h1>Welcome to My Web Page</h1> <p>This is an example of various HTML tags.</p> <hr> <!-- Horizontal Line --> <p>This is the first paragraph.
This is the second paragraph with a line break.</p> <!-- Line Break --> Visit Example Website <!-- Hyperlink --> <hr></pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-3	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
<pre><h2>Audio Example</h2> <audio controls> <source src="audio.mp3" type="audio/mpeg"> Your browser does not support the audio tag. </audio> <hr> <h2>Video Example</h2> <video width="320" height="240" controls> <source src="video.mp4" type="video/mp4"> Your browser does not support the video tag. </video> </body> </html></pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-4	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ formatting tags= • b :- bold the text • strong :- to indicate text that is of strong importance or emphasis • i :- to indicate a span of text that should be displayed in an alternate voice or mood • em :- to indicate emphasized text • mark :- to highlight text within a page • sub :- defines subscript text • small :- to define smaller text, typically for displaying side comments like copyright information, disclaimers, or legal notices • del :- to indicate text that has been deleted from a document • ins :- to indicate text that has been inserted into a document • sup :-to add a superscript text to the HTML document ✓ TABLE TAGS = • tr :- to define a row in an HTML table • th :- to define table header cells in an HTML table • td :- to define a data cell in a table ✓ LIST TAGS = • ol :-to define an ordered list of items in a web page • ul :- to create an unordered list, which is a list of items that do not require a specific order • dl :- to implement a glossary or to display metadata (a list of key-value pairs)  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-4	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
✓ Example <pre><!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>HTML Formatting, Table, and List Example</title> </head> <body> <h1>HTML Formatting, Table, and List Example</h1> <!-- Formatting Tags --> <h2>Text Formatting</h2> <p>Bold Text</p> <p><i>Italic Text</i></p> <p><u>Underlined Text</u></p> <p>Strikethrough Text</p> <p>Strong Text</p> <p>Emphasized Text</p> <p><mark>Highlighted Text</mark></p> <p>H<sub>2</sub>O (Subscript)</p> <p>10<sup>2</sup> (Superscript)</p> <hr></pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-5	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
<pre><!-- Table --> <h2>Sample Table</h2> <table border="1" cellpadding="5" cellspacing="0"> <tr> <th>Name</th> <th>Age</th> <th>City</th> </tr> <tr> <td>John</td> <td>25</td> <td>New York</td> </tr> <tr> <td>Sarah</td> <td>30</td> <td>Los Angeles</td> </tr> <tr> <td>Michael</td> <td>28</td> <td>Chicago</td> </tr> </table> <hr></pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-5	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
<pre><!-- Lists --> <h2>Lists Example</h2> <h3>Ordered List</h3> Apple Banana Cherry <h3>Unordered List</h3> Red Blue Green <h3>Definition List</h3> <dl> <dt>HTML</dt> <dd>HyperText Markup Language</dd> <dt>CSS</dt> <dd>Cascading Style Sheets</dd> </dl> </body> </html></pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-6	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Multimedia list:-Using tr , th & td you can create list in list we can add image and video,audio by the tags like:-,<audio>,<Video>. ✓ Explain About The InputType Tags 1. Text (): Accepts alphanumeric text input from the user. 2. Password (): Accepts input but masks the characters for security. 3. Email (): Accepts and validates email addresses. 4. Search (): Used for search queries. 5. Color (): Provides a color picker to select a color. 6. Date (): Allows selecting a date from a calendar interface. 7. Checkbox (): Lets users select or deselect an option. 8. Radio (): Used for mutually exclusive selections (e.g., gender). 9. Range (): Creates a slider to select a value within a range. 10. File (): Allows users to upload a file. 11. Image (): Acts as a graphical submit button. 12. Submit (): Sends the form data to the server. 13. Creates a scrolling text or image. Though widely supported, it's deprecated and replaced by modern CSS animations. 14. Each tag is used to enhance user interaction and collect specific types of input. ✓ Explain About The Layout 1. : Contains the title or logo, generally at the top of the page. 2. : Contains the main content of the page. 3. : Appears at the bottom, often used for copyright or contact info.  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-6	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
✓ Explain About The Image Tag 1. Attributes: Displays an image on the page. 2. src: Specifies the image source (URL or file path). 3. alt: Provides alternative text for accessibility and SEO. ✓ Explain About The Collaboration Section (Using Divs): 1. : A container for grouping related content. 2. Flexbox (display: flex): Arranges items in a flexible row or column layout. ✓ Explain About The Article Tag (): 1. Represents self-contained content such as news or blogs. 2. Can include headings, paragraphs, and multimedia.	
 Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-7	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
Example <pre><!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Multimedia and Layout Example</title> <style> body { font-family: Arial, sans-serif; margin: 0; padding: 0; } header, footer { background-color: #333; color: white; text-align: center; padding: 15px; } .container { display: flex; padding: 20px; } .main-content { flex: 2; padding: 20px; }</pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-7	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
<pre> } .sidebar { flex: 1; padding: 20px; background-color: #f4f4f4; } .media { text-align: center; margin: 20px 0; } img { max-width: 100%; height: auto; } </style> </head> <body> <!-- Header --> <header> <h1>Welcome to My Multimedia & Layout Page</h1> </header> <!-- Main Layout --> <div class="container"> <section class="main-content"></pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-7	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <h2>Main Content</h2> <p>This section contains multimedia elements like images, audio, and video.</p> <!-- Image --> <div class="media"> <h3>Image Example</h3> </div> <!-- Audio --> <div class="media"> <h3>Audio Example</h3> <audio controls> <source src="audio.mp3" type="audio/mpeg"> Your browser does not support the audio tag. </audio> </div> <!-- Video --> <div class="media"> <h3>Video Example</h3> <video width="400" controls> <source src="video.mp4" type="video/mp4"> Your browser does not support the video tag. </video> </div>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-7	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre><!-- Iframe --> <div class="media"> <h3>Embedded Video (YouTube)</h3> <iframe width="560" height="315" src="https://www.youtube.com/embed/dQw4w9WgXcQ" title="YouTube video player" frameborder="0" allowfullscreen> </iframe> </div> </section> <!-- Sidebar --> <aside class="sidebar"> <h2>Sidebar Section</h2> <p>This is the sidebar. You can place additional content here.</p> </aside> </div> <!-- Footer --> <footer> <p>&copy; 2025 My Website Designed with HTML & CSS</p> </footer> </body> </html></pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-8	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Explain about css ✓ Explain about types of CSS:- 1. Internal CSS:- Internal CSS is CSS code that is written in the head section of the syntax:<style> <pre> selector{ property: value; } </style></pre> 2. External css:- a form of CSS which is used to add styling to multiple HTML pages at a time. syntax:-selector{ <pre> property: value; }</pre> 3. Inline CSS:-the technique to define the single element with the insert style sheets in an HTML document. syntax:-<tagname style="property: value;"> Content goes here </tagname> ✓ Explain about font properties: 1. font-size:- used to specify the size of text on a webpage by utilizing the "size" attribute within the tag 2. font-weight:- a CSS property that controls the thickness or boldness of text 3. font-style:-a CSS property used to control the stylistic appearance of text 4. font-family:-specifies which typeface (font) should be used to display text on a webpage 5. font-variant:- controls whether text should be displayed in "small caps" format  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-8	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Explain about Text properties: 1. Color:- color is applied to elements using the "style" attribute within the HTML tag 2. text-transform:- a CSS property that allows you to control the capitalization of text within an element 3. text-decoration:- used for decorating the text in different ways 4. text-indent:- Indentation is the blank space between the margin and the beginning of a line in a text block 5. text-shadow:-allows you to add a visual shadow effect to text by defining its horizontal and vertical offset, blur radius, and color 6. text-align:- used to set the horizontal alignment of a text 7. letter-spacing:- sets or returns the spacing between words in a text. 8. word-spacing:- sets or returns the spacing between words in a text. 9. line-height:- The line-height attribute controls the space between lines in a paragraph	
 Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-9	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main activities of the day (including observation, sketches, discussions, etc)	
Example <pre>/* External CSS */ body { font-family: Arial, sans-serif; background-color: #f0f0f0; margin: 0; padding: 0; } .container { width: 80%; margin: auto; background: white; padding: 20px; box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.1); } h1 { color: #333; text-align: center; font-size: 2.5em; } p { font-size: 18px; line-height: 1.6; color: #555;</pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-9	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre>} /* Text Formatting */ .bold-text { font-weight: bold; } .italic-text { font-style: italic; } .underline-text { text-decoration: underline; } .strikethrough-text { text-decoration: line-through; } .center-text { text-align: center; } .colored-text { color: blue; } .shadow-text { text-shadow: 2px 2px 5px gray; }</pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-10	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
✓ Expain about Background properties:- 1. background-color:- Defines the background color of an element. Example:-background-color: #ff0000; /* Red */ 2. background-image:- Specifies one or more background images for an element. Example:-background-image: url('image.jpg'); 3. background-repeat:- Controls whether the background image should repeat horizontally, vertically, or not at all.Possible values: repeat, no-repeat, repeat-x, repeat-y. Example:-background-repeat: no-repeat; 4. background-size:- Defines the size of the background image. Can be set in pixel values, percentages, or keywords like cover and contain. Example:-background-size: cover; 5. background:linear-gradient:- A shorthand for setting a linear gradient as a background image. You specify the direction and color stops. Example:-background: linear-gradient(to right, red, yellow); 6. background:radial-gradient:- A shorthand for setting a radial gradient as a background image. You define the shape, size, and color stops. Example:-background: radial-gradient(circle, red, yellow); ✓ Expain about how to add css to button 1. margin:Sets the space outside the border of an element. Example:-margin: 20px; /* 20px margin on all sides */ 2. padding:Defines the space inside the border, between the element's content and its border.Example:-padding: 10px; /* 10px padding on all sides */  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-11	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) Example <pre>/* Background Properties */ body { font-family: Arial, sans-serif; background-image: url('https://via.placeholder.com/1500x800'); /* Background Image */ background-size: cover; background-position: center; background-attachment: fixed; margin: 0; padding: 0; } /* Container */ .container { width: 80%; margin: 50px auto; background: rgba(255, 255, 255, 0.8); }</pre>	


Signature of Industry Supervisor

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-11	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre>padding: 20px; border-radius: 10px; box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.3); } /* Button Styling */ .button { display: inline-block; padding: 12px 20px; background-color: #007bff; color: white; text-decoration: none; font-size: 18px; border-radius: 5px; border: none; cursor: pointer; transition: background 0.3s, transform 0.2s; } /* Pseudo-classes for button */</pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-11	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
<pre>.button:hover { background-color: #0056b3; transform: scale(1.1); } .button:active { background-color: #004080; transform: scale(0.9); } /* Pseudo-elements */ p::first-letter { font-size: 2em; color: red; font-weight: bold; } /* CSS Selectors */ h2 { color: darkblue;</pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-12	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre>text-align: center; } p { font-size: 18px; line-height: 1.6; } /* Class Selector */ .text-highlight { background-color: yellow; padding: 5px; } /* ID Selector */ #unique-text { color: green; font-weight: bold; } /* Universal Selector */ * {</pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-12	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre>box-sizing: border-box; } /* Attribute Selector */ input[type="text"] { padding: 8px; border: 2px solid #007bff; border-radius: 5px; width: 100%;</pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-13	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) 1. border: Specifies the border of an element, including its width, style, and color. Example:-border: 2px solid black; /* 2px wide solid black border */ 2. border-radius: Defines the rounding of the corners of an element's border box. Example:-border-radius: 10px; /* 10px rounded corners */ 3. outline: Similar to border, but it doesn't take up space in the layout. Example:-outline: 3px dashed red; /* 3px dashed red outline */ ✓ Explain about selector 1. Element selector:- accessing with the help of 'element' operator. like-body,h1 & p ,etc. 2. Class selector:- accessing with the help of '.' operator. 3. id selector:- accessing with the help of '#' operator. 4. universal selector:- accessing with the help of '*' operator. 5. generic selector:- accessing with the all document where the same class selector with '.' operator. ✓ Explain about Sudo class 1. hover:- Applied when the user hovers the mouse pointer over an element. Example:a: hover { color: red; /* Changes the color of a link when hovered */ } 2. Active:- Applied when an element is being activated by the user, such as when a button is clicked or a link is being followed. Example:button:active {transform: scale(0.95); /* Shrinks the button when clicked */ } 3. Visited:- Applied to links that the user has already visited. Example: a:visited { color: purple; /* Changes the color of visited links */ }  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-13	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Explain about Display Properties • display:inline:- tells the element to fit itself on the same line. • display:inline-block:- defines an element's appearance and behavior. • display:block:- used to change the default behavior of an element from inline to block-level. • display:flex:- enables the flexbox layout mode, allowing you to manipulate elements' alignment, spacing, and order within a container. • display:grid:- defines a website element as a grid container. • grid-area:- specifies a grid item's size and location in a grid layout. • grid-template-areas:- specifies areas within the grid layout. • grid-template-rows:- specifies the number (and the heights) of the rows in a grid layout. • grid-template-columns:- specifies the number (and the widths) of columns in a grid layout. • gap:- an empty space or interval; interruption in continuity.  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-14	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Explain about Position properties • Position:relative:- positioned relative to its normal position. • Position:absolute:- positioned relative to the nearest positioned ancestor • Position:fixed:- positions an element relative to the viewport, so it stays in the same place even when the page is scrolled • Position:sticky:- select the position: sticky option and scroll this container.  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-14	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) Example <pre>/* General Styles */ body { font-family: Arial, sans-serif; margin: 0; padding: 0; background-color: #f4f4f4; } /* Navbar Container */ .navbar { display: flex; flex-direction: row; /* Default direction */ flex-wrap: wrap; /* Wrap items if needed */ justify-content: space-between; align-items: center; background-color: #333; padding: 10px 20px; transition: all 0.3s ease-in-out; } /* Logo */ .navbar .logo { font-size: 24px; color: white; font-weight: bold; text-decoration: none;</pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-15	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
<pre>/* Navbar Links */ .navbar ul { display: flex; flex-wrap: wrap; list-style: none; padding: 0; margin: 0; } .navbar ul li { margin: 0 15px; } .navbar ul li a { text-decoration: none; color: white; font-size: 18px; transition: color 0.3s ease-in-out; } .navbar ul li a:hover { color: #ffcc00; } /* Responsive Navbar */</pre>	
 Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-15	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre>@media screen and (max-width: 768px) { .navbar { flex-direction: column; align-items: center; } .navbar ul { flex-direction: column; align-items: center; padding-top: 10px; } .navbar ul li { margin: 10px 0; } }</pre>	
 Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-16	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Explain about Navbar A navigation bar (Navbar) is a graphical interface element used to navigate a website or web application. It typically contains links to various sections or pages and is often displayed at the top or side of the webpage. ✓ List-style-type:- The list-style-type CSS property specifies the style of the list item marker (e.g., bullet points or numbers) in ordered or unordered lists. Examples include disc, circle, square, and decimal. ✓ Explain about Justify-content:- The justify-content CSS property aligns and distributes items along the main axis of a flex container. Common values include flex-start, center, space-between, and space-around, controlling the alignment of child items. ✓ Explain about Flex-direction:- The flex-direction CSS property defines the direction in which flex container items are placed. It can take values such as row (default), column, row-reverse, and column-reverse. ✓ Explain about Flex-wrap:- The flex-wrap property in CSS controls whether flex items should wrap onto multiple lines when there is not enough space. Possible values are nowrap (default), wrap, and wrap-reverse. ✓ Explain about transition The transition property in CSS allows you to create smooth changes between styles when certain conditions (such as hovering or focusing) are met. It typically includes the property to be transitioned, the duration, and the timing function.  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-16	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre>/* General Styles */ body { font-family: Arial, sans-serif; margin: 0; padding: 0; background-color: #f4f4f4; display: flex; justify-content: center; align-items: center; height: 100vh; } /* Container for Image */ .image-container { position: relative; width: 300px; height: 300px; overflow: hidden; border-radius: 50%; /* Circular Shape */ box-shadow: 0 0 15px rgba(0, 0, 0, 0.3); transition: transform 0.3s ease-in-out; } /* Image Styling */ .image-container img { width: 100%; height: 100%; display: block; object-fit: cover; }</pre>	
 Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-17	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
<pre>/* Hover Effects */ .image-container:hover { transform: scale(1.1); /* Enlarges on Hover */ } /* Overlay Symbol */ .overlay-symbol { position: absolute; top: 50%; left: 50%; transform: translate(-50%, -50%); font-size: 50px; color: white; opacity: 0; transition: opacity 0.3s ease-in-out; } /* Show Symbol on Hover */ .image-container:hover .overlay-symbol { opacity: 1; } /* Shape Animation */ .shape { position: absolute; width: 50px; height: 50px; background-color: rgba(255, 255, 255, 0.7); border-radius: 50%; top: -10px;</pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-17	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre> left: -10px; opacity: 0; animation: move-shape 1s infinite alternate ease-in-out; } /* Shape Animation Keyframes */ @keyframes move-shape { 0% { transform: translateY(0); opacity: 0.5; } 100% { transform: translateY(20px); opacity: 1; } } /* Show Shape on Hover */ .image-container:hover .shape { opacity: 1; } }</pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-18	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Explain about how to add hover in navbar • hover:-used to select elements when you mouse over them. ✓ Explain about how to create symbols,element or shapes using html and css • Symbol :- used to define graphical template objects which can be instantiated by a <use> element. • Elements:- a pair of opening and closing tags that define a specific component on a webpage. • Shapes:- specifies the shape of an area. ✓ Explain about how to apply animation using html and css • Animation:-The <animate> tag is a new and experimental HTML tag that creates animations for SVG graphics. ✓ Explain about how to apply animation to imgage using html and css • Animation:- use the <image> tag with the src attribute to add an animated image in HTML.  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-18	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main activities of the day (including observation, sketches, discussions, etc) Example <pre><!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Bootstrap Navbar, Buttons, Form & Background</title> <!-- Bootstrap 5 CDN --> <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet"> </head> <body class="bg-light"> <!-- Background Color --> <!-- Navbar --> <nav class="navbar navbar-expand-lg navbar-dark bg-dark"> <div class="container"> MySite <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data- bs-target="#navbarNav"> </button> <div class="collapse navbar-collapse" id="navbarNav"> <ul class="navbar-nav ms-auto"></pre>	
 Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-19	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre><li class="nav-item">Home <li class="nav-item">About <li class="nav-item">Services <li class="nav-item">Contact </div> </div> </nav> <!-- Main Content --> <div class="container mt-5"> <h2 class="text-center">Bootstrap Buttons</h2> <!-- Buttons --> <div class="text-center mt-3"> <button class="btn btn-primary">Primary</button> <button class="btn btn-secondary">Secondary</button> <button class="btn btn-success">Success</button> <button class="btn btn-danger">Danger</button> <button class="btn btn-warning">Warning</button> <button class="btn btn-info">Info</button> <button class="btn btn-dark">Dark</button> </div> <!-- Form Section --></pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-19	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre><h2 class="text-center mt-5">Contact Form</h2> <div class="row justify-content-center"> <div class="col-md-6"> <form class="p-4 border rounded bg-white shadow-sm"> <div class="mb-3"> <label for="name" class="form-label">Name:</label> <input type="text" class="form-control" id="name" placeholder="Enter your name"> </div> <div class="mb-3"> <label for="email" class="form-label">Email:</label> <input type="email" class="form-control" id="email" placeholder="Enter your email"> </div> <div class="mb-3"> <label for="message" class="form-label">Message:</label> <textarea class="form-control" id="message" rows="3" placeholder="Your message"></textarea> </div> <button type="submit" class="btn btn-primary w-100">Submit</button> </form> </div> </div> </div> </div></pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-19	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
<pre><!-- Bootstrap JS (for navbar toggle) --> <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js" ></script> </body> </html></pre>	
	
Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-20	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Explain About How To Link the Vscode to Bootstrap Css Using Include via CDN ✓ Explain about BootStrap Bootstrap is a popular open-source framework that provides pre-designed, responsive web components like grids, buttons, forms, and navigation bars. ✓ Explain about how to create different buttons using bootstrap Bootstrap provides several classes to customize buttons. btn-primary (blue), btn-secondary (gray), btn-success (green), btn-danger (red), btn-warning (yellow), btn-info (light blue), btn-light (white), btn-dark (black), btn-link (button styled like a link). ✓ Explain about how to create navbar using bootstrap A navbar (navigation bar) is a key component of any website, providing links to important sections. Bootstrap offers an easy and responsive way to create a navbar. Navbar Container,Navbar Brand,Navbar Links, and Responsive Navbar. ✓ Explain about how to create Form using bootstrap Bootstrap provides a set of pre-designed classes and components to create responsive and stylish forms easily. Form Container, Form Group, Form Control, and Form Layout. ✓ Explain about how to give background color using bootstrap Bootstrap provides a simple and efficient way to add background colors to various elements like sections, containers, and divs using predefined utility classes. bg-primary bg-secondary, bg-success,bg-danger, bg-warning, bg-info, bg-light, bg-dark, bg-white, bg-transparent. Card taps tots accodrtnon  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-21	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc)	
Example <pre><!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Bootstrap Components</title> <!-- Bootstrap 5 CDN --> <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet"> </head> <body class="bg-light"> <!-- Background Color --> <div class="container mt-5"> <!-- Tabs --> <h2 class="text-center mb-4">Bootstrap Tabs</h2> <ul class="nav nav-tabs" id="myTab" role="tablist"> <li class="nav-item" role="presentation"> <button class="nav-link active" id="home-tab" data-bs-toggle="tab" data-bs-target="#home" type="button" role="tab">Home</button> </pre>	
 Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-21	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre><li class="nav-item" role="presentation"> <button class="nav-link" id="profile-tab" data-bs-toggle="tab" data-bs- target="#profile" type="button" role="tab">Profile</button> <li class="nav-item" role="presentation"> <button class="nav-link" id="contact-tab" data-bs-toggle="tab" data-bs- target="#contact" type="button" role="tab">Contact</button> <div class="tab-content mt-3" id="myTabContent"> <div class="tab-pane fade show active" id="home" role="tabpanel">Welcome to the Home tab.</div> <div class="tab-pane fade" id="profile" role="tabpanel">This is the Profile tab.</div> <div class="tab-pane fade" id="contact" role="tabpanel">Get in touch via Contact tab.</div> </div> <!-- Cards --> <h2 class="text-center mt-5">Bootstrap Cards</h2> <div class="row"> <div class="col-md-4"> <div class="card"> <div class="card-body"></pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-22	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre> <h5 class="card-title">Card Title</h5> <p class="card-text">This is a simple card example.</p> Read More </div> </div> </div> <div class="col-md-4"> <div class="card"> <div class="card-body"> <h5 class="card-title">Card Title</h5> <p class="card-text">This is another card example.</p> Learn More </div> </div> </div> </div> <!-- Toast --> <h2 class="text-center mt-5">Bootstrap Toast</h2> <button class="btn btn-warning" id="showToast">Show Toast</button> <div class="toast-container position-fixed top-0 end-0 p-3"> <div class="toast align-items-center text-bg-primary border-0" id="liveToast" role="alert"> <div class="d-flex"> <div class="toast-body"> </pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-22	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) This is a Bootstrap Toast Notification! <pre></div> <button type="button" class="btn-close btn-close-white me-2 m-auto" data-bs-dismiss="toast"></button> </div> </div> </div> <!-- Accordion --> <h2 class="text-center mt-5">Bootstrap Accordion</h2> <div class="accordion" id="accordionExample"> <div class="accordion-item"> <h2 class="accordion-header"> <button class="accordion-button" type="button" data-bs- toggle="collapse" data-bs-target="#collapseOne"> Section 1 </button> </h2> <div id="collapseOne" class="accordion-collapse collapse show" data-bs- parent="#accordionExample"> <div class="accordion-body"> This is the content of section 1. </div> </div> </div> </div> <div class="accordion-item"></pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-23	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre><h2 class="accordion-header"> <button class="accordion-button collapsed" type="button" data-bs- toggle="collapse" data-bs-target="#collapseTwo"> Section 2 </button> </h2> <div id="collapseTwo" class="accordion-collapse collapse" data-bs- parent="#accordionExample"> <div class="accordion-body"> This is the content of section 2. </div> </div> </div> </div> <!-- Carousel --> <h2 class="text-center mt-5">Bootstrap Carousel</h2> <div id="carouselExample" class="carousel slide" data-bs-ride="carousel"> <div class="carousel-inner"> <div class="carousel-item active"> </div> <div class="carousel-item"> </div> </div> </div></pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-23	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
<div>Record Main actives of the day (including observation, sketches, discussions, etc)</div> <div><div></div><div class="carousel-item"></div><div></div><div><button class="carousel-control-prev" data-bs-slide="prev" data-bs-target="#carouselExample" type="button"></button><button class="carousel-control-next" data-bs-slide="next" data-bs-target="#carouselExample" type="button"></button></div></div> <div><!-- Bootstrap JS (For Tabs, Toasts, Accordion, and Carousel) --></div> <div><script</div> <div>src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"</div> <div>></script></div> <div><script></div> <div>// Show Toast Notification</div> <div>document.getElementById("showToast").addEventListener("click", function () {</div> <div>var toast = new bootstrap.Toast(document.getElementById("liveToast"));</div> <div>toast.show();</div> <div>});</div> <div></script></div> <div></body></div> <div></html></div> <div></div> <div>Signature of Industry Supervisor</div>	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-24	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) ✓ Explain about how to create Cards using bootstrap Bootstrap provides a versatile Card component to display content in a flexible, responsive, and stylish way. Card Container, Card Body, Card Header, Card Footer and Card Image ✓ Explain about how to create Taps using bootstrap Bootstrap provides a simple way to create tabs that allow you to switch between different sections of content without navigating away from the page. ✓ Explain about how to create Toast using bootstrap A toast in Bootstrap is a small, non-intrusive notification that provides feedback to users in a way that doesn't disrupt their activity. Toast container , Toast , Toast header and Toast body ✓ Explain about use accodration using bootstrap An accordion in Bootstrap is a component that allows you to show and hide content sections dynamically. Accordion container , Accordion items, Accordion header and Accordion body ✓ Explain About How To Create Carousel Using Bootstrap A carousel in Bootstrap is a component that allows you to display multiple pieces of content (such as images, text, or other elements) in a sliding, automatic manner Carousel Container: A wrapper that contains the carousel items and controls. Carousel Items , Carousel Controls , Carousel Indicators	
 Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-25	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main activities of the day (including observation, sketches, discussions, etc) Example <pre><!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <title>Operators in HTML, CSS, and JavaScript</title> <!-- CSS Operators --> <style> /* Adjacent Sibling Selector (+) */ h2 + p { color: red; } /* Direct Child Selector (>) */ div > p { font-weight: bold; } /* General Sibling Selector (~) */ h3 ~ p { color: blue; } /* Button Styling */ button</pre>  Signature of Industry Supervisor	

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-25	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) margin: 10px; padding: 10px 20px; background-color: green; color: white; border: none; cursor: pointer; } </style> <!-- JavaScript for Operators --> <script> function arithmeticOperators() { let a = 10, b = 5; document.getElementById("arithmetic").innerHTML = ` Addition (10 + 5) = \${a + b} <br> Subtraction (10 - 5) = \${a - b} <br> Multiplication (10 * 5) = \${a * b} <br> Division (10 / 5) = \${a / b} <br> Modulus (10 % 5) = \${a % b} `; } function comparisonOperators() { let x = 10, y = 5; document.getElementById("comparison").innerHTML = ` 10 == 5: \${x == y}
 10 != 5: \${x != y}
 10 > 5: \${x > y}
	

Signature of Industry Supervisor

Department of Technical Education

FORMAT 4

Student's Daily Log Book

Day-25	Date:
Time of Arrival-	Time of Departure-
Dept/Division:-Software Development	Nature of work:-Full Stack Development
Name of the Supervisor With designation and email ID	
Remarks of the Training supervisor:	
Record Main actives of the day (including observation, sketches, discussions, etc) <pre>10 < 5: \${x < y}
 10 >= 5: \${x >= y}
 10 <= 5: \${x <= y} `; }  function logicalOperators() {     let a = true, b = false;     document.getElementById("logical").innerHTML = ` true && false: \${a && b}
 true false: \${a b}
 !true: \${!a} `; } </script> </head> <body></pre>	
 Signature of Industry Supervisor	