Semester	T.E. Semester V – Computer Engineering
Subject	Data Warehousing and Mining
Subject Professor In-charge	Prof. Kavita P Shirsat
Laboratory	Lab 313-A

Student Name	Aditya Oza	
Roll Number	20102A0031	
Grade and Subject Teacher's Signature		

Experiment Title	PBL – Implementation of Decision Tree Algorithm	
Resources / Apparatus Required	Hardware: Computer system	Software: Python
Objectives (Skill Set / Knowledge Tested / Imparted)	Implementation of Decision Tree on real life dataset	

Code

```
import numpy as np # linear algebra

import pandas as pd # data processing, CSV file I/O (e.g. pd.read_csv)

import matplotlib.pyplot as plt # data visualization

import seaborn as sns # statistical data visualization

import warnings

warnings.filterwarnings('ignore')

from google.colab import files

uploaded = files.upload()



df = pd.read_csv("gender_classification_v7.csv")



df.head()



col_names = ['long_hair', 'forehead_width_cm', 'forehead_height_cm', 'nose_wide',
```

	'nose_long', 'lips_thin', 'distance_nose_to_lip_long','gender'] df.columns = col_names col_names df.head() col_names = ['long_hair', 'forehead_width_cm', 'forehead_height_cm', 'nose_wide', 'nose_long', 'lips_thin', 'distance_nose_to_lip_long','gender'] for col in col_names: print(df[col].value_counts()) df['gender'].value_counts() # check missing values in variables df.isnull().sum() X = df.drop(['gender'], axis=1) y = df['gender'] from sklearn.model_selection import train_test_split X_train, X_test, y_train, y_test = train_test_split(X, y, test_size = 0.33, random_state = 42) # check the shape of X_train and X_test X_train.shape, X_test.shape # check data types in X_train X_train.dtypes X_train.head() !pip install category_encoders # import category encoders import category_encoders as ce # encode variables with ordinal encoding encoder = ce.OrdinalEncoder(cols=['long_hair', 'forehead_width_cm', 'forehead_height_cm', 'nose_wide', 'nose_long', 'lips_thin', 'distance_nose_to_lip_long'])

```
X_train = encoder.fit_transform(X_train)

X_test = encoder.transform(X_test)

X_train.head()

X_test.head()

# import DecisionTreeClassifier

from sklearn.tree import DecisionTreeClassifier

# instantiate the DecisionTreeClassifier model with criterion entropy

clf_en = DecisionTreeClassifier(criterion='entropy', max_depth=3, random_state=0)

# fit the model

clf_en.fit(X_train, y_train)

y_pred_en = clf_en.predict(X_test)

from sklearn.metrics import accuracy_score

print('Model accuracy score with criterion entropy: {0:0.4f}'. format(accuracy_score(y_test, y_pred_en)))

y_pred_train_en = clf_en.predict(X_train)

y_pred_train_en

print('Training-set accuracy score: {0:0.4f}'. format(accuracy_score(y_train, y_pred_train_en)))

# print the scores on training and test set

print('Training set score: {:.4f}'.format(clf_en.score(X_train, y_train)))

print('Test set score: {:.4f}'.format(clf_en.score(X_test, y_test)))

plt.figure(figsize=(12,8))

from sklearn import tree

tree.plot_tree(clf_en.fit(X_train, y_train))


import graphviz

dot_data = tree.export_graphviz(clf_en, out_file=None,

                    feature_names=X_train.columns,
```

	class_names=y_train, filled=True, rounded=True, special_characters=True) graph = graphviz.Source(dot_data) graph  
Coclusion	We have successfully implemented decision tree on real life dataset.