

# SMART LAB DIAGNOSTIC CENTER

Reg. No: LAB/2026/001 | NABL Accredited Laboratory

Near ABC Chowk, Pune

Phone: +91 9876543210 | Email: smartlab@gmail.com

**Patient Name:** prema

**Age/Gender:** 10 Years / Male

**Patient ID:** PAT-2026-0025

**Doctor:** magar

**Report Date:** 2026-06-21 13:15:32

**Report No:** REP-PAT-2026-0025

**Sample Type:** Blood

**Collected On:** 2026-06-21 13:15:32

| Test            | Parameter | Result | Unit    | Reference Range |
|-----------------|-----------|--------|---------|-----------------|
| CBC             | WBC       | 10     | 10^9/L  | 4-11            |
| CBC             | RBC       | 5      | 10^12/L | 4.5-5.5         |
| CBC             | HGB       | 15     | g/dL    | 12-16           |
| CBC             | PLT       | 186    | 10^9/L  | 150-450         |
| CBC             | HCT       | 38     | %       | 36-46           |
| CBC             | MCV       | 90     | fL      | 80-100          |
| CBC             | MCH       | 30     | pg      | 27-33           |
| CBC             | MCHC      | 35     | g/dL    | 32-36           |
| CBC             | RDW       | 14     | %       | 11-15           |
| Thyroid Profile | T3        | 1      | ng/mL   | 0.8-2.0         |
| Thyroid Profile | T4        | 10     | µg/dL   | 5-12            |
| Thyroid Profile | TSH       | 2.0    | µIU/mL  | 0.4-4.0         |

Back

Lab Technician

Pathologist

This is a computer generated report.  
Kindly correlate clinically.