

AWS PRACTICE SET

Week 2 – Compute & Storage

Completed tasks: 5 / 5


EC2 • Apache2 • Amazon S3 • Static Website Hosting • Bucket Policy

This document contains the relevant evidence screenshots for the completed Week 2 practice set.

Step 1

Launch and connect to an EC2 Ubuntu instance.

EC2 instance launched successfully and connected through the AWS console.




Evidence screenshot — Step 1

Step 2

Install and configure a web server on EC2.

Apache2 is installed, enabled, and active (running).



```
Enabling site 000-default.
Created symlink '/etc/systemd/system/multi-user.target.wants/apache2.service' -> '/usr/lib/systemd/system/apache2.service'.
Created symlink '/etc/systemd/system/multi-user.target.wants/apache-htcacheclean.service' -> '/usr/lib/systemd/system/apache-htcacheclean.service'.
Processing triggers for ufw (0.36.2-2build1) ...
Processing triggers for man-db (2.13.1-1build1) ...
Processing triggers for libc-bin (2.43-2ubuntu2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-24-204:~$ sudo systemctl status apache2sudo systemctl status apache2
Unit apache2.service could not be found.
Unit systemd.service could not be found.
Unit status.service could not be found.
• apache2.service - The Apache HTTP Server
  Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
  Active: active (running) since Fri 2026-10-02 11:04:11 UTC; 25s ago
  Invocation: 7ec32c3dd79a42b7a16b4c62df57d8c6
  Docs: https://httpd.apache.org/docs/2.4/
  Main PID: 2422 (apache2)
  Status: "Total requests: 0; Idle/Busy workers 100/0;Requests/sec: 0; Bytes served/sec: 0 B/sec"
  Tasks: 55 (limit: 627)
  Memory: 5.8M (peak: 5.0M)
  CPU: 88ms
  CGroup: /system.slice/apache2.service
          └─2422 /usr/sbin/apache2 -k start -DFOREGROUND
             └─2439 /usr/sbin/apache2 -k start -DFOREGROUND
                └─2439 /usr/sbin/apache2 -k start -DFOREGROUND

Oct 02 11:04:10 ip-172-31-24-204 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Oct 02 11:04:11 ip-172-31-24-204 systemd[1]: Started apache2.service - The Apache HTTP Server.
```

Evidence screenshot — Step 2

Step 3

Create an S3 bucket and upload files.

The index.html file was successfully uploaded to the S3 bucket.

The screenshot displays the AWS Management Console interface for an Amazon S3 bucket. At the top, a green notification bar states "Upload succeeded" with a link to view the "Files and folders" table. Below this, the "Upload: status" section shows a summary of the upload process. The "Files and folders" tab is active, displaying a table with one file: "index.html". The table columns include Name, Folder, Type, Size, Status, and Error. The file "index.html" is listed with a size of 211.0 B and a status of "Succeeded".


Name	Folder	Type	Size	Status	Error
index.html	-	text/html	211.0 B	Succeeded	-

Evidence screenshot — Step 3

Step 4

Host a static website using S3.

The static website is accessible through the S3 website endpoint.




Evidence screenshot — Step 4

Step 5

Configure an S3 bucket policy for public access.

The S3 bucket policy was successfully edited for public object-read access.



Evidence screenshot — Step 5