Tables (15)

Nom	Type	Schéma
cache		`CREATE TABLE "cache" ("key" varchar not null, "value" text not null, "expiration" integer not null, primary key ("key"))`
key	varchar	"key" varchar NOT NULL
value	text	"value" text NOT NULL
expiration	integer	"expiration" integer NOT NULL
cache_locks		`CREATE TABLE "cache_locks" ("key" varchar not null, "owner" varchar not null, "expiration" integer not null, primary key ("key"))`
key	varchar	"key" varchar NOT NULL
owner	varchar	"owner" varchar NOT NULL
expiration	integer	"expiration" integer NOT NULL
failed_jobs		`CREATE TABLE "failed_jobs" ("id" integer primary key autoincrement not null, "uuid" varchar not null, "connection" text not null, "queue" text not null, "payload" text not null, "exception" text not null, "failed_at" datetime not null default CURRENT_TIMESTAMP)`
id	integer	"id" integer NOT NULL
uuid	varchar	"uuid" varchar NOT NULL
connection	text	"connection" text NOT NULL
queue	text	"queue" text NOT NULL
payload	text	"payload" text NOT NULL
exception	text	"exception" text NOT NULL
failed_at	datetime	"failed_at" datetime NOT NULL DEFAULT CURRENT_TIMESTAMP
files		`CREATE TABLE "files" ("id" integer primary key autoincrement not null, "name" varchar not null, "path" varchar not null, "type" varchar not null, "size" integer not null, "user_id" integer not null, "group_id" integer not null, "created_at" datetime, "updated_at" datetime, foreign key("user_id") references "users"("id") on delete cascade, foreign key("group_id") references "groups"("id") on delete cascade)`
id	integer	"id" integer NOT NULL
name	varchar	"name" varchar NOT NULL
path	varchar	"path" varchar NOT NULL
type	varchar	"type" varchar NOT NULL
size	integer	"size" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
groups		`CREATE TABLE "groups" ("id" integer primary key autoincrement not null, "name" varchar not null, "description" text, "user_id" integer not null, "created_at" datetime, "updated_at" datetime, foreign key("user_id") references "users"("id") on delete cascade)`

Nom	Type	Schéma
id	integer	"id" integer NOT NULL
name	varchar	"name" varchar NOT NULL
description	text	"description" text
user_id	integer	"user_id" integer NOT NULL
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
invitations		CREATE TABLE "invitations" ("id" integer primary key autoincrement not null, "email" varchar not null, "group_id" integer not null, "created_at" datetime, "updated_at" datetime, foreign key("group_id") references "groups"("id") on delete cascade)
id	integer	"id" integer NOT NULL
email	varchar	"email" varchar NOT NULL
group_id	integer	"group_id" integer NOT NULL
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
job_batches		CREATE TABLE "job_batches" ("id" varchar not null, "name" varchar not null, "total_jobs" integer not null, "pending_jobs" integer not null, "failed_jobs" integer not null, "failed_job_ids" text not null, "options" text, "cancelled_at" integer, "created_at" integer not null, "finished_at" integer, primary key ("id"))
id	varchar	"id" varchar NOT NULL
name	varchar	"name" varchar NOT NULL
total_jobs	integer	"total_jobs" integer NOT NULL
pending_jobs	integer	"pending_jobs" integer NOT NULL
failed_jobs	integer	"failed_jobs" integer NOT NULL
failed_job_ids	text	"failed_job_ids" text NOT NULL
options	text	"options" text
cancelled_at	integer	"cancelled_at" integer
created_at	integer	"created_at" integer NOT NULL
finished_at	integer	"finished_at" integer
jobs		CREATE TABLE "jobs" ("id" integer primary key autoincrement not null, "queue" varchar not null, "payload" text not null, "attempts" integer not null, "reserved_at" integer, "available_at" integer not null, "created_at" integer not null)
id	integer	"id" integer NOT NULL
queue	varchar	"queue" varchar NOT NULL
payload	text	"payload" text NOT NULL
attempts	integer	"attempts" integer NOT NULL
reserved_at	integer	"reserved_at" integer
available_at	integer	"available_at" integer NOT NULL
created_at	integer	"created_at" integer NOT NULL
members		CREATE TABLE "members" ("id" integer primary key autoincrement not null, "user_id" integer not null, "group_id" integer not null, "created_at" datetime, "updated_at" datetime, foreign key("user_id") references "users"("id") on delete cascade, foreign key("group_id") references "groups"("id") on delete

Nom	Type	Schéma
		cascade)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
migrations		CREATE TABLE "migrations" ("id" integer primary key autoincrement not null, "migration" varchar not null, "batch" integer not null)
id	integer	"id" integer NOT NULL
migration	varchar	"migration" varchar NOT NULL
batch	integer	"batch" integer NOT NULL
password_reset_tokens		CREATE TABLE "password_reset_tokens" ("email" varchar not null, "token" varchar not null, "created_at" datetime, primary key ("email"))
email	varchar	"email" varchar NOT NULL
token	varchar	"token" varchar NOT NULL
created_at	datetime	"created_at" datetime
personal_access_tokens		CREATE TABLE "personal_access_tokens" ("id" integer primary key autoincrement not null, "tokenable_type" varchar not null, "tokenable_id" integer not null, "name" varchar not null, "token" varchar not null, "abilities" text, "last_used_at" datetime, "expires_at" datetime, "created_at" datetime, "updated_at" datetime)
id	integer	"id" integer NOT NULL
tokenable_type	varchar	"tokenable_type" varchar NOT NULL
tokenable_id	integer	"tokenable_id" integer NOT NULL
name	varchar	"name" varchar NOT NULL
token	varchar	"token" varchar NOT NULL
abilities	text	"abilities" text
last_used_at	datetime	"last_used_at" datetime
expires_at	datetime	"expires_at" datetime
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
sessions		CREATE TABLE "sessions" ("id" varchar not null, "user_id" integer, "ip_address" varchar, "user_agent" text, "payload" text not null, "last_activity" integer not null, primary key ("id"))
id	varchar	"id" varchar NOT NULL
user_id	integer	"user_id" integer
ip_address	varchar	"ip_address" varchar
user_agent	text	"user_agent" text
payload	text	"payload" text NOT NULL
last_activity	integer	"last_activity" integer NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
users		CREATE TABLE "users" ("id" integer primary key

Nom	Type	Schéma
		autoincrement not null, "name" varchar not null, "email" varchar not null, "email_verified_at" datetime, "password" varchar not null, "remember_token" varchar, "created_at" datetime, "updated_at" datetime)
id	integer	"id" integer NOT NULL
name	varchar	"name" varchar NOT NULL
email	varchar	"email" varchar NOT NULL
email_verified_at	datetime	"email_verified_at" datetime
password	varchar	"password" varchar NOT NULL
remember_token	varchar	"remember_token" varchar
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime

Index (7)

Nom	Type	Schéma
failed_jobs_uuid_unique		CREATE UNIQUE INDEX "failed_jobs_uuid_unique" on "failed_jobs" ("uuid")
uuid		"uuid"
jobs_queue_index		CREATE INDEX "jobs_queue_index" on "jobs" ("queue")
queue		"queue"
personal_access_tokens_token_unique		CREATE UNIQUE INDEX "personal_access_tokens_token_unique" on "personal_access_tokens" ("token")
token		"token"
personal_access_tokens_tokenable_type_tokenable_id_index		CREATE INDEX "personal_access_tokens_tokenable_type_tokenable_id_index" on "personal_access_tokens" ("tokenable_type", "tokenable_id")
tokenable_type		"tokenable_type"
tokenable_id		"tokenable_id"
sessions_last_activity_index		CREATE INDEX "sessions_last_activity_index" on "sessions" ("last_activity")
last_activity		"last_activity"
sessions_user_id_index		CREATE INDEX "sessions_user_id_index" on "sessions" ("user_id")
user_id		"user_id"
users_email_unique		CREATE UNIQUE INDEX "users_email_unique" on "users" ("email")
email		"email"

Vues (0)

Nom	Type	Schéma

Déclencheurs (0)

Nom	Type	Schéma