



Changelog

Odoo version 19.0

- Add support for `GROUPING SETS` for pivot views. See [#194413](#).
- Adding support for dynamic dates in domains. See [#216665](#).
- Deprecated `odoo.osv` in [#217708](#).
- Deprecated `record._cr`, `record._context`, `record._uid` in [#193636](#).

Odoo Online version 18.4

- The `reinit` option is added to the CLI to reinitialize modules. See [#206408](#).
- Possibility to write and combine custom domains for injecting arbitrary SQL. See [#205208](#).

Odoo Online version 18.3

- Domain optimization is applied before executing `Fields.search` methods. All equalities are handled consistently: `=` is equivalent to `in`. See [#191549](#).
- New cron API for notifying progress with batch commits. See [#197781](#).
- Demo data no longer loaded by default. See [#194585](#).

Odoo Online version 18.2

- `read_group` has been deprecated in favor of `_read_group` for backend usage and of `formatted_read_group` as formatted public API. See [#163300](#).
- `@api.private` is added to distinguish public Python methods from methods exposed for RPC calls. See [#195402](#).
- Native namespaces for `odoo` module [PEP-420](#). See [#195664](#).

Odoo Online version 18.1

- New `odoo.domain` and `odoo.Domain` API for domain manipulation. See [#170009](#).
- Declare constraints and indexes as model attributes with [#175783](#).
- The `json` controllers have been renamed to `jsonrpc`. They are called the same, only the type in the python files changed. See [#183636](#).

[#174967](#).

- New methods to check access rights and rules now combine both access rights and rules: `check_access`, `has_access` and `_filtered_access`. See [#179148](#).
- Translations are made available from the `Environment` with [#174844](#).

Odoo Online version 17.4

- The internal operator `inselect` is removed. The alternative is to use `in` with a `Query` or `SQL` object. [#171371](#).

Odoo Online version 17.3

- We can now group by date parts numbers in `read_group`, `_read_group` and domains with [#159528](#).

Odoo Online version 17.2

- The `group_operator` attribute of `Field` is renamed into `aggregator` with [#127353](#).
- We can now group/aggregate/order by related no-store field with [#127353](#).

Odoo Online version 17.1

- Method `_flush_search()` has been deprecated with [#144747](#). The flushing of fields is now done by `execute_query()`, and is based on metadata put in the `SQL` object by `_search()` and other low-level ORM methods that build such objects. Those methods are also responsible for checking the access rights on the fields that are used in the `SQL` object.

Odoo version 17.0

- Introduce an `SQL` wrapper object to make SQL composition easier and safer with respect to SQL injections. Methods of the ORM now use it internally. Introduced by [#134677](#).

Odoo Online version 16.4

- Method `name_get()` has been deprecated with [#122085](#). Read field `display_name` instead.

Odoo Online version 16.2

- Refactor the implementation of searching and reading methods to be able to combine both in a minimal number of SQL queries. We introduce two new methods `search_fetch()` and `fetch()` that take advantage of the combination. More details can be found on the pull request [#112126](#).

Odoo version 16.0

- Translations for translated fields are stored as JSONB values with [#97692](#) and [#101115](#). Code translations are no longer stored into the database. They become static and are extracted from the PO files when needed.
- `search_count()` takes the `limit` argument into account with [#95589](#). It limits the number of records to count, improving performance when a partial result is acceptable.

Odoo Online version 15.4

- New API for flushing to the database and invalidating the cache with [#87527](#). New methods have been added to `odoo.models.Model` and `odoo.api.Environment`, and are less confusing about what is actually done in each case. See the section [SQL Execution](#).

Odoo Online version 15.3

- The argument `args` is renamed to `domain` for `search()`, `search_count()` and `_search()`. [#83687](#)
- `filtered_domain()` conserves the order of the current recordset. [#83687](#)
- `browse()` does not accept `str` as `ids`. [#83687](#)
- The methods `fields_get_keys()` and `get_xml_id()` on `Model` are deprecated. [#83687](#)
- The method `_mapped_cache()` is removed. [#83687](#)
- Remove the `limit` attribute of `One2many` and `Many2many`. [#83687](#)

Odoo Online version 15.2

- Specific index types on fields: With [#83274](#) and [#83015](#), developers can now define what type of indexes can be used on fields by PostgreSQL. See the [index property](#) of



- The method `_write()` does not raise an error for non-existing records. [#82727](#)
- The `column_format` and `deprecated` attributes of `Field` are removed. [#82727](#)

Get Help

[Contact Support](#)[Ask the Odoo Community](#)