




Odoo Editor

Odoo Editor is Odoo's own rich text editor. Its sources can be found in the [odoo-editor directory](#).

Powerbox

The Powerbox is a piece of user interface that contains **commands** organized into **categories**. It appears when typing `/` in the editor. The commands can be filtered when the user inputs text, and navigated with the arrow keys.



Modifying the Powerbox

Only one Powerbox should be instantiated at the time, and that job is done by the editor itself. Its Powerbox instance can be found in its `powerbox` instance variable. To change the Powerbox's contents and options, change the options passed to the editor before it gets instantiated.

instead.

Example

Say we want to add a new command `Document` to the Powerbox, just for the `mass_mailing` module. We want to add it to a new category called `Documentation` and we want it all the way at the top of the Powerbox.

`mass_mailing` [extends](#) `web_editor`'s [Wysiwyg class](#), which instantiates the editor in its `start` method. Before doing so, it calls its own `_getPowerboxOptions` method, which can conveniently be overridden to add our new commands.

Since `mass_mailing` already overrides `_getPowerboxOptions`, let's just add our new command to it:

```
_getPowerboxOptions: function () {
    const options = this._super();
    // (existing code before the return statement)
    options.categories.push({
        name: _t('Documentation'),
        priority: 300,
    });
    options.commands.push({
        name: _t('Document'),
        category: _t('Documentation'),
        description: _t("Add this text to your mailing's documentation"),
        fontawesome: 'fa-book',
        priority: 1, // This is the only command in its category anyway.
    });
    return options;
}
```


Important

In order to allow the names and descriptions of your commands and categories to be translated, make sure to wrap them in the `_t` function.

Tip

Opening a custom Powerbox

It is possible to open the Powerbox with a custom set of categories and commands, bypassing all pre-existing ones. To do that, call the `open` method of the Powerbox and pass it your custom commands and categories.



Example

We need the current instance of the Powerbox, which can be found in the current editor. In the [Wysiwyg class](#), you will find it as `this.odooEditor.powerbox`.


Now to open it with our custom "Document" command in a custom "Documentation" category:

```
this.odooEditor.powerbox.open(  
  [{  
    name: _t('Document'),  
    category: _t('Documentation'),  
    description: _t("Add this text to your mailing's documentation"),  
    fontawesome: 'fa-book',  
    priority: 1, // This is the only command in its category anyway.  
  }],  
  [{  
    name: _t('Documentation'),  
    priority: 300,  
  }],  
)
```

Filtering commands

There are three ways to filter commands:

- 1. Via the `powerboxFilters` [Powerbox option](#).
- 2. Via a given `command`'s `isDisabled` entry.
- 3. The user can filter commands by simply typing text after opening the Powerbox. It will fuzzy-match that text with the names of the categories and commands.



Reference

Category

Name	Type	Description
name	string	the name of the category
priority	number	used to order the category: a category with a higher priority is displayed higher into the Powerbox (categories with the same priority are ordered alphabetically)

Note

If several categories exist with the same name, they will be grouped into one. Its priority will be that defined in the version of the category that was declared last.

name	string	the name of the command
category	string	the name of the category the command belongs to
description	string	a short text to describe the command
fontawesome	string	the name of a <i>Font Awesome</i> that will serve as the command's icon
priority	number	used to order the command: a command with a higher priority is displayed higher into the Powerbox (commands with the same priority are ordered alphabetically)
callback	function (() => void)	the function to execute when the command is picked (can be asynchronous)
isDisabled (optional)	function (() => void)	a function used to disable the command under certain conditions (when it returns <code>true</code> , the command will be disabled)

Note

If the command points to a category that doesn't exist yet, that category will be created and appended at the end of the Powerbox.

Options

The following options can be passed to `OdooEditor`, that will then be passed to the instance of the Powerbox:

Name	Type	Description
commands	array of commands	commands to add to the default defined by the editor
categories	array of categories	categories to add to the default defined by the editor

		Functions in the Powerbox
	<pre>(commands => commands)</pre>	
getContextFromParentRect	<pre>function (() => DOMRect)</pre>	a function that returns the DOMRect of an ancestor of the editor (can be useful when the editor is in an iframe)

 Get Help

- Contact Support
- Ask the Odoo Community