



Accounting localization

Warning

This tutorial requires knowledge about how to build a module in Odoo (see [Server framework 101](#)).

Installation procedure

On installing the [account](#) module, the localization module corresponding to the country code of the company is installed automatically. In case of no country code set or no localization module found, the [l10n_generic_coa](#) (US) localization module is installed by default. Check [post init hook](#) for details.

For example, [l10n_ch](#) will be installed if the company has Switzerland as country.

Building a localization module

The structure of a basic `l10n_XX` module may be described with the following `__manifest__.py` file:

```
{
    "name": "COUNTRY - Accounting",
    "version": "1.0.0",
    "category": "Accounting/Localizations/Account Charts",
    "license": "LGPL-3",
    "depends": [
        "account",
    ],
    "data": [
        "data/other_data.xml",
        "views/xxxmodel_views.xml",
    ],
    "demo": [
        "demo/demo_company.xml",
    ]
}
```

```

├── data
│   ├── template
│   │   ├── account.account-xx.csv
│   │   ├── account.group-xx.csv
│   │   └── account.tax.group-xx.csv
│   └── other_data.xml
├── views
│   └── xxxmodel_views.xml
├── demo
│   └── demo_company.xml
├── models
│   ├── template_xx.py
│   └── __init__.py
├── __init__.py
└── __manifest__.py

```

In the first file `models/template_xx.py`, we set the name for the chart of accounts along with some basic fields.

See also

Chart Template References

Example

[addons/i10n_be/models/template_be.py](#)

```

def _get_be_template_data(self):
    return {
        'name': _('Base'),
        'visible': False,
        'code_digits': '6',
        'property_account_receivable_id': 'a400',
        'property_account_payable_id': 'a440',
        'downpayment_account_id': 'a46',
    }

@template('be', 'res.company')
def _get_be_res_company(self):
    return {

```

```

        'transfer_account_code_prefix': '580',
        'account_default_pos_receivable_account_id': 'a4001',
        'income_currency_exchange_account_id': 'a754',
        'expense_currency_exchange_account_id': 'a654',
        'account_journal_suspense_account_id': 'a499',
        'account_journal_early_pay_discount_loss_account_id': 'a657000',
        'account_journal_early_pay_discount_gain_account_id': 'a757000',
        'account_sale_tax_id': 'attn_VAT-OUT-21-L',
        'account_purchase_tax_id': 'attn_VAT-IN-V81-21',
        'account_purchase_receipt_fiscal_position_id': 'fiscal_position',
        'default_cash_difference_income_account_id': 'a757100',
        'default_cash_difference_expense_account_id': 'a657100',
        'transfer_account_id': 'a58',
        'expense_account_id': 'a600',
        'income_account_id': 'a7000',
        'account_stock_journal_id': 'inventory_valuation',
        'account_stock_valuation_id': 'a300',
    },
}

@template('be', 'account.journal')
def _get_be_account_journal(self):
    return {
        'sale': {'refund_sequence': True},
        'purchase': {'refund_sequence': True},
    }

@template('be', 'account.reconcile.model')

```

Chart of Accounts

Account tags

See also

[Account Tag References](#)

you want.

Put the tags in the `data/account_account_tag_data.xml` file.

Example

[addons/110n_it/data/template/account.account-1t.csv](#)

```
"id","name","code","account_type","tag_ids","reconcile","non_trade","name@lt"
"account_account_template_1130","Software Acquisition Cost","1130","asset_non_c
"account_account_template_1138","Amortization of Software Value (-)","1138","as
"account_account_template_1200","Land Acquisition Cost","1200","asset_fixed","l
"account_account_template_1201","Change of Land Value after Revaluation","1201"
```

Accounts

See also

- [Account References](#)
- [Chart of accounts](#)

Obviously, **Chart of Accounts** cannot exist without **Accounts**. You need to specify them in `data/account.account.template.csv` .

Example

[addons/110n_ch/data/template/account.account-ch.csv](#)

```
"id","name","code","account_type","reconcile","non_trade","name@de","name@it","
"ch_coa_1060","Securities (with stock exchange price)","1060","asset_current","
"ch_coa_1069","Accumulated depreciation on securities","1069","asset_current","
"ch_coa_1090","Salary-Pass-Through Account","1090","asset_current","True","","G
"ch_coa_1091","Transfer account: Salaries","1091","asset_current","True","","Tr
"ch_coa_1099","Transfer account: miscellaneous","1099","asset_current","True","
"ch_coa_1100","Accounts receivable from goods and services (Debtors)","1100","a
"ch_coa_1101","Receivable (PoS)","1101","asset_receivable","True","","Forderung
"ch_coa_1109","Del credere (Acc. depr. on debtors)","1109","asset_current","Fal
"ch_coa_1140","Advances and loans","1140","asset_current","False","","Vorschüss
"ch_coa_1149","Advances and loans adjustments","1149","asset_current","False",""
```

Warning

- Avoid the usage of `asset_cash` `account_type`! Indeed, the bank & cash accounts are created directly at the installation of the localization module and then, are linked to an `account.journal`.
- Only one account of type payable/receivable is enough for the generic case. We need to define a PoS receivable account as well however. (linked in the CoA)
- Don't create too many accounts: 200-300 is enough. But mostly, we try to find a good balance where the CoA needs minimal adapting for most companies afterwards.

Account groups

See also

Account Group References

Account groups allow describing the hierarchical structure of the chart of accounts. The filter needs to be activated in the report and then when you decollapse into journal entries it will show the parents of the account.

It works with the prefix *start/end*, so every account where the code starts with something between *start* and *end* will have this `account.group` as the parent group. Furthermore, the account groups can have a parent account group as well to form the hierarchy.

Example

[addons/110n_il/data/template/account.group-il.csv](#)

id	code_prefix_start	code_prefix_end	name	name@he_IL
il_group_100100	100100	100499	Fixed Assets	רכוש קבוע
il_group_101110	101110	101400	Current Assets	רכוש שוטף

il_group_101401	101401	101799	Bank And Cash	בנק ומזומנים
il_group_111000	111000	111999	Current Liabilities	התחייבויות שוטפות
il_group_112000	112000	112210	Non-current Liabilities	התחייבויות לא שוטפות
il_group_200000	200000	200199	Sales Income	הכנסות ממכירות
il_group_200200	200200	200300	Other Income	הכנסות אחרות
il_group_201000	201000	201299	Cost of Goods	עלות המכר
il_group_202000	202000	220900	Expenses	הוצאות
il_group_300000	300000	399999	Capital And Shares	הון ומניות

Taxes

See also

- [Tax References](#)
- [Taxes](#)

To add taxes you first need to specify fiscal positions and tax groups. You normally need just one tax group for every tax rate, except for the 0% as you need to often distinguish between exempt, 0%, not subject, ... taxes. This model only has two required fields: `name` and `country`. Create the file `data/template/account.tax.group-xx.csv` and list the groups.

Taxes should be belong to at least one fiscal position, but can be shared by many. Leave the field empty if you want the tax to be shared by all fiscal positions.

Example

[addons/i10n_uk/data/template/account.tax.group-uk.csv](#) 

```
"tax_group_175", "TAX 17.5%", "base.uk", "220200", "220200"
"tax_group_20", "TAX 20%", "base.uk", "220200", "220200"
```

Now you can add the taxes via `data/template/account.tax-xx.csv` file. The first tax you define that is purchase/sale also becomes the default purchase/sale tax for your products.

Example

[addons/i10n_ae/data/template/account.tax-ae.csv](#)

```
"id", "name", "type_tax_use", "amount", "amount_type", "description", "invoice_label"
"uae_sale_tax_5_dubai", "5% DU", "sale", "5.0", "percent", "Dubai", "5%", "ae_tax_grou
", "", "", "", "", "", "", "", "", "tax", "invoice", "1(b)T", "uae_account_201017", "", "", "", "
", "", "", "", "", "", "", "", "", "base", "refund", "1(b)B", "", "", "", "", "", "", ""
", "", "", "", "", "", "", "", "", "tax", "refund", "1(b)T", "uae_account_201017", "", "", "", ""
"uae_sale_tax_5_abu_dhabi", "5% AZ", "sale", "5.0", "percent", "Abu Dhabi", "5%", "ae_
", "", "", "", "", "", "", "", "", "tax", "invoice", "1(a)T", "uae_account_201017", "", "", "", "
", "", "", "", "", "", "", "", "", "base", "refund", "1(a)B", "", "", "", "", "", "", ""
", "", "", "", "", "", "", "", "", "tax", "refund", "1(a)T", "uae_account_201017", "", "", "", ""
"uae_sale_tax_5_sharjah", "5% SH", "sale", "5.0", "percent", "Sharjah", "5%", "ae_tax_
", "", "", "", "", "", "", "", "", "tax", "invoice", "1(c)T", "uae_account_201017", "", "", "", "
", "", "", "", "", "", "", "", "", "base", "refund", "1(c)B", "", "", "", "", "", "", ""
", "", "", "", "", "", "", "", "", "tax", "refund", "1(c)T", "uae_account_201017", "", "", "", ""
"uae_sale_tax_5_ajman", "5% AJ", "sale", "5.0", "percent", "Ajman", "5%", "ae_tax_grou
", "", "", "", "", "", "", "", "", "tax", "invoice", "1(d)T", "uae_account_201017", "", "", "", "
", "", "", "", "", "", "", "", "", "base", "refund", "1(d)B", "", "", "", "", "", "", ""
", "", "", "", "", "", "", "", "", "tax", "refund", "1(d)T", "uae_account_201017", "", "", "", ""
"uae_sale_tax_5_umm_al_quwain", "5% UQ", "sale", "5.0", "percent", "Umm Al Quwain", "
", "", "", "", "", "", "", "", "", "tax", "invoice", "1(e)T", "uae_account_201017", "", "", "", "
", "", "", "", "", "", "", "", "", "base", "refund", "1(e)B", "", "", "", "", "", "", ""
", "", "", "", "", "", "", "", "", "tax", "refund", "1(e)T", "uae_account_201017", "", "", "", ""
"uae_sale_tax_5_ras_al_khaima", "5% RK", "sale", "5.0", "percent", "Ras Al-Khaima", "
```


A tax can also be a replacement for another. This replacement applies when the target fiscal position is used.

Tax Report

See also

- [Report Line](#)
- [Tax return \(VAT report\)](#)

In the previous section, you noticed the fields `invoice_repartition_line_ids` or `refund_repartition_line_ids` and probably understood nothing about them. Good news: you are not alone on this incomprehension. Bad news: you have to figure it out a bit. The topic is complicated. Indeed:



The simple version is that, in the tax template, you indicate in the invoice/refund repartition lines whether the base or a percentage of the tax needs to be reported in which report line (through the `minus/plus_report_line_ids` fields). It becomes clear also when you check the tax configuration in the Odoo interface (or check the docs [Tax References](#), [Tax Repartition References](#)).

So, once you have properly configured taxes, you just need to add the `data/account_tax_report_data.xml` file with a record for your `account.report`. For it to be considered as a tax report, you need to provide it with the right `root_report_id`.

```

<odoo>
  <record id="tax_report" model="account.report">
    <field name="name">Tax Report</field>
    <field name="root_report_id" ref="account.generic_tax_report"/>
    <field name="country_id" ref="base.XX"/>
  </record>

```


... followed by the declaration of its lines, as `account.report.line` records.

Example

[addons/l10n_au/data/account_tax_report_data.xml](#)

```
<record id="tax_report" model="account.report">
  <field name="name">BAS Report</field>
  <field name="root_report_id" ref="account.generic_tax_report"/>
  <field name="country_id" ref="base.au"/>
  <field name="allow_foreign_vat" eval="True"/>
  <field name="availability_condition">country</field>
  <field name="integer_rounding">DOWN</field>
  <field name="column_ids">
    <record id="tax_report_balance" model="account.report.column">
      <field name="name">Balance</field>
      <field name="expression_label">balance</field>
    </record>
  </field>
  <field name="line_ids">
    <record id="account_tax_report_gstrpt_sale_total" model="account.re
      <field name="name">GST amounts you owe the Tax Office from sale
      <field name="hierarchy_level">0</field>
      <field name="children_ids">
        <record id="account_tax_report_gstrpt_g1" model="account.re
          <field name="name">G1: Total Sales (including any GST)<
          <field name="code">G1</field>
          <field name="expression_ids">
            <record id="account_tax_report_gstrpt_g1_tag" model
              <field name="label">balance</field>
              <field name="engine">tax_tags</field>
              <field name="formula">-G1</field>
            </record>
          </field>
          <field name="children_ids">
            <record id="account_tax_report_gstrpt_g2" model="ac
              <field name="name">G2: Export sales</field>
              <field name="code">G2</field>
              <field name="expression_ids">
                <record id="account_tax_report_gstrpt_g2_ta
                  <field name="label">balance</field>
                  <field name="engine">tax_tags</field>
```

Fiscal positions

See also

- [Fiscal Position References](#)
- [Fiscal positions \(tax and account mapping\)](#)

Specify fiscal positions in the `data/template/account.fiscal.position-xx.csv` file. The first fiscal position that matches the company's country is considered the domestic fiscal position.

Example

[addons/l10n_es/data/template/account.fiscal.position-es_common_mainland.csv](#)

```
"id", "sequence", "name", "name@es", "name@ca", "auto_apply", "vat_required", "country",
"l10n_es_domestic_fiscal_position", "10", "ES Domestic", "España Peninsula", "Espan",
"fp_intra_private", "30", "EU private", "EU privado", "EU privat", "1", "", "", "accoun"
```

Final steps

Finally, you may add a demo company, so the localization can easily be tested in demo mode.

Example

[addons/l10n_ch/demo/demo_company.xml](#)

```
<record id="base.partner_demo_company_ch" model="res.partner" forcecreate="
  <field name="name">CH Company</field>
  <field name="vat">CHE-530781296TVA</field>
  <field name="street">Meierskappelerstrasse 14</field>
  <field name="city">Risch-Rotkreuz</field>
  <field name="country_id" ref="base.ch"/>

  <field name="zip">6343</field>
```

```

</record>

<record id="base.demo_bank_ch" model="res.partner.bank" forcecreate="1">
    <field name="acc_type">iban</field>
    <field name="acc_number">CH1500240123456789012</field>
    <field name="l10n_ch_qr_iban">CH4431999123000889012</field>
    <field name="partner_id" ref="base.partner_demo_company_ch"/>
    <field name="allow_out_payment" eval="True"/>
</record>

<record id="base.demo_company_ch" model="res.company" forcecreate="1">
    <field name="name">CH Company</field>
    <field name="partner_id" ref="base.partner_demo_company_ch"/>
</record>

<function model="res.company" name="_onchange_country_id">
    <value eval="[ref('base.demo_company_ch')]" />
</function>

<function model="res.users" name="write">
    <value eval="[ref('base.user_root'), ref('base.user_admin'), ref('base.
    <value eval='{\"company_ids\": [(4, ref('base.demo_company_ch'))]}'" />
</function>

<function model="account.chart.template" name="try_loading">
    <value eval="[]" />
    <value>ch</value>
    <value model="res.company" eval="obj().env.ref('base.demo_company_ch')">
    <value name="install_demo" eval="True"/>
</function>

```

Accounting reports

Enterprise feature

See also

Reporting

```
{
  "name": "COUNTRY - Accounting Reports",
  "category": "Accounting/Localizations/Reporting",
  "version": "1.0.0",
  "author": "Odoo S.A.",
  "license": "OEEL-1",
  "depends": [
    "l10n_XX", "account_reports"
  ],
  "data": [
    "data/balance_sheet.xml",
    "data/profit_and_loss.xml",
  ],
  "auto_install": True,
}
```

Functional overview of financial reports is here: [Reporting](#).

Some good examples:

- [l10n_ch_reports/data/account_financial_html_report_data.xml](#)
- [l10n_be_reports/data/account_financial_html_report_data.xml](#)

You can check the meaning of the fields here:

- [Report](#)
- [Report Line](#)

If you gave a `root_report_id` to your report, it is now available in its variant selector. If not, you still need to add a menu item for it. A default menu item can be created from the form view of the report by clicking on **Actions ▶ Create Menu Item**. You will then need to refresh the page to see it. Alternatively, to create a dedicated section for a totally new report in the **Reporting** menu, you need to create a new `ir.ui.menu` record (usually in the main `l10n_XX` module) and a new `ir.actions.client` (usually in the new report XML file) that calls the `account.report` with the new **report id**. Then, set the new menu as `parent_id` field in the action model.

Example



Get Help

Contact Support

Ask the Odoo Community

