



Translations

With Odoo, you can translate your website into different languages.


In this chapter, you will learn how to:

- Translate the content of a module.
- Import and export translations.
- Integrate translations to a module.

Frontend

To translate your pages with the Website Builder, go to your website and click on the language selector to switch to it. If your website was never translated to the target language, click **Add a language...**, select it in the pop-up window, and click **Add**.

Click **Translate** to start translating. Depending on the language, some text is automatically translated and highlighted in green, while everything that should be translated manually is highlighted in yellow.



However, you have to understand what's happening under the hood when you translate something through the Website Builder.

Default pages

Odoo creates a base view once the Website is installed. If you edit the page with the Builder, a duplicated view will be created and all your modifications will be saved into this one (and your translations also). The only exception concerns the homepage (by default, Odoo creates a base and duplicated view even before you've edited anything).

We recommend to be very careful about the order in which you will carry out translations or modifications in the source language, either if you created the page through the Website Builder or through the source code with a record. Note that every single modification of the source language (`Edit master`) will break the link between the source language and the existing translations. In other words, you'll have to re-create the translations if you edit the source language.

Translatable strings

t-att- / t-attf-

If you want to set a translatable string, use preferably `t-attf-` instead of `t-att-` whenever possible.

Example

To write "Hello *username*", you can do it in the following way:

```
<div t-attf-title="Hello #{user.name}" />
```

Warning

You could also achieve the same result with an `t-att-title` like the example below. However, the result won't be considered natively as a translatable string:

```
<div t-att-title="'Hello' + user.name" />
```

Exception: t-value / t-valuef

`t-value` and `t-valuef` are a bit different. None of them are explicitly translatable, so you could write something like this:

```
<t t-set="additional_title">My Page Title Shown in the Browser Tab</t>
```

In a situation where we need to set a translatable text in only one single place:

```
<t t-set="label">Foo</t>
```

And then we need to call it in different locations:

```
<div t-att-title="label" />
...
<nav t-att-title="label" />
```

Here we just called the translatable content into a non-translatable attribute (`t-att-title`). So the `t-att-title` is not translatable but the casted variable is.

t-call

As parameters can be passed to a `t-call` , the `*.translate` function can be called to make its value translatable.

```
<t t-call="website.layout" additional_title.translate="My Page" />
```

See also

Set parameters of a `t-call`

Backend

Translating pages directly from the backend allows you to translate several languages at the same time. To do so, go to **Settings** ▶ **Technical** ▶ **User Interface: Views**, search for the name of the page you want to translate, and click the **Edit Translations** button.

```

5-
6-
7-
8-
9-
10-
11-

```

Export

Once you are done translating, you need to export the translations to integrate them into your module. To export everything at once, open your database, activate [developer mode](#), and go to **Settings** ▶ **Translations** ▶ **Export Translation**. Select the **Language** you translated, *PO File* under **File Format**, and *website_airproof* as the **Apps To Export**.

Download the file and move it to the *i18n* folder. If needed, you can manually edit the *.po* file afterward.

PO file

You can translate directly by editing a *.po* file or creating the file yourself. Check out the [translating modules documentation](#) to write your translations.

```
/website_airproof/i18n/fr_BE.po
```

```

#. module: website_airproof
#: model_terms:ir.ui.view,arch_db:website_airproof.s_custom
msgid "...
msgstr "...

```

Import

To import your translation files into Odoo, go to **Settings** ▶ **Translations** ▶ **Import Translation** and upload them.



[Contact Support](#)

[Ask the Odoo Community](#)

