

## Amazon Route 53







### **Table of Contents**

- Introduction to Amazon Route 53
- Concepts of Amazon Route 53
- Amazon Route 53 Components and Solutions







# Introduction to Amazon Route 53



#### Introduction to Route 53

What is Route 53?





 Amazon Route 53 is a highly available and scalable cloud Domain Name System(DNS) web service.

 It is designed to translate names like "www.clarusway.com" into the numeric IP addresses like "192.0.2.1" that connect users to Internet applications.



#### Introduction to Route 53

What does Route 53 used for?

Amazon Route 53 has 3 key functions;



- Domain Name Registration
- DNS Routing
- Health Checking





- Domain Name System(DNS)
- Domain Registration
- DNS Routing
- TTL (Time to Live)



Domain Name System(DNS)














#### Structure of Domain Name

```
www. clarusway . com (.)
Sub-Domain Domain gTLD Root (dot)
Name Name
```

- Root (dot) Name represents the beginning of the DNS query and it is not visible.
- gTLD stands for Generic Top-Level Domain. The most common TLDs are com, net and org.
- A Domain Name is your website name. It represents to name of the firm, organization or foundation, amazon, google, etc.
- Sub-domains are commonly used to specify domains for communication purposes, device type, content type, or for other reasons. www, mobile, mail, info, etc.

How does DNS work?





**Domain Registration** 



- A domain name registrar is a company that allows you to purchase and register domain names.
- AWS handles the domain registrar process through the Amazon Route 53 service.



DNS Routing

Routing

DNS Policies

DNS Record

- Route 53 direct the internet traffic by providing a connection and mapping between your domain and web server
- Route 53 routes the web traffic of your domain with the help of the DNS Record Sets and DNS Policies.



TTL (Time to Live)



- TTL(Time to Live) is a parameter that determines how long ISPs (Internet Service Provider) will cache the DNS record.
- If the DNS resolver receives a request for the same domain before the TTL expires, the resolver returns the cached value.
- It decreases the workload of the name servers.






- Hosted Zones
- DNS Record Sets




#### **Hosted Zones**

#### **Public Hosted Zone**



#### Private Hosted Zone





**DNS Record Sets** 

A Record

<u>www.clarusway.com=</u> 1.2.3.56

DNS Record Sets are documents that help you to manage your domain name.

• Thank to the DNS record we can associate our web site to the IP(s).



# Route 53 Components & Solutions DNS Record Sets

- NS (Name Server Record)
- SOA (Start of Authority Record)
- A (Address Record)
- CNAME (Canonical Name Record)
- ALIAS(Alias Record)
- PTR (Pointer Record)
- TXT (Text Record)
- CAA (Certification Authority Authorization)
- MX (Mail Exchange Record)
- NAPTR (Name Authority Pointer Record)
- AAAA (IPv6 Address Record)
- SPF (Sender Policy Framework)
- SRV (Service Locator)

#### **DNS Record Sets**


- SOA (Start Of Authority): contains administrative basic information about the associated domain.
- NS (Name Server): It contains a list of servers authorized to host Name Server.
- These two records are created automatically by Route 53 when you register a domain name.
- You are not recommended to add, change, or delete name servers in these records.

#### DNS Record Sets- A Records- CNAME Records

"A Records" are used for matching with the domain or subdomain to IPs.

 "CNAME Records" are used to point a domain or subdomain to another hostname.







## Route 53 Components & Solutions DNS Record Sets- Alias

- "Alias Records" mapping to the AWS resources endpoint such as Amazon S3 Buckets.
- This is a DNS feature of Route 53 only.
- Alias records are not stand-alone record.





# THANKS! ?

Any questions?



