


				DRAFT TRIAL PIT RECORD		TP No. PLT01 Sheet 1 of 1		
				Site: Hessay, York		Contract No: C10738		
				Client: Hessay Solar Limited		Date: 17/04/2026		
				Method: 13 Tonne Tracked Excavator with 900mm toothed bucket		Scale: 1:25		
SAMPLE DETAILS				STRATA RECORD		Logged By: JC Checked By: AEC		
Type	Depth From - To(m)	Vane Results (kN/m2) { {ppm}	Ground -water	Description	Depth (m)	Level (m AOD)	Legend	Backfill
		36.0 40.0 54.0	1 2 3 4 5	Grass over TOPSOIL: Soft dark brown slightly gravelly sandy silty friable CLAY. Low plasticity (field assessment). Gravel is angular to subrounded fine to medium of sandstone, limestone, quartz and rare brick. With many rootlets.	0.20	14.00		
				Firm low to medium strength light brown mottled light grey sandy silty CLAY. Medium plasticity (field assessment). With occasional rootlets.	0.35	13.85		
				End of trial pit at 0.35m				
Remarks and Groundwater Observations					GL (m AOD) 14.20		Fig No. PLT01	
1. Material excavated in order to undertake plate load testing. 2. Plate load test completed at 0.35m bgl. 3. Backfilled with arisings upon completion. 4. Coordinates and elevation obtained using survey grade GPS.					Easting: 453079.63			
					Northing: 452416.84			















