

Software Developer Questionnaire

1. Name *

Umesh Kumar Singh

2. Phone No. *

9708306322

3. E-Mail ID *

umeshkes91@gmail.com

4. Which command is used to create a new Angular 16 project? *

☐ `ng init`

☒ `ng new`

☐ `ng create`

☐ `ng generate`

5. What is the purpose of the `@Input` decorator in Angular 16? *

- ☐ To inject a service into a component.
- ☒ To pass data from a parent component to a child component.
- ☐ To define the output property for a component.
- ☐ To bind a property to an HTML element.

6. What does the `Response.Redirect()` method do in ASP.NET? *

- ☐ It sends a permanent redirection status to the browser.
- ☐ It transfers control to another page on the server without changing the URL in the browser.
- ☒ It sends a temporary redirection status to the browser.
- ☐ It returns a 404 error to the client.

7. Which of the following can be used to secure an ASP.NET application? *

- ☐ HTTPS
- ☐ Authentication and Authorization
- ☐ Anti-XSS measures
- ☒ All of the above

8. What is the default logging provider in ASP.NET Core 6? *

- ☒ Console
- ☐ Debug

- ☐ EventLog
- ☐ TraceSource

9. **Which method is used to add Swagger support for API documentation in ASP.NET Core 6? ***

- ☒ ``services.AddSwaggerGen()``
- ☐ ``services.AddSwagger()``
- ☐ ``app.UseSwagger()``
- ☐ ``app.UseSwaggerDocumentation()``

10. **Which of the following is used to define a nullable type in C? ***

- ☐ ``Nullable``
- ☐ ``nullable``
- ☒ ``T?``
- ☐ ``?T``

11. **Which LINQ method is used to find the first element of a sequence that satisfies a condition? ***

- ☒ ``First()``
- ☐ ``FirstOrDefault()``
- ☐ ``Single()``

☐ `Take()`

12. **Which method is used to select all elements with a specific class in jQuery?** *

☒ `\$('.className')`

☐ `\$('className')`

☐ `\$('className')`

☐ `get('className')`

13. **How do you attach an event handler for the `click` event in jQuery?** *

☐ `\$('button').click(handler)`

☒ `\$('button').on('click', handler)`

☐ `\$('button').addEventListener('click', handler)`

☐ `\$('button').bind('click', handler)`

14. **What is a `foreign key` in SQL?** *

☐ A key that is used to identify a record in a table uniquely.

☒ A key that enforces a link between two tables.

☐ A key that allows NULL values in a table.

☐ A key that is automatically generated by the database.

15. **Which SQL statement is used to update data in a database?** *

- ☐ `SELECT`
- ☐ `INSERT`
- ☒ `UPDATE`
- ☐ `ALTER`

16. **What is the function of the `ModelState` property in ASP.NET Web API?** *

- ☐ To manage the state of the HTTP request.
- ☒ To validate the data sent to an API action.
- ☐ To store user session information.
- ☐ To handle routing for API requests.

17. **How can you pass data to a Web API method via a query string?** *

- ☒ By including parameters in the URL of the request.
- ☐ By adding parameters to the request body.
- ☐ By setting headers in the request.
- ☐ By using cookies.

18. **Which of the following statements is true about Angular's Dependency Injection (DI) system?** *

- ☐ Services are instantiated every time they are injected.
- ☒ The injector is responsible for providing dependencies to components.
- ☐ Dependency injection can only be used in components, not in directives.
- ☐ Angular does not support hierarchical injectors.

19. **In Angular 16, how do you define a route that redirects to another route? ***

- ☐ Using the `pathMatch` property.
- ☒ Using the `redirectTo` property.
- ☐ Using the `loadChildren` property.
- ☐ Using the `pathRedirect` property.

20. **What is the role of Angular's `RouterModule` in Angular 16? ***

- ☐ To manage HTTP routing.
- ☒ To define routes and manage navigation between views.
- ☐ To handle form validation.
- ☐ To provide support for reactive programming.

21. **What is the default session timeout period in ASP.NET? ***

- ☐ 5 minutes
- ☒ 20 minutes

☐ 30 minutes

☐ 60 minutes

22. **Which of the following statements is true about ASP.NET Web API?** *

☐ It is used to create SOAP-based web services.

☒ It is a framework for building HTTP services that can be consumed by a variety of clients.

☐ It only supports JSON as the data format.

☐ It requires ASP.NET Web Forms.

23. **What is the purpose of the `ActionResult` class in ASP.NET MVC?** *

☒ To represent the result of an action method.

☐ To handle exceptions in the application.

☐ To manage session data.

☐ To define the layout of a page.

24. **What is the purpose of the `app.UseAuthorization()` middleware in ASP.NET Core 6?** *

☐ To authenticate users.

☒ To validate user roles and permissions.

☐ To handle cross-origin resource sharing (CORS).

☐ To handle exceptions globally.

25. **Which of the following is used to configure CORS in ASP.NET Core 6? ***

☒ ``app.UseCors()``

☐ ``app.EnableCors()``

☐ ``app.AddCorsPolicy()``

☐ ``app.UseCorsPolicy()``

26. **In ASP.NET Core 6, how can you handle global exceptions? ***

☐ By adding a try-catch block in each controller action.

☒ By configuring exception handling middleware using ``app.UseExceptionHandler()``.

☐ By using global filters.

☐ By modifying the ``Web.config`` file.

27. **Which keyword is used to inherit a class in C? ***

☐ implements

☐ inherits

☐ extends

☒ None of the above

28. **What will the following C code return?**

```
```csharp
```

```
int[] numbers = { 1, 2, 3, 4, 5 };
```

```
var result = numbers.Where(n => n > 3).Count();
```

```
```
```

*

☒ 2

☐ 3

☐ 4

☐ 5

29. **What is a `namespace` used for in C?** *

☐ To define a new data type

☒ To group related classes and methods

☐ To implement interfaces

☐ To manage memory allocation

30. **Which jQuery method is used to hide an element?** *

☒ `hide()`

☐ `remove()`

☐ `detach()`

☐ `fadeOut()`

31. **What does the `\$.ajax()` method in jQuery do?** *

- ☒ Sends an asynchronous HTTP request.
- ☐ Creates a new HTML element.
- ☐ Attaches an event handler to an element.
- ☐ Adds a class to an element.

32. **How can you change the text content of an HTML element with jQuery?** *

- ☒ `\$('selector').text('new text')`
- ☐ `\$('selector').html('new text')`
- ☐ `\$('selector').value('new text')`
- ☐ `\$('selector').content('new text')`

33. **What does the `DISTINCT` keyword do in SQL?** *

- ☒ Returns only unique values in the result set.
- ☐ Combines multiple rows into a single row.
- ☐ Sorts the result set in descending order.
- ☐ Filters rows based on a specific condition.

34. **Which of the following is used to retrieve data from more than one table in SQL? ***

- ☒ `JOIN`
- ☐ `UNION`
- ☐ `MERGE`
- ☐ `INTERSECT`

35. **Which of the following SQL clauses is used to sort the result set? ***

- ☐ `SORT BY`
- ☒ `ORDER BY`
- ☐ `GROUP BY`
- ☐ `FILTER BY`

36. **Which of the following is a common format for data exchanged with a Web API? ***

- ☐ JSON
- ☐ XML
- ☐ YAML
- ☒ All of the above

37. **What does the `HttpGet` attribute in ASP.NET Web API do? ***

- ☒ It handles HTTP GET requests.
- ☐ It specifies the type of data to be returned.
- ☐ It configures middleware for handling HTTP requests.
- ☐ It validates the HTTP request headers.

38. **How do you test a Web API endpoint to ensure it is working correctly?** *

- ☐ By using a REST client tool like Postman.
- ☐ By writing unit tests.
- ☐ By manually inspecting the API response.
- ☒ All of the above.



This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Microsoft Forms | AI-Powered surveys, quizzes and polls [Create my own form](#)

[Privacy and cookies](#) | [Terms of use](#)