Tables (31)

Name	Type	Schema
auth_group		`CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)`
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		`CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)`
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		`CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)`
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		`CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)`
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
auth_user_groups		`CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)`
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
auth_user_user_permissions		`CREATE TABLE "auth_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id"`

Name	Type	Schema
		integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
compliance_historicalexecutionarchive		CREATE TABLE "compliance_historicalexecutionarchive" ("id" char(32) NOT NULL PRIMARY KEY, "original_execution_id" char(32) NOT NULL UNIQUE, "process_no" integer unsigned NOT NULL UNIQUE CHECK ("process_no" >= 0), "chain_id" char(32) NOT NULL, "final_status" varchar(20) NOT NULL, "triggered_by" varchar(255) NOT NULL, "compiled_console_output" text NOT NULL, "execution_duration_seconds" real NOT NULL, "archived_at" datetime NOT NULL)
id	char(32)	"id" char(32) NOT NULL
original_execution_id	char(32)	"original_execution_id" char(32) NOT NULL UNIQUE
process_no	integer unsigned	"process_no" integer unsigned NOT NULL CHECK("process_no" >= 0) UNIQUE
chain_id	char(32)	"chain_id" char(32) NOT NULL
final_status	varchar(20)	"final_status" varchar(20) NOT NULL
triggered_by	varchar(255)	"triggered_by" varchar(255) NOT NULL
compiled_console_output	text	"compiled_console_output" text NOT NULL
execution_duration_seconds	real	"execution_duration_seconds" real NOT NULL
archived_at	datetime	"archived_at" datetime NOT NULL
compliance_securityauditevent		CREATE TABLE "compliance_securityauditevent" ("id" char(32) NOT NULL PRIMARY KEY, "subsystem" varchar(50) NOT NULL, "event_type" varchar(100) NOT NULL, "severity" varchar(10) NOT NULL, "metadata_json" text NOT NULL CHECK ((JSON_VALID("metadata_json") OR "metadata_json" IS NULL)), "timestamp" datetime NOT NULL)
id	char(32)	"id" char(32) NOT NULL
subsystem	varchar(50)	"subsystem" varchar(50) NOT NULL
event_type	varchar(100)	"event_type" varchar(100) NOT NULL
severity	varchar(10)	"severity" varchar(10) NOT NULL
metadata_json	text	"metadata_json" text NOT NULL CHECK((JSON_VALID("metadata_json") OR "metadata_json" IS NULL))
timestamp	datetime	"timestamp" datetime NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL

Name	Type	Schema
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
engine_chain		CREATE TABLE "engine_chain" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(255) NOT NULL UNIQUE, "description" text NOT NULL, "is_active" bool NOT NULL, "created_at" datetime NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL UNIQUE
description	text	"description" text NOT NULL
is_active	bool	"is_active" bool NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
engine_chainedge		CREATE TABLE "engine_chainedge" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "condition" varchar(10) NOT NULL, "chain_id" bigint NOT NULL REFERENCES "engine_chain" ("id") DEFERRABLE INITIALLY DEFERRED, "source_id" bigint NOT NULL REFERENCES "engine_chainnode" ("id") DEFERRABLE INITIALLY DEFERRED, "target_id" bigint NOT NULL REFERENCES "engine_chainnode" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
condition	varchar(10)	"condition" varchar(10) NOT NULL
chain_id	bigint	"chain_id" bigint NOT NULL
source_id	bigint	"source_id" bigint NOT NULL
target_id	bigint	"target_id" bigint NOT NULL
engine_chainnode		CREATE TABLE "engine_chainnode" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "pos_x" real NOT NULL, "pos_y" real NOT NULL, "chain_id" bigint NOT NULL REFERENCES "engine_chain" ("id") DEFERRABLE INITIALLY DEFERRED, "job_id" bigint NOT NULL REFERENCES "studio_jobobject" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
pos_x	real	"pos_x" real NOT NULL
pos_y	real	"pos_y" real NOT NULL
chain_id	bigint	"chain_id" bigint NOT NULL
job_id	bigint	"job_id" bigint NOT NULL

Name	Type	Schema
iam_apikey		CREATE TABLE "iam_apikey" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(100) NOT NULL, "key" varchar(128) NOT NULL UNIQUE, "prefix" varchar(8) NOT NULL UNIQUE, "created_at" datetime NOT NULL, "is_active" bool NOT NULL, "User_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
name	varchar(100)	"name" varchar(100) NOT NULL
key	varchar(128)	"key" varchar(128) NOT NULL UNIQUE
prefix	varchar(8)	"prefix" varchar(8) NOT NULL UNIQUE
created_at	datetime	"created_at" datetime NOT NULL
is_active	bool	"is_active" bool NOT NULL
User_id	integer	"User_id" integer NOT NULL
iam_role		CREATE TABLE "iam_role" ("id" char(32) NOT NULL PRIMARY KEY, "name" varchar(100) NOT NULL UNIQUE, "description" text NOT NULL, "permissions" text NOT NULL CHECK ((JSON_VALID("permissions") OR "permissions" IS NULL)))
id	char(32)	"id" char(32) NOT NULL
name	varchar(100)	"name" varchar(100) NOT NULL UNIQUE
description	text	"description" text NOT NULL
permissions	text	"permissions" text NOT NULL CHECK((JSON_VALID("permissions") OR "permissions" IS NULL))
iam_userprofile		CREATE TABLE "iam_userprofile" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "employee_id" varchar(50) NULL UNIQUE, "is_active" bool NOT NULL, "role_id" char(32) NULL REFERENCES "iam_role" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL UNIQUE REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
employee_id	varchar(50)	"employee_id" varchar(50) UNIQUE
is_active	bool	"is_active" bool NOT NULL
role_id	char(32)	"role_id" char(32)
user_id	integer	"user_id" integer NOT NULL UNIQUE
infrastructure_infrastructuretarget		CREATE TABLE "infrastructure_infrastructuretarget" ("id" char(32) NOT NULL PRIMARY KEY, "name" varchar(255) NOT NULL, "target_type" varchar(30) NOT NULL, "host_address" char(39) NOT NULL UNIQUE, "status" varchar(20) NOT NULL, "cpu_utilization" real NOT NULL, "memory_utilization" real NOT NULL, "last_heartbeat" datetime NULL, "registered_at" datetime NOT NULL)
id	char(32)	"id" char(32) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
target_type	varchar(30)	"target_type" varchar(30) NOT NULL
host_address	char(39)	"host_address" char(39) NOT NULL UNIQUE
status	varchar(20)	"status" varchar(20) NOT NULL
cpu_utilization	real	"cpu_utilization" real NOT NULL
memory_utilization	real	"memory_utilization" real NOT NULL
last_heartbeat	datetime	"last_heartbeat" datetime
registered_at	datetime	"registered_at" datetime NOT NULL
infrastructure_remoteagentsession		CREATE TABLE "infrastructure_remoteagentsession" ("id" char(32) NOT NULL PRIMARY KEY, "agent_version" varchar(20) NOT NULL, "secure_token" char(32) NOT

Name	Type	Schema
		NULL UNIQUE, "is_active" bool NOT NULL, "last_seen" datetime NOT NULL, "target_id" char(32) NOT NULL UNIQUE REFERENCES "infrastructure_infrastructuretarget" ("id") DEFERRABLE INITIALLY DEFERRED)
id	char(32)	"id" char(32) NOT NULL
agent_version	varchar(20)	"agent_version" varchar(20) NOT NULL
secure_token	char(32)	"secure_token" char(32) NOT NULL UNIQUE
is_active	bool	"is_active" bool NOT NULL
last_seen	datetime	"last_seen" datetime NOT NULL
target_id	char(32)	"target_id" char(32) NOT NULL UNIQUE
maintenance_cleanupexecutionlog		CREATE TABLE "maintenance_cleanupexecutionlog" ("id" char(32) NOT NULL PRIMARY KEY, "rows_deleted" integer unsigned NOT NULL CHECK ("rows_deleted" >= 0), "space_reclaimed_mb" real NOT NULL, "was_successful" bool NOT NULL, "error_message" text NULL, "executed_at" datetime NOT NULL, "policy_id" char(32) NULL REFERENCES "maintenance_maintenancepolicy" ("id") DEFERRABLE INITIALLY DEFERRED)
id	char(32)	"id" char(32) NOT NULL
rows_deleted	integer unsigned	"rows_deleted" integer unsigned NOT NULL CHECK("rows_deleted" >= 0)
space_reclaimed_mb	real	"space_reclaimed_mb" real NOT NULL
was_successful	bool	"was_successful" bool NOT NULL
error_message	text	"error_message" text
executed_at	datetime	"executed_at" datetime NOT NULL
policy_id	char(32)	"policy_id" char(32)
maintenance_maintenancepolicy		CREATE TABLE "maintenance_maintenancepolicy" ("id" char(32) NOT NULL PRIMARY KEY, "subsystem" varchar(30) NOT NULL UNIQUE, "retention_days" integer unsigned NOT NULL CHECK ("retention_days" >= 0), "is_active" bool NOT NULL, "updated_at" datetime NOT NULL)
id	char(32)	"id" char(32) NOT NULL
subsystem	varchar(30)	"subsystem" varchar(30) NOT NULL UNIQUE
retention_days	integer unsigned	"retention_days" integer unsigned NOT NULL CHECK("retention_days" >= 0)
is_active	bool	"is_active" bool NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
monitoring_liveexecutionlog		CREATE TABLE "monitoring_liveexecutionlog" ("id" char(32) NOT NULL PRIMARY KEY, "node_id" char(32) NOT NULL, "log_level" varchar(10) NOT NULL, "message" text NOT NULL, "timestamp" datetime NOT NULL, "execution_id" char(32) NOT NULL REFERENCES "monitoring_workflowexecution" ("id") DEFERRABLE INITIALLY DEFERRED)
id	char(32)	"id" char(32) NOT NULL
node_id	char(32)	"node_id" char(32) NOT NULL
log_level	varchar(10)	"log_level" varchar(10) NOT NULL
message	text	"message" text NOT NULL
timestamp	datetime	"timestamp" datetime NOT NULL
execution_id	char(32)	"execution_id" char(32) NOT NULL
monitoring_workflowexecution		CREATE TABLE "monitoring_workflowexecution" ("id" char(32) NOT NULL PRIMARY KEY, "chain_id" char(32) NOT NULL, "process_no" integer unsigned NOT NULL UNIQUE CHECK ("process_no" >= 0), "status" varchar(20) NOT NULL, "triggered_by" varchar(255) NOT

Name	Type	Schema
		NULL, "started_at" datetime NOT NULL, "ended_at" datetime NULL)
id	char(32)	"id" char(32) NOT NULL
chain_id	char(32)	"chain_id" char(32) NOT NULL
process_no	integer unsigned	"process_no" integer unsigned NOT NULL CHECK("process_no" >= 0) UNIQUE
status	varchar(20)	"status" varchar(20) NOT NULL
triggered_by	varchar(255)	"triggered_by" varchar(255) NOT NULL
started_at	datetime	"started_at" datetime NOT NULL
ended_at	datetime	"ended_at" datetime
scheduler_automatedschedule		CREATE TABLE "scheduler_automatedschedule" ("id" char(32) NOT NULL PRIMARY KEY, "chain_id" char(32) NOT NULL, "name" varchar(255) NOT NULL UNIQUE, "trigger_type" varchar(20) NOT NULL, "interval_seconds" integer unsigned NULL CHECK ("interval_seconds" >= 0), "fixed_time" time NULL, "is_enabled" bool NOT NULL, "last_fired_at" datetime NULL, "next_expected_fire" datetime NULL, "created_at" datetime NOT NULL)
id	char(32)	"id" char(32) NOT NULL
chain_id	char(32)	"chain_id" char(32) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL UNIQUE
trigger_type	varchar(20)	"trigger_type" varchar(20) NOT NULL
interval_seconds	integer unsigned	"interval_seconds" integer unsigned CHECK("interval_seconds" >= 0)
fixed_time	time	"fixed_time" time
is_enabled	bool	"is_enabled" bool NOT NULL
last_fired_at	datetime	"last_fired_at" datetime
next_expected_fire	datetime	"next_expected_fire" datetime
created_at	datetime	"created_at" datetime NOT NULL
scheduler_triggerincidentlog		CREATE TABLE "scheduler_triggerincidentlog" ("id" char(32) NOT NULL PRIMARY KEY, "spawned_execution_id" char(32) NULL, "was_successful" bool NOT NULL, "error_details" text NULL, "evaluated_at" datetime NOT NULL, "schedule_id" char(32) NOT NULL REFERENCES "scheduler_automatedschedule" ("id") DEFERRABLE INITIALLY DEFERRED)
id	char(32)	"id" char(32) NOT NULL
spawned_execution_id	char(32)	"spawned_execution_id" char(32)
was_successful	bool	"was_successful" bool NOT NULL
error_details	text	"error_details" text
evaluated_at	datetime	"evaluated_at" datetime NOT NULL
schedule_id	char(32)	"schedule_id" char(32) NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
studio_jobobject		CREATE TABLE "studio_jobobject" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(255) NOT NULL UNIQUE, "title" varchar(255) NOT NULL, "platform" varchar(50) NOT NULL, "is_active" bool NOT NULL, "active_revision" integer unsigned NOT NULL CHECK ("active_revision" >= 0), "tags" text NOT NULL CHECK ((JSON_VALID("tags") OR "tags" IS NULL)), "created_at" datetime NOT NULL, "updated_at" datetime NOT NULL, "owner_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED)

Name	Type	Schema
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL UNIQUE
title	varchar(255)	"title" varchar(255) NOT NULL
platform	varchar(50)	"platform" varchar(50) NOT NULL
is_active	bool	"is_active" bool NOT NULL
active_revision	integer unsigned	"active_revision" integer unsigned NOT NULL CHECK("active_revision" >= 0)
tags	text	"tags" text NOT NULL CHECK((JSON_VALID("tags") OR "tags" IS NULL))
created_at	datetime	"created_at" datetime NOT NULL
updated_at	datetime	"updated_at" datetime NOT NULL
owner_id	integer	"owner_id" integer NOT NULL
studio_promptset		`CREATE TABLE "studio_promptset" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "variable_name" varchar(100) NOT NULL, "label" varchar(100) NOT NULL, "field_type" varchar(50) NOT NULL, "default_value" varchar(255) NULL, "job_object_id" bigint NOT NULL REFERENCES "studio_jobobject" ("id") DEFERRABLE INITIALLY DEFERRED)`
id	integer	"id" integer NOT NULL
variable_name	varchar(100)	"variable_name" varchar(100) NOT NULL
label	varchar(100)	"label" varchar(100) NOT NULL
field_type	varchar(50)	"field_type" varchar(50) NOT NULL
default_value	varchar(255)	"default_value" varchar(255)
job_object_id	bigint	"job_object_id" bigint NOT NULL
studio_scriptrevision		`CREATE TABLE "studio_scriptrevision" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "version" integer unsigned NOT NULL CHECK ("version" >= 0), "content" text NOT NULL, "pre_process" text NOT NULL, "post_process" text NOT NULL, "change_summary" varchar(255) NOT NULL, "created_at" datetime NOT NULL, "created_by_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "job_object_id" bigint NOT NULL REFERENCES "studio_jobobject" ("id") DEFERRABLE INITIALLY DEFERRED)`
id	integer	"id" integer NOT NULL
version	integer unsigned	"version" integer unsigned NOT NULL CHECK("version" >= 0)
content	text	"content" text NOT NULL
pre_process	text	"pre_process" text NOT NULL
post_process	text	"post_process" text NOT NULL
change_summary	varchar(255)	"change_summary" varchar(255) NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
created_by_id	integer	"created_by_id" integer NOT NULL
job_object_id	bigint	"job_object_id" bigint NOT NULL
vault_securedvariable		`CREATE TABLE "vault_securedvariable" ("id" char(32) NOT NULL PRIMARY KEY, "reference_key" varchar(255) NOT NULL UNIQUE, "encrypted_value" text NOT NULL, "description" text NULL, "updated_at" datetime NOT NULL, "created_at" datetime NOT NULL)`
id	char(32)	"id" char(32) NOT NULL
reference_key	varchar(255)	"reference_key" varchar(255) NOT NULL UNIQUE
encrypted_value	text	"encrypted_value" text NOT NULL
description	text	"description" text
updated_at	datetime	"updated_at" datetime NOT NULL

Name	Type	Schema
created_at	datetime	"created_at" datetime NOT NULL

Indices (30)

Name	Type	Schema
auth_group_permissions_group_id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_permissions_group_id_permission_id_0cd325b0_uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_permissions_permission_id_84c5c92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permission_content_type_id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permission_content_type_id_codename_01ab375a_uniq		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
auth_user_groups_group_id_97559544		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
auth_user_groups_user_id_6a12ed8b		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
auth_user_groups_user_id_group_id_94350c0c_uniq		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
auth_user_user_permissions_permission_id_1fbb5f2c		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
auth_user_user_permissions_user_id_a95ead1b		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"

Name	Type	Schema
auth_user_user_permissions_user_id_permission_id_14a6b632_uniq		CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
django_admin_log_content_type_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_log_user_id_c564eba6		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
django_content_type_app_label_model_76bd3d3b_uniq		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session_expire_date_a5c62663		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"
engine_chainedge_chain_id_b661919a		CREATE INDEX "engine_chainedge_chain_id_b661919a" ON "engine_chainedge" ("chain_id")
chain_id		"chain_id"
engine_chainedge_source_id_0a873f6d		CREATE INDEX "engine_chainedge_source_id_0a873f6d" ON "engine_chainedge" ("source_id")
source_id		"source_id"
engine_chainedge_target_id_ee380a39		CREATE INDEX "engine_chainedge_target_id_ee380a39" ON "engine_chainedge" ("target_id")
target_id		"target_id"
engine_chainnode_chain_id_4262da22		CREATE INDEX "engine_chainnode_chain_id_4262da22" ON "engine_chainnode" ("chain_id")
chain_id		"chain_id"
engine_chainnode_job_id_75a7b5ac		CREATE INDEX "engine_chainnode_job_id_75a7b5ac" ON "engine_chainnode" ("job_id")
job_id		"job_id"
iam_apikey_User_id_71760192		CREATE INDEX "iam_apikey_User_id_71760192" ON "iam_apikey" ("User_id")
User_id		"User_id"
iam_userprofile_role_id_50759508		CREATE INDEX "iam_userprofile_role_id_50759508" ON "iam_userprofile" ("role_id")
role_id		"role_id"
		CREATE INDEX

Name	Type	Schema
maintenance_cleanupexecutionlog_policy_id_77838054		`"maintenance_cleanupexecutionlog_policy_id_77838054" ON "maintenance_cleanupexecutionlog" ("policy_id")`
policy_id		"policy_id"
monitoring_liveexecutionlog_execution_id_a8ea0251		`CREATE INDEX "monitoring_liveexecutionlog_execution_id_a8ea0251" ON "monitoring_liveexecutionlog" ("execution_id")`
execution_id		"execution_id"
scheduler_triggerincidentlog_schedule_id_9cc2f440		`CREATE INDEX "scheduler_triggerincidentlog_schedule_id_9cc2f440" ON "scheduler_triggerincidentlog" ("schedule_id")`
schedule_id		"schedule_id"
studio_jobobject_owner_id_96d5e6a0		`CREATE INDEX "studio_jobobject_owner_id_96d5e6a0" ON "studio_jobobject" ("owner_id")`
owner_id		"owner_id"
studio_promptset_job_object_id_b69a2e22		`CREATE INDEX "studio_promptset_job_object_id_b69a2e22" ON "studio_promptset" ("job_object_id")`
job_object_id		"job_object_id"
studio_scriptrevision_created_by_id_a45381a8		`CREATE INDEX "studio_scriptrevision_created_by_id_a45381a8" ON "studio_scriptrevision" ("created_by_id")`
created_by_id		"created_by_id"
studio_scriptrevision_job_object_id_146b9a4e		`CREATE INDEX "studio_scriptrevision_job_object_id_146b9a4e" ON "studio_scriptrevision" ("job_object_id")`
job_object_id		"job_object_id"
studio_scriptrevision_job_object_id_version_f3d5cd9f_uniq		`CREATE UNIQUE INDEX "studio_scriptrevision_job_object_id_version_f3d5cd9f_uniq" ON "studio_scriptrevision" ("job_object_id", "version")`
job_object_id		"job_object_id"
version		"version"

Views (0)

Name	Type	Schema

Triggers (0)

Name	Type	Schema