## Shahid

Assigned TA:Dalia Elalfy

Team number: 49

#### Team members:

1. دمیانه عصام کامل ریاض . 20191700234 - SC
 2. اواب محمد صابر حسن . SC
 3. عدنان احمد دلعین . 20191700804 - SC

4. 1924 1944 1945 - 20191700149 - 3C

5. عبدالجواد علي - 20191700132 - CS

6. روان مصطفي رمضان - 20191700800 - SC

### **User profile table:**

```
CREATE TABLE "HR". "USERPROFILE"
    "ID" NUMBER NOT NULL ENABLE,
    "PLAN" VARCHAR2(20 BYTE),
    "PHONE NUMBER" NUMBER,
    "SIGN UP DATE" DATE,
    "NAME" VARCHAR2(20 BYTE),
    "ADDRESS" VARCHAR2(20 BYTE),
    CONSTRAINT "USERPROFILE PK" PRIMARY KEY
("ID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255
COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1
MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER POOL DEFAULT FLASH CACHE DEFAULT
CELL FLASH CACHE DEFAULT)
TABLESPACE "USERS" ENABLE
 ) SEGMENT CREATION IMMEDIATE
PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1
MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER POOL DEFAULT FLASH CACHE DEFAULT
CELL FLASH CACHE DEFAULT)
TABLESPACE "USERS";
```

#### **Shows table:**

```
CREATE TABLE "HR". "SHOWS"
    "SHOWID" NUMBER NOT NULL ENABLE,
    "TITLE" VARCHAR2(50 BYTE),
    "EPISODES" NUMBER,
    "GENRE" VARCHAR2(20 BYTE),
    "TIMELENGTH" VARCHAR2(20 BYTE),
    "RELEASEDATE" DATE,
    "RATING" NUMBER,
    CONSTRAINT "CONTENT_PK" PRIMARY KEY
("SHOWID")
 USING INDEX PCTFREE 10 INITRANS 2 MAXTRANS 255
COMPUTE STATISTICS
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1
MAXEXTENTS 2147483645
 PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER POOL DEFAULT FLASH CACHE DEFAULT
CELL_FLASH_CACHE DEFAULT)
TABLESPACE "USERS" ENABLE
 ) SEGMENT CREATION IMMEDIATE
 PCTFREE 10 PCTUSED 40 INITRANS 1 MAXTRANS 255
NOCOMPRESS LOGGING
STORAGE(INITIAL 65536 NEXT 1048576 MINEXTENTS 1
MAXEXTENTS 2147483645
PCTINCREASE 0 FREELISTS 1 FREELIST GROUPS 1
BUFFER POOL DEFAULT FLASH CACHE DEFAULT
CELL FLASH CACHE DEFAULT)
TABLESPACE "USERS";
```

#### **Procedures:**

1. single selection procedure:

```
create or replace
PROCEDURE GETCONTENTID(ContentID OUT NUMBER)
AS
BEGIN
select SHOWID
into contentid
from shows
where rating = (SELECT max(rating) from shows);
END GETCONTENTID;

*selects show with highest rating.

2. multiple row procedure:
```

```
create or replace PROCEDURE GETMEMBERSPLAN
(planType in varchar2 ,IDs_List out sys_refcursor )
AS
BEGIN
open IDs_List for
select * from userprofile
where PLAN_TYPE = planType;
```

END GETMEMBERSPLAN;

<sup>\*</sup>select rows with specific plan type.

# Data insertion: 1.shows table

- CSV file is also included for faster import.

#### 2.UserProfile table

```
INSERT INTO USERPROFILE VALUES ( 15, "free" ,"01123569874" ,5-May-20 ,"Eslam"
        ,"Matariya");
INSERT INTO USERPROFILE VALUES (4321,
                                      "free", "01056984732", 25-Apr-22, "Tawfik",
       "Ezba");
INSERT INTO USERPROFILE VALUES (3132,
                                      "free" "01023968547", 5-May-20, "Adnan", "Awl
INSERT INTO USERPROFILE VALUES (1,
                                      "premium","01236259412", 5-May-20,"amgad","Gesr-
Elsuiz");
INSERT INTO USERPROFILE VALUES (2,
                                      "free", "01231456987", 5-Jul-21, "awab", "kobry-el-
oba");
                                      "free", "01552369845", 20-Nov-22, "andy",
INSERT INTO USERPROFILE VALUES (3,
       "maadi");
INSERT INTO USERPROFILE VALUES( 4,
                                      "premium", "01523698423", 20-Dec-22, "jimiana",
       "tagned");
INSERT INTO USERPROFILE VALUES (453,
                                      "premium","01547895632", 5-May-20,"Ayat","Shoubra");
INSERT INTO USERPROFILE VALUES (312,
                                       "free","01265984752", 5-May-
20,"Rawan","Palestina");
INSERT INTO USERPROFILE VALUES (20,
                                      "premium", "01536251498", 7-May-22, "younis", "kobry el
qoba");
```

- CSV file is also included for faster import.