

Database Management Project Section-5, Final Report Group 31

| Name | ID |
|--------------------------|---------|
| Fardeen Hossain Bhuiyan | 1710365 |
| Ragib Yasar Alam | 1730648 |
| Shehab Sharar Mazumder | 1731663 |
| Sk Asif Faisal | 2010454 |
| Adnan Rahman | 2120558 |
| Iftakhirul Mohaimin Alif | 1611001 |

Table of Content

| CHAPTER-1 INTRODUCTION | 2 |
|---|----|
| A. BACKGROUND OF THE ORGANIZATION - IUB: | 2 |
| B. BACKGROUND OF THE PROJECT - SPMS 4.0: | 2 |
| C. OBJECTIVE OF THE PROJECT - SPMS 4.0: | 2 |
| D. SCOPE OF THE PROJECT: | 2 |
| CHAPTER-2 REQUIREMENT ANALYSIS | 3 |
| A. RICH PICTURE – EXISTING SYSTEM (SPMS 3.0): | 4 |
| B. SIX ELEMENT ANALYSIS – EXISTING SYSTEM (SPMS 3.0): | 5 |
| D. PROBLEM ANALYSIS – EXISTING SYSTEM (SPMS 3.0): | 16 |
| E. RICH PICTURE - PROPOSED SYSTEM (SPMS 4.0): | 17 |
| F. SIX ELEMENT ANALYSIS – PROPOSED SYSTEM (SPMS 4.0): | 18 |
| CHAPTER-3 LOGICAL SYSTEM DESIGN | 31 |
| A. BUSINESS RULES – SPMS 4.0: | 31 |
| B. ENTITY RELATIONSHIP DIAGRAM: | 33 |
| C. ENTITY RELATIONSHIP DIAGRAM TO RELATIONAL SCHEMA: | 34 |
| D. NORMALIZATION: | 35 |
| 1NF: | 40 |
| 2NF: | 40 |
| 3NF: | 40 |
| E.DATA DICTIONARY | 42 |
| CHAPTER- 4 PHYSICAL SYSTEM DESIGN | 55 |
| A. INPUT FORMS: | 55 |
| CHAPTER- 5 CONCLUSION | 68 |
| A.PROBLEM AND SOLUTION: | 68 |
| Analysis Phase: | 68 |
| Designing Phase: | 68 |
| Implementation Phase: | 69 |
| Additional Features and Future Development: | 69 |
| References | 69 |

CHAPTER-1 INTRODUCTION

A. BACKGROUND OF THE ORGANIZATION - IUB:

IUB is a private university in Bangladesh that was established in 1993. There are currently about 10,000 undergraduate and graduate students enrolled there. More than 450 highly qualified and highly-skilled faculty members are exceptionally good at their departments of teaching, and at least half of them are Ph.D. degree holders. The number of IUB alumni is close to 14,000. There are currently 5 academic schools in IUB

- 1) School of Business & Entrepreneurship
- 2) School of Engineering, Technology, and Sciences
- 3) School of Environment & Life Sciences
- 4) School of Liberal Arts & Social Sciences
- 5) School of Pharmacy and Public Health

B. BACKGROUND OF THE PROJECT - SPMS 4.0:

OBE's framework, Student Performance Monitoring System (SPMS 4.0), focuses on student performance. It analyzes student, course instructor, school, department, and program performance and aids the higher authorities of the educational institution in developing improvement strategies.

C. OBJECTIVE OF THE PROJECT - SPMS 4.0:

The current version of a web application is designed to manage student registration, course selection, and academic records. However, it lacks the capability to calculate course outcomes based on student grades. To address this limitation, new features need to be added to the application to capture data points such as student ID, educational year, semester, enrolled course and section, and obtained grades. These data points will be used to calculate course outcomes for students whose information is not already in the system.

D. SCOPE OF THE PROJECT:

The project involves enhancing the functionality of an existing web application to enable the calculation of course outcomes based on student performance data. The project will include the following steps:

Adding New Data Fields: The first step is to add new data fields to the existing web
application to capture the required data points such as student ID, educational year,
semester, enrolled course and section, and obtained grades. The user must be able to

input the data using a manual form or import a CSV file from which the data points can be extracted and inputted into the database.

- Calculating Course Outcome Percentage: The second step is to implement a new feature
 that calculates the course outcome percentage based on the obtained for each course.
 The course outcome percentage will be calculated based on the grading policy defined by
 the institution, such as a letter grade system or a numerical grade system.
- Displaying Course Outcome Percentage: The third step is to display the calculated course outcome percentage to students and faculty members through the web application. The students will be able to view their course outcome percentage for each enrolled course, and the faculty members will be able to view the course outcome percentage for all the students enrolled in their course.

The new features will be implemented in a way that is user-friendly and intuitive, with clear instructions and guidance provided to the users. The design of the user interface will be kept simple and minimalistic to enhance the user experience. Additionally, appropriate security measures will be implemented to protect the sensitive student data stored in the database.


In summary, the project will involve adding new data fields to the existing web application, implementing a new feature to calculate course outcome percentages based on obtained grades, and displaying the calculated percentage to students and faculty members through the web application. The new features will be implemented with a focus on user-friendliness, simplicity, analysis, and security.

CHAPTER-2 REQUIREMENT ANALYSIS

Requirement Analysis is the process of determining what the database is used for. It involves interviews with stakeholders in order to identify the functionality and system requirements they expect and requires from the database, what operations need to be performed, and what data they need to process. By doing so, we can get a proper understanding of the stakeholders and how they interact with each other.

A. RICH PICTURE - EXISTING SYSTEM (SPMS 3.0):

A rich picture is a way to demonstrate processes in a system that is easier to understand for everyone. It consists of pictures, text, symbols, and icons, all of which are used to graphically illustrate the situation. A rich picture helps us see relationships and connections that we may otherwise miss. It helps identify one or more themes that participants may want to further explore and address. Rich pictures are therefore always used in the pre-analysis phase.



In this rich picture, the stakeholders are:

- 1) UGC
- 2) IEB
- 3) Higher Authority (VC, Dean etc)
- 4) Department Head

- 5) Department Office
- 6) SPMSV3.0 Admin (SPMS Manager)
- 7) Registers Office
- 8) Faculty
- 9) Student

The Main Storage is

1) SPMS V3.0

B. SIX ELEMENT ANALYSIS - EXISTING SYSTEM (SPMS 3.0):

From the rich picture, we can see that there are nine key processes:

- 1) Creating storing and giving Course Outline
- 2) Add Questions to the question bank and grading the answer script
- 3) Course based student performance trend according to GPA
- 4) Faculty based student performance according to GPA
- 5) Course wise PLO achievement of a student
- 6) Student performance trend under VC/Dean/Head of Department
- 7) Course, program, department, school CLO-PLO statistics
- 8) Course, student, department school wise expected vs achieved PLO
- 9) Department average of total PLO achieved and attempted students
- 10) Student Enrollment Statistics VC-wise, Dean-wise, Department Head-wise.

We can use six element analysis to analyze the impact of six elements in a process here the six elements are

- 1. Human
- 2. Non-computing Hardware
- 3. Computing Hardware
- 4. Software.
- 5. Database.
- 6. Network and Communication

| Process | Human | Non commuting Hardware | Computing Hardware | Software | Database | Network and Communication |
|---|--|------------------------------|---|--|--|---|
| Preparing, storing and giving Course Outline | 1) Signs into the system using their ID and password. 2) Select the "Create Course Outline" tab. 3) Select from the options that they wish to add to their course outline. 4) Press the Create button. 5) Store the course outline in the system. Students: 1) Signs into the system using their ID and password. 2) Select Course 3)View/Download course outline from the system. | | Computer/Laptop 1) Used to Sign into SPMS 3.0 Printer 1) Used to print hard copies of course outlines if required. | SPMS 3.0 1) Used to store data in the database. | SPMS 3.0 Database 1) All valid data are stored here, which can be updated by SPMS 3.0 admins. | Internet 1) Used to Sign into SPMS 3.0 |
| Add Questions to the question bank and grading the answer script | Faculty: 1) Signs into the system using their ID and password. 2) Select the course and choose the sections that have to solve the question. 3) Input the question in the | | Computer/Laptop 1) Used to Sign into SPMS 3.0 Printer 1) Used to print the grades gotten by the whole section. | 1) Used to store data in the database or generate a result graph using data from the database. | SPMS 3.0 Database 1) All valid data are stored here, which can be updated by SPMS 3.0 admins. | Internet 1) Used to Sign into SPMS 3.0 |

| | question bank. 4) Press the Assign Button. 5) Grade the answers submitted by the students Student: 1) Signs into the system using their ID and password. 2) Answer the question assigned by the faculty in the answer bank | | | | |
|---|---|--|---|---|---|
| Course based student performance trends according to GPA. | Department Head: 1) Signs into the system using their ID and password. 2) Input the time period and course ID to be viewed. 3) View student progress through a graph made after analysis and the GPA earned by the maximum/minimum /average students. Faculty: 1) Signs into the system using their ID and password. 2) Search for the course that they are teaching using the course ID and time period, and view the progress of those students in that course. | Computer/Laptop 1) Used to sign into SPMS 3.0. Printer 1) Used to print a hard copy of the progress of the current semester's students and compare it with the progress of the previous semester's students who took that course. | SPMS 3.0 1)Used to store student Data into the database or generate a performance analysis graph using data from the database. | SPMS 3.0 Database 1) All valid data are stored here which can be updated by SPMS 3.0 admins. | Internet 1) Used to Sign into SPMS 3.0 |

| | Student: 1) Signs into the system using their ID and password. 2) Search for the course using the course ID and view their progress in that course and the GPA they earned. Dean/VC: 1) Signs into the system using their ID and password. 2) Search for the course using course ID and time period and view the progress of the students of that course | | | | |
|--|--|--|---|---|--|
| Faculty based student performance according to GPA | Faculty: 1) Signs into the system using their ID and password. 2) View the progress of the students who are being taught by them. Department Head: 1) Signs into the system using their ID and password. 2) Search for a faculty to be assessed using the faculty's name. | Computer/Laptop 1) Used to Sign into SPMS 3.0 Printer 1) Used to print hard copy of a report of students who completed most the PLO achievements If needed. | SPMS 3.0 1) Used to store data and generate PLO automaticall y based on the CO provided. | SPMS 3.0 Database 1) All valid data are stored here which can be updated by SPMS 3.0 admins. | Internet 1) Used to Sign into SPMS 3.0 wad |

| | 3) View the progress of the students who are being taught by that faculty based on the GPA earned by the students. Dean/VC: 1) Signs into the system using their ID and password. 2) Search for a faculty to be assessed using the faculty's name and Department ID. 3) View the progress of the students who are being taught by that faculty based on the GPA earned by the students. | | | | |
|--|---|--|---|--|---|
| Course wise PLO achievement of a student | VC/ Dean: 1) Signs into the system using their ID and password. 2) Select PLO achievement Tab and search using Course ID 3) View the PLOs achieved by the student. Department Head: 1) Signs into the system using their ID and password. | Computer/Laptop 1) Used to Sign into SPMS 3.0 Printer 1) Used to print hard copy of a report of students who completed most the PLO achievements If needed. | SPMS 3.0 1)Used to store Data and generate PLO automaticall y based on the CO provided | SPMS 3.0 Database 1) All valid data are stored here, which can be updated by SPMS 3.0 admins. | Internet 1) Used to Sign into SPMS 3.0 |

| | achievement Tab and search using Course ID 3) View the PLOs achieved by the students. Faculty: 1) Signs into the system using their ID and password. 2) Select PLO achievement Tab and search using Course ID 3) View the PLOs achieved by the students in a course. Student: 1) Signs into the system using their ID and password. 2) View the PLOs they have achieved so far and how many they need to achieve to complete the course. | | | | |
|--|--|---|--|--|---|
| Student | | Computari | SDMS 2.0 | SDMS 2.0 | Internet |
| Student performance trend under VC/Dean/Head of Department | Dean: 1) Signs into the system using their ID and password. 2) Search for Department Head to be checked using their Name and Department ID. 3) View student | Computer/Laptop 1) Used to Sign into SPMS 3.0 Printer 1) Used to print the hard copy of the progress report if needed. | 1) Used to store data in the database or generate a performance analysis graph using data from the database. | SPMS 3.0 Database 1) All valid data are stored here, which can be updated by SPMS 3.0 admins. | Internet 1) Used to Sign into SPMS 3.0 |

| | progress under them or them. VC: 1) Signs into the system using their ID and password. 2) Search for a Dean or Department Head to be checked using their Name and either School ID or Department ID. 3) View student progress under them. Department Head: 1) Signs into the system using their ID and password. 2) View student progress under them. | | | | |
|--|--|--|--|--|---|
| Course, program, department, and school CLO-PLO statistics | Dean/VC: 1) Signs into the system using their ID and Password. 2) View CLO-PLO mapped statistics achieved by students. Department Head: 1) Signs into the system using their ID and Password. 2) View CLO-PLO mapped statistics achieved | Computer/Laptop 1) Used to Sign into SPMS 3.0 Printer 1) Used to print the hard copy of the progress report if needed | SPMS 3.0 1) Used to store data in the database and generate CLO-PLO statistical data or graphs. | SPMS 3.0 Database 1) All valid data are stored here, which can be updated by SPMS 3.0 admins. | Internet 1) Used to Sign into SPMS 3.0 |

| | | | I | | |
|--|--|--|---|---|-------------------------------|
| | by students. | | | | |
| | Faculty: | | | | |
| | 1) Signs into the system using their ID and password. | | | | |
| | 2) View CLO-PLO mapped statistics achieved by students. | | | | |
| | Student: | | | | |
| | Signs into the system using their ID and password. | | | | |
| | 2) View CLO-PLO mapped statistics achieved by them and other students. | | | | |
| | | | | | |
| Course, | Dean/VC: | Computer/ | SPMS 3.0 | SPMS 3.0 | Internet |
| student, department school wise expected vs achieved PLO | 1) Sign into the system using an ID and password. | 1) Used to Sign into SPMS 3.0 | 1)Used to store data into the database or | 1) All valid data are stored here, | 1) Used to Sign into SPMS 3.0 |
| | 2) View the students achieved PLO of the students during time entered that has been inputted and compare it to what was expected and achieved. Department Head: | Printer 1) Used to print the hard copy of both the previous and current semester's achieved PLO to compare. | generate a performance analysis graph using data from the database. | which can be updated by SPMS 3.0 admins. | |
| | Sign into the system using an ID and password. 2) View the | | | | |

| | achieved PLO of the students during time entered that has been inputted and comparison between expected and achieved. Faculty: 1) Sign into the system using an ID and password. 2) View the achieved PLO of the students during time entered that has been inputted and comparison between expected and achieved. Student: 1) Sign into the system using an ID and password. 2) View the students during time entered that has been inputted and comparison between expected PLO of the students achieved PLO of the students during time entered that has been inputted and comparison between expected | | | | |
|--|---|--|---|--|---|
| | | | | | |
| Department average of total PLO achieved and attempted students | Dean/VC: 1) Sign into the system using an ID and password. 2) Enter the time period of the semester wished to be viewed. 3) View the | Computer/Laptop 1) Used to Sign into SPMS 3.0 Printer 1) Used to print the hard copy of PLO reports | SPMS 3.0 1)Used to store Data into the database or generate performance analysis graph using data from the | SPMS 3.0 Database 1) All valid data are stored here, which can be updated by SPMS 3.0 admins. | Internet 1) Used to Sign into SPMS 3.0 |

| | | T | Г | |
|--|--|-----------|---|--|
| departmental average of total PLO achieved along with the number of students who attempted. | | database. | | |
| Department Head: | | | | |
| 1) Sign into the system using an ID and password. | | | | |
| 2) Enter the time period of the semester wished to be viewed. | | | | |
| 3) View the departmental average of total PLO achieved along with the number of students who attempted. | | | | |
| Faculty: | | | | |
| Sign into the system using an ID and password. | | | | |
| 2) View the total departmental average of the PLO achieved by the students. | | | | |
| Student: | | | | |
| Sign into the system using an ID and password. | | | | |
| 2) View the total departmental average of the PLO achieved by the students | | | | |
| | | | | |


| | Г | | | I | <u> </u> |
|---|---|---|---|--|---|
| Student Enrollment Statistics VC-wise, Dean-wise, Department Head-wise. | 1) Sign into the system using an ID and password. 2) Select Student Enrollment Statistics tab and select Year and Semester under that tab 3) View Student Enrollment Statistics of That Year and Semester. Dean 1) Sign into the system using an ID and password. 2) Select Student Enrollment Statistics tab and select Year and Semester under that tab 3) View Student Enrollment Statistics tab and select Year and Semester under that tab 3) View Student Enrollment Statistics of That Year and | Computer/Laptop 1) Used to Sign into SPMS2.0 Printer 1) Used to print the hard copy of Student enrollment statistics, if needed. | data into the database and generate student | SPMS 3.0 Database 1) All valid data are stored here, which can be updated by SPMS 3.0 admins. | Internet 1) Used to Sign into SPMS 3.0 |
| | Semester. | | | | |
| | Dean | | | | |
| | system using an ID | | | | |
| | Enrollment Statistics tab and select Year and Semester under | | | | |
| | Enrollment | | | | |
| | Department Head | | | | |
| | Sign into the system using an ID and password. | | | | |
| | 2) Select the Student Enrollment Statistics tab and select Year and Semester under that tab. | | | | |
| | | | | | |

| 3) View Student Enrollment Statistics of That Year and Semester. | | | |
|--|--|--|--|
| | | | |

C. PROBLEM ANALYSIS – EXISTING SYSTEM (SPMS 3.0):

| g data is edith the rm that is not the which can input the nich are not the sich are not the sal round the edithe data the edithe edithe data the ne course round will show as earned as the bk. |
|--|
| itin attinashar etharrows |

D. RICH PICTURE - PROPOSED SYSTEM (SPMS 4.0):



In this rich picture the stakeholders are:

- 1) UGC
- 2) IEB
- 3) Higher Authority (VC, Dean etc)
- 4) Department Head
- 5) Department Office
- 6) SPMSV4.0 Admin (SPMS Manager)
- 7) Registers Office

- 8) Faculty
- 9) Student

The Main Storage is

1) SPMS V4.0

E. SIX ELEMENT ANALYSIS - PROPOSED SYSTEM (SPMS 4.0):

From the rich picture we can see that there are 9 key processes:

- 1) Creating storing and giving Course Outline
- 2) Add Questions to the question bank and grading the answer script
- 3) Course based student performance trend according to GPA
- 4) Faculty based student performance according to GPA
- 5) Course wise PLO achievement of a student
- 6) Student performance trend under VC/Dean/Head of Department
- 7) Course, Program, department, school CLO-PLO statistics
- 8) Course, student, department school wise expected vs achieved PLO
- 9) Department average of total PLO achieved and attempted students
- 10) Student Enrollment Statistics VC-wise, Dean-wise, Department Head-wise.

We can use six element analysis to analyze the impact of six elements in a process here the six elements are

- 1. Human
- 2. Non-computing Hardware
- 3. Computing Hardware
- 4. Software.
- 5. Database.
- 6. Network and Communication

| Process | Human | Non-computing Hardware | Computing Hardware | Software | Database | Network and Communication |
|--|---|---------------------------|---|--|--|---|
| Preparing, storing, and giving Course Outline | Faculty: 1) Signs into the System using their ID and Password. 2) Select Create Course Outline Tab. 3) Select From the options that they wish to add to their course outline. 4) Press the Create button. 5) Store course outline into the system. Students: 1) Signs into the System using their ID and Password. 2) Select Course 3)View/Download Course Outline From the System. | | Computer/ Laptop 1) Used to Sign into SPMS 4.0 Printer 1) Used to print a hard copy of course outlines if required. | SPMS 4.0 1) Used to store Data into the database | SPMS 4.0 Database 1) All valid data are stored here which can be updated by SPMS4.0 admins. | Internet 1) Used to Sign into SPMS4.0 |
| Add Questions to the question bank and grade the answer script | Faculty: 1) Signs into the System using their ID and Password. 2) Select a course and choose sections that solve the question. 3) Input the question in the question bank. 4) Press the Assign Button. | | Computer/ Laptop 1) Used to Sign into SPMS 4.0 Printer 1) Used to print the grades gotten by the whole section | SPMS 4.0 1) Used to store Data into the database or generate result graph using data from the database. | SPMS 4.0 Database 1) All valid data are stored here which can be updated by SPMS4.0 admins | Internet 1) Used to Sign into SPMS 4.0 |

| | 5) Grade the answers submitted by the students Student: 1) Signs into System using their ID and Password. 2) Answer the question assigned by the faculty in the answer bank | | | | |
|---|--|--|---|--|---|
| Course based student performance trend according to GPA | Department Head: 1) Signs into System using their ID and Password. 2) Input the time period and course ID to be viewed. 3) View student progress through a graph made after analysis and the GPA earned by maximum/minimu m/average students. Faculty: 1) Signs into system using their ID and Password. 2) Search for the course that they are teaching using course ID and time period and | Computer/Laptop 1) Used to Sign into SPMS4.0 Printer 1) Used to print hard copy of the progress of current semester's students and compare with the progress of the previous semester's students who did that course. | 1)Used to store student Data into the database or generate performan ce analysis graph using data from the database. | SPMS 4.0 Database 1) All valid data are stored here which can be updated by SPMS4.0 admins. | Internet 1) Used to Sign into SPMS 4.0 |

| | viou the progress | | | | |
|--|---|--|---|---|---|
| | view the progress of that students of that course. | | | | |
| | Student: | | | | |
| | Signs into System using their ID and Password. | | | | |
| | 2) Search for the course using course ID and View their progress of that course and the GPA they earned. | | | | |
| | Dean/VC: | | | | |
| | Signs into system using their ID and Password. | | | | |
| | 2) Search for the course using course ID and time period and view the progress of the students of that course | | | | |
| Faculty based student performance according to GPA | Faculty: 1) Signs into system using their ID and Password. 2) View the Progress of the students who are being taught by them. | Computer/ Laptop 1) Used to Sign into SPMS 4.0 Printer 1) Used to print hard copy of a report of students who | SPMS 4.0 1) Used to store Data and generate PLO automatic ally based on the CO provided. | SPMS4.0D atabase 1) All valid data are stored here which can be updated by SPMS 4.0 admins. | Internet 1) Used to Sign into SPMS 4.0 |

| | Department Head: 1) Signs into system using their ID and Password. 2) Search for a faculty to be assessed using the faculty's name. 3) View the Progress of the students who are being taught under that faculty basing on the GPA earned by the students. Dean/VC: 1) Signs into system using their ID and Password. 2) Search for a faculty to be assessed using the faculty's name and Department ID. 3) View the Progress of the students who are being taught under that faculty basing on the GPA earned by the students. | completed most the PLO achieveme nts If needed. | | | |
|---|--|--|--|---|---|
| Course wise PLO achievement of a student | VC/ Dean: 1) Signs into system using their ID and Password. | Computer/ Laptop 1) Used to Sign into SPMS 4.0 | SPMS 4.0 1)Usedto store Data and generate PLO | SPMS4.0 Database 1) All valid data are stored here which can | Internet 1) Used to Sign into SPMS 4.0 |

| T | Deleter | | la a conseil a tarel | |
|---|---|---|--|--|
| 2) Select PLO achievement Tab and search using Course ID 3) View PLOs achieved by the student. | 1) Used to print hard copy of a report of students who completed most the PLO achieveme | automatic ally based on the CO provided. | be updated by SPMS4.0 admins. | |
| student. | nts | | | |
| Department | If needed. | | | |
| Head: | | | | |
| Signs into system using their ID and Password. | | | | |
| 2) Select PLO achievement Tab and search using Course ID | | | | |
| 3) View PLOs achieved by the students. | | | | |
| Faculty: | | | | |
| Signs into system using their ID and Password. | | | | |
| 2) Select PLO achievement Tab and search using Course ID | | | | |
| 3) View PLOs achieved by the students in a course. | | | | |

| | Student: 1) Signs into system using their ID and Password. 2) View PLOs they have achieved so far and how many they need to achieve to complete the course. | | | | |
|--|--|--|--|--|---|
| Student performance trend under VC/Dean/Head of Department | Dean: 1) Signs into system using their ID and Password. 2) Search for Department Head to be checked using their Name and Department ID. 3) View student progress under them or them. VC: 1) Signs into system using their ID and Password. 2) Search for a Dean or Department Head to be checked using their Name and either School ID or Department ID. 3) View student progress under them. | Computer/Laptop 1) Used to Sign into SPMS 4.0 Printer 1) Used to print the hard copy of the progress report if needed | spms 4.0 1)Used to store Data into the database or generate performan ce analysis graph using data from the database. | SPMS 4.0 Database 1) All valid data are stored here which can be updated by SPMS4.0 admins. | Internet 1) Used to Sign into SPMS 4.0 |

| Department Head: | | | |
|---|--|--|--|
| 1) Signs into system using their ID and Password. | | | |
| 2) View student progress under them. | | | |

| Course, Program, | Dean/VC: | Computer /Laptop | SPMS 4.0 | SPMS 4.0 Database | Internet |
|-----------------------|---|---------------------------------|------------------------|----------------------|-------------------------|
| department, school | Signs into system using their | 1) Used to | 1)Used to store Data | 1) All valid | 1) Used to Sign into |
| CLO-PLO statistics | ID and Password. | Sign into SPMS 4.0 | into the database | data are stored here | SPMS 4.0 |
| | 2) View CLO-PLO | Printer | and | which can | |
| | mapped statistics achieved by | Printer | generate CLO-PLO | be updated by | |
| | students. | 1) Used to print the | statistical data or | SPMS4.0 admins. | |
| | Department Head: | hard copy of the | graphs. | | |
| | Signs into system using their ID and Password. | progress report if needed | | | |
| | 2) View CLO-PLO mapped statistics achieved by students. | | | | |
| | Faculty: | | | | |
| | Signs into system using their ID and Password. | | | | |
| | 2) View CLO-PLO mapped statistics achieved by students. | | | | |
| | Student: | | | | |
| | Signs into system using their ID and Password. | | | | |

| | <u> </u> | | | <u> </u> | Τ |
|---------------------------------------|---|---|---|--------------------------------------|------------------------------|
| Course, | 2) View CLO-PLO mapped statistics achieved by them and other students. | Computer | SPMS 4.0 | SPMS 4.0 | Internet |
| student, department school wise | 1) Sign into the system using ID | /Laptop 1) Used to | 1)Used to store Data | Database 1) All valid | 1)Used to Sign into SPMS 4.0 |
| expected vs achieved PLO | and Password. 2) View the | Sign into SPMS 4.0 | into the database or generate | data are stored here which can | |
| | achieved PLO of the students during time | Printer 1) Used to | performanc e analysis graph using | be updated by SPMS4.0 | |
| | entered that has been inputted and | print the hard copy | data from the database. | admins. | |
| | comparison between expected and achieved. | of both the previous and | ualabase. | | |
| | Department Head: | current semester's achieved PLO to compare. | | | |
| | Sign into the system using ID and Password. | oompare. | | | |
| | 2) View the achieved PLO of the students during time entered that has been inputted and comparison between expected and achieved. | | | | |
| | Faculty: | | | | |
| | Sign into the system using ID and Password. | | | | |
| | 2) View the achieved PLO of the students during time | | | | |

| | entered that has been inputted and comparison between expected and achieved. Student: 1) Sign into the system using ID and Password. 2) View the achieved PLO of the students during time entered that has been inputted and comparison between expected and achieved. | | | | |
|--|---|---|--|--|-------------------------------------|
| Department average of total PLO achieved and attempted students. | 1) Sign into the system using ID and Password. 2) Enter the time period of the semester wished to be viewed. 3) View the departmental average of total PLO achieved along with the number of students who attempted. Department Head: 1) Sign into the system using ID and Password. | 1) Used to Sign into SPMS 4.0 Printer 1) Used to print the hard copy of PLO reports | 1)Used to store data into the database or generate performanc e analysis graph using data from the database. | SPMS 4.0 Database 1) All valid data are stored here which can be updated by SPMS4.0 admins. | 1) Used to Sign into SPMS 4.0 |

| | 2) Enter the time period of the semester wished to be viewed. 3) View the departmental average of total PLO achieved along with the number of students who attempted. Faculty: 1) Sign into the system using ID and Password. 2) View the total departmental average of the PLO achieved by the students. Student: 1) Sign into the system using ID and Password. 2) View the total departmental average of the PLO achieved by the students departmental average of the PLO achieved by the students | | | | |
|---|--|--|--|--|---|
| Student Enrollment Statistics VC-wise, Dean-wise, Department Head-wise. | VC 1) Sign into the system using ID and Password. 2) Select Student Enrollment Statistics tab and select Year and Semester under that tab | Computer /Laptop 1) Used to Sign into SPMS 4.0 Printer 1) Used to print the hard copy of Student Enrollment Statistics If | SPMS 4.0 1) Used to store Data into the database and generate Student Enrollment Statistics graphs. | SPMS 4.0 Database 1) All valid data are stored here which can be updated by SPMS4.0 admins. | Internet 1) Used to Sign into SPMS 4.0 |

| | 2) Vious Student | Nooded | | | 1 |
|-----------------------|--|-------------------------------------|-----------------------------------|--------------------------------------|-------------------------------------|
| | 3) View Student Enrollment Statistics of That Year and Semester. | Needed. | | | |
| | Dean | | | | |
| | Sign into the system using ID and Password. | | | | |
| | 2) Select Student Enrollment Statistics tab and select Year and Semester under that tab | | | | |
| | 3) View Student Enrollment Statistics of That Year and Semester. | | | | |
| | Department Head | | | | |
| | Sign into the system using ID and Password. | | | | |
| | 2) Select Student Enrollment Statistics tab and select Year and Semester under that tab | | | | |
| | 3) View Student Enrollment Statistics of That Year and Semester. | | | | |
| View CO percentage | Student: | Computer /Laptop | SPMS 4.0 | SPMS 4.0 Database | Internet |
| ,, | Sign into the system using ID and Password. | 1) Used to Sign into SPMS 4.0 | 1) Used to retrieve Data from the | 1) All valid data is retrieved | 1) Used to Sign into SPMS 4.0 |
| | 2) Select View Course Outcome | | database and | from here. | |

| ID, C | nput Student ourse, Year Semester | | generate CO percentage | |
|-----------------------------------|---|--|------------------------------|--|
| Cours which user to show | ess Load se Outcome n will redirect to page ing CO entage in a | | | |
| Depa | rtment | | | |
| syste | gn into the m using ID Password. | | | |
| Cours and ii ID, C | elect View se Outcome nput Student ourse, Year Semester | | | |
| Cours which user t show | ess Load se Outcome n will redirect to page ing CO entage in a | | | |
| Facu | Ity: | | | |
| syste | gn into the m using ID Password. | | | |
| Cours and ii ID, C | elect View se Outcome nput Student ourse, Year Semester | | | |
| Cours which user t show | ess Load se Outcome n will redirect to page ing CO entage in a | | | |
| | | | | |

| Input Student Performance log data to calculate CO | Faculty: 1) Signs into the System using their ID and Password. 2) Select Submit Student Performance Data. 3) Input student performance data 4) Press submit. | | Computer /Laptop 1) Used to Sign into SPMS 4.0 | SPMS 4.0 1) Used to store Data of the student into the database | SPMS 4.0 Database 1) All valid data are stored here | Internet 1) Used to Sign into SPMS 4.0 |
|---|--|--|--|--|---|---|
|---|--|--|--|--|---|---|

CHAPTER-3 LOGICAL SYSTEM DESIGN


A. BUSINESS RULES - SPMS 4.0:

- A student must have one department. A STUDENT has StudentID, FirstName, LastName, dateOfBirth, gender, email, phone, address, departmentID, programID, enrollmentYear,enrollmentSemester,password. A department must have one or many Students.
- Student may perform many registrations. A REGISTRATION includes
 RegistrationID, sectionID, studentID. A registration must be performed by at least
 one student.
- 3. A section mandatorily have many registrations. A registration has at least one section. A section includes sectionID, sectionNum, courseID, facultyID, year.
- 4. A registration may belong to many EVALUATIONS. An evaluation mandatorily belongs to one registration. An EVALUATION contains evaluationID, examID, registrationID,totalMarks.
- 5. A CO must map with one PLO. A PLO's must map with one or many CO's. PLO includes ploID, ploNum, programID.
- 6. A PLO must contain one program. A program contains one or many PLO's. A PROGRAM has programID, programName, departmentID. A program must contain one or many courses. A Course must contain one course.


- A program must belong to one department. A department must belong to one or many programs. A DEPARTMENT contains departmentID, departmentName, schoolID.
- 8. A department must contain one school. A SCHOOL must contain one or many departments. A school includes schoolID, schoolName.
- 9. An employee has four sub-type(Dean, Department Head, Faculty, VC). An EMPLOYEE includes employeeID,password, firstName, lastName.
- 10. A school must be run by exactly one. A dean must run exactly one school. A DEAN has schoolID, startDate, endDate.
- 11. A Department must be run by exactly one Department head. A department head must manage exactly one department. A DEPARTMENTHEAD includes departmentID, startDate, endDate.
- 12. A Faculty must have exactly one Department. A department must have one or many Faculties. A FACULTY includes departmentID, rank, joinDate. A faculty may teach many sections. A section must be taught by exactly one faculty.
- 13. A course outline belongs to exactly one section. A section must have exactly one course outline. A COURSE_OUTLINE includes courseOutlineID ,sectionID, contactHours, courseDescription ,objective ,content ,refMaterials ,courseType, courseTitle, prerequisiteCode ,creditValue.
- 14. A Course outline must have exactly one CLO Matrix. A CLO matrix belongs to exactly one course outline. A CLO_MATRIX includes clo_MatID, cloNum, coDescription, ploAssessed, correlation, courseOutlineID, c,p,a,s.
- 15. A Lesson Plan Strategy must have exactly one Evaluation strategy. An Evaluation strategy must have exactly one Lesson Plan Strategy. A LESSON_PLAN_STRATEGY includes IPSID ,week ,topic ,learningStrategy , assessmentStrategy, corresponding CLO, courseOutlineID.
- 16. An exam has exactly one evaluation. An Evaluation for an exam is done exactly once. An exam belongs to exactly one section. An EXAM includes examID, examName, sectionID. A section must have one or many exams.
- 17. An exam must have one or many questions. Every question must belong to exactly one exam. A QUESTION includes questionID , questionDetails , marksPerQuestion , questionNum , difficultyLevel , examID , coNum. A Question is answered exactly once. An answer has exactly one question.
- 18. A PO belongs to exactly one program A program must have one or many PO.PO includes poID, poNum, programID. A PO must belong to one or many CO. A CO must have exactly one PO.
- 19. A student course performance evaluation is done for registration exactly once. A registration has student course performance evaluation done exactly once. A

- registration has exactly one evaluation. An Evaluation has exactly one registration.
- 20. A faculty may input many student performance data. A student performance data has studentID, enrollmentYear, enrollmentSemester, enrolledCourse, enrolledSection and obtainedGrade.
- 21. A student performance data may be viewed as course outcome by many deans, many department heads, many faculties, the VC and Students.

B. ENTITY RELATIONSHIP DIAGRAM:



C. ENTITY RELATIONSHIP DIAGRAM TO RELATIONAL SCHEMA:



D. NORMALIZATION:

| EMPLOYEE (i) | omployooID | |
|--------------------|---|--|
| -···· · · (·) | employeeID | i1 |
| | password | i2 |
| | firstname | i3 |
| | lastname | i4 |
| | · | |
| VC (v) | v_employeeID | v1 |
| | Т | - |
| | startDate | v2 |
| | endDate | v3 |
| DEAN (w) | d_employeeID | w1 |
| | schoolID | h1 |
| | startDate | w2 |
| | endDate | w3 |
| FACULTY (f) | f_employeeID | f1 |
| | departmentID | d1 |
| | rank | f2 |
| | joinDate | f3 |
| Course_Outline (c) | courseOutlineID | c1 |
| | sectionID | y1 |
| | contactHours | c2 |
| | courseDescription | c3 |
| | objective | c4 |
| | content | c5 |
| | refMaterials | c6 |
| | courseType | с7 |
| | courseTitle | c8 |
| | startDate endDate f_employeeID departmentID rank joinDate courseOutlineID sectionID contactHours courseDescription objective content refMaterials courseType | w2 w3 f1 d1 f2 f3 c1 y1 c2 c3 c4 c5 c6 |

| | reprequisiteCode | с9 |
|--------------------|------------------|-----|
| | creditValue | c10 |
| DEPARTMENTHEAD (k) | h_employeeID | k1 |
| | departmentID | d1 |
| | startDate | k2 |
| | endDate | k3 |
| DEPARTMENT (d) | departmentID | d1 |
| | departmentName | d2 |
| | schoolID | h1 |
| COURSE (u) | courseID | u1 |
| | courseName | u2 |
| | numOfCredits | u3 |
| | courseType | u4 |
| | programID | r1 |
| PROGRAM (r) | programID | r1 |
| | programName | r2 |
| | departmentID | d1 |
| PO (x) | polD | x1 |
| | poNum | x2 |
| | programID | r1 |
| QUESTIONS (q) | questionID | q1 |
| | questionDetails | q2 |
| | marksPerQuestion | q3 |
| | questionNum | q4 |
| | difficultyLevel | q5 |
| | examID | e1 |
| | courseID | u1 |

| | coNum | q6 |
|------------------|--------------------|------------|
| REGISTRATION (g) | registrationID | g1 |
| | sectionID | y1 |
| | studentID | s1 |
| SECTION (y) | sectionID | y1 |
| | sectionNum | y2 |
| | semester | у3 |
| | courseID | u1 |
| | facultyID | f1 |
| | year | y4 |
| STUDENT (s) | studentID | s1 |
| | firstName | s2 |
| | lastName | s3 |
| | dateOfBirth | s4 |
| | gender | s5 |
| | email | s6 |
| | phone | s7 |
| | address | s8 |
| | departmentID | d1 |
| | programID | r1 |
| | enrollmentSemester | s 9 |
| | enrollmentYear | s10 |
| | password | s11 |
| SCHOOL (h) | schoolID | h1 |
| | schoolName | h2 |
| CLO_MATRIX (m) | clo_MatID | m1 |
| | cloNum | m2 |

| | | _ |
|-------------------------|--------------------|----|
| | coDescription | m3 |
| | ploAssessed | m4 |
| | correlation | m5 |
| | courseOutlineID | c1 |
| | С | m6 |
| | р | m7 |
| | а | m8 |
| | s | m9 |
| PLO (p) | ploID | p1 |
| | ploNum | p2 |
| | programID | r1 |
| CO (o) | co_ID | 01 |
| | coNum | 02 |
| | courseID | u1 |
| | ploID | p1 |
| | poID | x1 |
| ANSWER (a) | answerID | a1 |
| | answerDetails | a2 |
| | answerNum | a3 |
| | markObtained | a4 |
| | registrationID | g1 |
| | examID | e1 |
| EVALUATION_STRATEGY (t) | eSID | t1 |
| | assessmentTool1 | t2 |
| | assessmentTool2 | t3 |
| | assessmentTool3 | t4 |
| | marksDistribution1 | t5 |
| <u> </u> | | |

| | ı | ı |
|--------------------------------|--------------------|-----|
| | marksDistribution2 | t6 |
| | marksDistribution3 | t7 |
| | bloomsCategory1 | t8 |
| | bloomsCategory2 | t9 |
| | bloomsCategory3 | t10 |
| | assessmentType | t11 |
| | subTotal | t12 |
| | courseOutlineID | c1 |
| PRE_REQ_COURSE(j) | preReqID | j1 |
| | courseID | u1 |
| | preReqCourseID | j2 |
| EVALUATION (n) | evaluationID | n1 |
| | examID | e1 |
| | registrationID | g1 |
| | totalMarks | n2 |
| EXAM (e) | examID | e1 |
| | examName | e2 |
| | sectionID | y1 |
| LESSON_PLAN_STRATEGY (I) | IPSID | I1 |
| | weel | 12 |
| | topic | 13 |
| | learningStrategy | 14 |
| | assessmentStrategy | 15 |
| | correspondingClo | 16 |
| | courseOutlineID | c1 |
| STUDENT_COURSE_PERFORMANCE (z) | scpID | z1 |
| | registrationID | g1 |
| | | |

| | totalMarksObtained | z2 |
|----------------------|--------------------|-----|
| | gradePoint | z3 |
| BLOOMS_CATEGORY | bcID | aa1 |
| | eSID | t1 |
| ASSESMENT_TOOL | asID | ab1 |
| | eSID | t1 |
| MARK_DISTRIBUTION | msID | ac1 |
| | eSID | t1 |
| STUDENT_PERF_LOG (b) | logID | b1 |
| | time | b2 |
| | grade | b3 |
| | scpID | z1 |
| | registrationID | g1 |
| | f_employeeID | f1 |


1NF:

- 1) There are no repeating groups
- 2) There are multiple candidate keys

| <u>a1</u> | <u>b1</u> | <u>c1</u> | <u>d1</u> | <u>e1</u> | <u>f1</u> | <u>g1</u> | <u>h1</u> | <u>i1</u> | <u>j1</u> | <u>k1</u> | <u>I1</u> | <u>m1</u> | <u>n1</u> | <u>01</u> | <u>p1</u> | <u>q1</u> | <u>r1</u> | <u>s1</u> |
|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| <u>t1</u> | <u>u1</u> | <u>v1</u> | <u>w1</u> | <u>x1</u> | <u>y1</u> | <u>z1</u> | <u>aa1</u> | <u>ab1</u> | <u>ac1</u> | a2 | а3 | a4 | b2 | b3 | c2 | сЗ | c4 | c5 |
| c6 | с7 | c8 | с9 | c10 | d2 | e2 | f2 | f3 | h2 | i2 | i3 | i4 | j2 | k2 | k3 | 12 | 13 | 14 |
| 15 | 16 | m2 | m3 | m4 | m5 | m6 | m7 | m8 | m9 | n2 | 02 | p2 | q2 | q3 | q4 | q5 | q6 | r2 |
| s2 | s3 | s4 | s5 | s6 | s7 | s8 | s9 | s10 | s11 | t2 | t3 | t4 | u2 | t5 | t6 | t7 | t8 | t9 |
| t10 | t11 | t12 | u3 | u4 | v2 | v3 | w2 | w3 | w4 | x2 | у2 | у3 | z2 | z3 | | | | |

2NF:

1)Partial dependency has been removed



3NF:

1) Already in 3NF as there are no transitive dependencies.

BCNF:

Already in BCNF as there are no determinants that are not a unique identifier.

E.DATA DICTIONARY

VC_T

| Name | Data Type | Size | Remark |
|--------------|-----------|------|--|
| v_employeeID | INTEGER | 11 | This is the foreign key from the Employee table. E.g: "4250" |
| startDate | DATE | | This is starting date for the VC. E.g: "01-03-2020" |
| endDate | DATE | | This is the date VC retire from his post. E.g: "01-03-2024" |

STUDENT_T

| Name | Data Type | Size | Remark |
|-------------|-----------|------|--|
| studentID | INTEGER | 11 | This is the primary key for the Student table. E.g: "1921834". |
| firstName | VARCHAR | 30 | This is the first name of the student. E.g: "Rakibul". |
| lastName | VARCHAR | 30 | This is the last name of the student. E.g: "Hasan". |
| dateOfBirth | DATE | | This is the birth date of the student. E.g: "2112-1996". |

| gender | VARCHAR | 6 | This is the gender of the student. E.g: "Female". |
|--------------------|---------|----|--|
| email | VARCHAR | 30 | This is the email of the student. E.g: "1921834@iub.edu.bd" |
| phone | VARCHAR | 11 | This is the phone of the student. E.g: "01XXXXXXXXXX". |
| address | VARCHAR | 50 | This is the address of the student. E.g: "House 1,Road 4,Block D, Bashundhara RA |
| departmentID | VARCHAR | 3 | This is the foreign key from the Department table. E.g: "CSE" |
| programID | INTEGER | 11 | This is the foreign key from the Program table. E.g: "1" |
| enrollmentSemester | VARCHAR | 10 | This is the enrollment semester of the student. |
| enrollmentYear | VARCHAR | 4 | This is enrollment year of the student. |

STUDENT_COURSE_PERFORMANCE_T

| Name | Data Type | Size | Remark |
|--------------------|-----------|------|---|
| scpID | INTEGER | 11 | This is the primary key for this table |
| registrationID | INTEGER | 11 | This is the foreign key from registration table |
| totalMarksObtained | INTEGER | 11 | This is the total marks obtained by the student |
| gradePoint | FLOAT | | This is the grade point achieved by the student |

SECTION_T

| Name | Data Type | Size | Remark |
|------------|-----------|------|---|
| sectionID | INTEGER | 11 | This is the Primary Key for Section. E.g: "1" |
| sectionNum | INTEGER | 11 | This is the section number. E.g: "1" |
| semester | VARCHAR | 6 | This is the semester of the section. E.g: "Summer" |
| courseID | VARCHAR | 6 | This is the foreign key from the Course table. E.g: "CSE101" |
| facultyID | INTEGER | 11 | This is the foreign key from Faculty table. E.g: "1801" |
| year | YEAR | 4 | This is the year this section of this course was taken by this specific faculty |

SCHOOL_T

| Name | Data Type | Size | Remark |
|------------|-----------|------|---|
| schoolID | VARCHAR | 5 | This is the primary key of School. E.g: "SETS" |
| schoolName | VARCHAR | 50 | This is the name of the School. E.g: "School of Engineering, |
| | | | Technology & Science". |

REGISTRATION_T

| Name | Data Type | Size | Remark |
|----------------|-----------|------|---|
| registrationID | INTEGER | 11 | This is the Primary Key for Registration. E.g: "0101010101" |
| sectionID | INTEGER | 11 | This is the foreign key from section table |
| studentID | INTEGER | 11 | This is the foreign key from student table |

QUESTION_T

| Name | Data Type | Size | Remark |
|-----------------|------------|------|--|
| questionID | INTEGER | 11 | This is the primary key of this table |
| questionDetails | MEDIUMTEXT | | This is the question |
| markPerQuestion | INTEGER | 11 | This is the mark each question contains |
| questionNum | INTEGER | 11 | This is the number of the question |
| difficultyLevel | INTEGER | 11 | This is the difficulty level of the question |
| examID | VARCHAR | 20 | This is the foreign key from exam table |

| courseID | VARCHAR | 6 | This is the foreign key from course table |
|----------|---------|----|---|
| coNum | INTEGER | 11 | This is the CO number of the question |

PROGRAM_T

| Name | Data Type | Size | Remark |
|--------------|-----------|------|--|
| programID | INTEGER | 11 | This is the primary key for a program. E.g: "1" |
| programName | VARCHAR | 50 | This is the name of the program. E.g: "Bachelor of Science" |
| departmentID | VARCHAR | 3 | This is the foreign key from the Department table. |
| | | | E.g: "CSE" |

PO_T

| Name | Data Type | Size | Remark |
|-----------|-----------|------|---|
| poID | VARCHAR | 5 | This is the primary key for Program Outcome. E.g: "PO1" |
| poNum | INTEGER | 11 | This is the PO number. E.g: "1" |
| programID | INTEGER | 11 | This is a foreign key from Program table. E.g: "1" |

LESSON_PLAN_STRATEGY_T

| Name | Data Type | Size | Remark |
|--------------------|------------|------|---|
| lpsID | INTEGER | 11 | This is the primary key of the table |
| week | INTEGER | 11 | This is the week number |
| topic | MEDIUMTEXT | | This is the topic name |
| learningStrategy | MEDIUMTEXT | | This is the lesson plan strategy of that topic |
| assessmentStrategy | VARCHAR | 10 | This is the assessment strategy of that topic |
| courseOutlineID | INTEGER | 11 | This is the foreign key from course outline table |

FACULTY_T

| Name | Data Type | Size | Remark |
|--------------|-----------|------|---|
| f_employeeID | INTEGER | 11 | This is the foreign key from the Employee table. E.g: "4250" |
| departmentID | VARCHAR | 3 | This is the DepartmentID of the department faculty belongs to. E.g: "CSE" |
| rank | VARCHAR | 30 | This is the rank of the faculty. E.g: "Assistant Professor" |
| joinDate | DATE | | This is starting date. E.g: "01-03-2020" |

EXAM_T

| Name | Data Type | Size | Remark |
|-----------|-----------|------|---|
| examID | INTEGER | 11 | This is the primary key for this table |
| examName | VARCHAR | 30 | This is the name of the exam |
| sectionID | INTEGER | 11 | This is the foreign key from exam table |

EVALUATION_T

| Name | Data Type | Size | Remark |
|----------------|-----------|------|--|
| evaluationID | INTEGER | 11 | This is the primary key for this table |
| examID | VARCHAR | 20 | This is the foreign key from exam table |
| registrationID | INTEGER | 11 | This is the foreign key from registration table |
| totalMarks | INTEGER | 11 | This is the total marks achieved by the student in a specific exam |

EVALUATION_STRATEGY_T

| Name | Data Type | Size | Remark |
|-----------------|-----------|------|---|
| eSID | INTEGER | 11 | This is the primary key for this table |
| courseOutlineID | INTEGER | 11 | This is the foreign key from course outline table |

ASSESSMENT_TOOL_T

| Name | Data Type | Size | Remark |
|------|-----------|------|--|
| asID | INTEGER | 11 | This is the primary key for this table |
| eSID | INTEGER | 11 | This is the foreign key from evaluation strategy table |

MARK_DISTRIBUTION_T

| Name | Data Type | Size | Remark |
|------|-----------|------|--|
| mdID | INTEGER | 11 | This is the primary key for this table |
| eSID | INTEGER | 11 | This is the foreign key from evaluation strategy table |

BLOOMS_CATEGORY_T

| | . = | | |
|------|-----------|------|--|
| Name | Data Type | Size | Remark |
| bcID | INTEGER | 11 | This is the primary key for this table |
| eSID | INTEGER | 11 | This is the foreign key from evaluation strategy table |

EMPLOYEE_T

| Name | Data Type | Size | Remark |
|------------|-----------|------|---|
| employeeID | INTEGER | 11 | This is the primary key for Employee table. E.g: "1801" |
| password | VARCHAR | 10 | This is the password of the employee |
| firstName | VARCHAR | 50 | This is the last name of the faculty. E.g: "Ahmed" |
| lastName | VARCHAR | 50 | This is the last name of the faculty. E.g: "Ahmed" |

DEPARTMENTHEAD_T

| Name | Data Type | Size | Remark |
|--------------|-----------|------|---|
| h_employeeID | INTEGER | 11 | This is the foreign key from the Employee table. |
| | | | E.g: "4250" |
| departmentID | VARCHAR | 3 | This is the DepartmentID of the department HEAD manages. E.g: "CSE" |
| startDate | DATE | | This is starting date. E.g: "01-03-2020" |
| endDate | DATE | | This is the date HEAD retire from his post. E.g: "0103-2024" |

DEPARTMENT_T

| Name | Data Type | Size | Remark |
|----------------|-----------|------|--|
| departmentID | VARCHAR | 3 | This is the primary key for the Department table. E.g: "CSE" |
| departmentName | VARCHAR | 50 | This is the name of the department. E.g: "Computer Science and Engineering". |
| schoolID | VARCHAR | 5 | This is a foreign key from the School table. E.g: "SETS". |

DEAN_T

| Name | Data Type | Size | Remark |
|--------------|-----------|------|---|
| d_employeeID | INTEGER | 11 | This is the foreign key from the Employee table. E.g: "4250" |
| schoolID | VARCHAR | 5 | This is the SchoolID of the school DEAN manages. E.g: "SETS" |
| startDate | DATE | | This is starting date. E.g: "01-03-2020" |
| endDate | DATE | | This is the date DEAN retire from his post. E.g: "0103-2024" |
| | | | |

COURSE_T

| Name | Data Type | Size | Remark |
|--------------|-----------|------|--|
| courseID | VARCHAR | 6 | This is the Primary Key for the Course. E.g: "CSE203" |
| courseName | VARCHAR | 40 | This is the name of the Course. E.g: "Discreet Mathematics" |
| numOfCredits | INTEGER | 11 | This is the number of credits for the Course. E.g: "3" |
| courseType | VARCHAR | 10 | This is the type of the Course. E.g: "Core" |

| programID | INTEGER | 11 | This is the foreign key from the program table. E.g: "1" |
|-----------|---------|----|--|

COURSE_OUTLINE_T

| Name | Data Type | Size | Remark |
|-------------------|------------|------|--|
| courseOutlineID | INTEGER | 11 | This is the primary key for this table |
| sectionID | INTEGER | 11 | This is the foreign key from the section table |
| courseDescription | MEDIUMTEXT | | This is the description of the course |
| objective | MEDIUMTEXT | | This is the objective of the course |
| content | MEDIUMTEXT | | This is the content of the course |
| refMaterials | MEDIUMTEXT | | This is the reference material |
| courseTitle | VARCHAR | 1000 | This is the title of the course |
| prerequsiteCode | VARCHAR | 6 | This is the prerequisite course code |
| creditValue | INTEGER | 11 | This is the credit value of the course |

CO_T

| Name | Data Type | Size | Remark |
|-------|-----------|------|---|
| coID | INTEGER | 11 | This is the primary key for the CO table. E.g: "CO1". |
| coNum | INTEGER | 11 | This is the CO number. E.g: 1,2 etc. |

| courseID | VARCHAR | 6 | This is the foreign key from the Course table. E.g: "CSE303" |
|----------|---------|---|--|
| ploID | VARCHAR | 5 | This is the foreign key from the PLO table. E.g: "PLO1" |
| poID | VARCHAR | 6 | This is the foreign key from the PLO table. E.g: "PO1" |

CLO_MATRIX_T

| Name | Data Type | Size | Remark |
|-----------------|------------|------|---|
| clo_MatID | INTEGER | 11 | This is the primary key for this table |
| cloNum | INTEGER | 11 | This is the clo number |
| coDescription | MEDIUMTEXT | | This is the co description |
| ploAssessed | VARCHAR | 10 | This is the name of the plo assessed |
| correlation | INTEGER | 11 | This is the correlation value or number |
| courseOutlineID | INTEGER | 11 | This is the foreign key from the course outline table |
| С | INTEGER | 11 | This is the bloom's category level |
| р | INTEGER | 11 | This is the bloom's category level |
| а | INTEGER | 11 | This is the bloom's category level |
| s | INTEGER | 11 | This is the bloom's category level |

ANSWER_T

| Name | Data Type | Size | Remark |
|----------------|------------|------|--|
| answerID | INTEGER | 11 | This is the primary key for this table |
| answerDetails | MEDIUMTEXT | | This is the answer details |
| answerNum | INTEGER | 11 | This is the number of the answer |
| markObtained | INTEGER | 11 | This is the mark obtained by the student for each answer |
| registrationID | INTEGER | 11 | This is the foreign key from registration table |
| examID | INTEGER | 11 | This is the foreign key from the exam table |


STUDENT PERF LOG

| Name | Data Type | Size | Remark |
|----------------|-----------|------|---|
| logID | INTEGER | 11 | This is the primary key for this table |
| time | TIMESTAMP | | Time at which student performance log form was submitted |
| scpID | INTEGER | 11 | This is the foreign key from student course performance table |
| f_employeeID | INTEGER | 11 | This is the foreign key from faculty table |
| registrationID | INTEGER | 11 | This is the foreign key from registration table |


CHAPTER- 4 PHYSICAL SYSTEM DESIGN


A. INPUT FORMS:

Input form for taking student performance data to convert to Course Outcome



Input form to load for Student performance data as Course Outcome percentage






```
$id = $_SESSION['ID'];
     $studentID = $_POST['stdID'];
$grade = $_POST['grade'];
$year = $_POST['year'];
$semester = $_POST['semester'];
$course = $_POST['course'];
$section = $_POST['section'];
      $new_registrationID = NULL;
      $new_scpID= NULL;
                                            AND sectionNUM = '$section' AND year = '$year' AND semester = '
$semester'")->fetch_assoc();
      if($section_check != NULL){
            $secID = $section_check['sectionID'];
            $reg_check = $con->query("SELECT * FROM registration_t WHERE sectionID = '$secID' AND
studentID = '$studentID'")->fetch_assoc();
            if($reg_check == NULL){
    $reg_insert = "INSERT INTO registration_t (registrationID, sectionID, studentID)
                              $new_registrationID = $reg_check['registrationID'];
                   $new_registrationID = $reg_check['registrationID'];
             section_insert = "INSERT INTO section_t (sectionID, sectionNum, semester, courseID,
                  facultyID, year)
                if($con->query($section_insert) == TRUE){
                   $section_check2 =$con->query("SELECT sectionID FROM section_t WHERE facultyID = '
$id' AND courseID = '$course'
                   AND sectionNUM = '$section' AND year = '$year' AND semester = '$semester'")->
                         if($section_check2 != NULL){
    $secID = $section_check2['sectionID'];
    $reg_insert = "INSERT INTO registration_t (registrationID, sectionID,
                                     studentID)
                               studentID)


ValUES (NULL, '$secID', '$studentID')";


if($con->query($reg_insert) == TRUE){
    $reg_check = $con->query("SELECT * FROM registration_t WHERE sectionID
    = '$secID' AND studentID = '$studentID'")->fetch_assoc();

$new_registrationID = $reg_check['registrationID'];
               else{print 'not saved';}
     if($grade == 'A'){ $tmo = 100; $gp=4;}
elseif($grade == 'A-'){ $tmo = 89; $gp=3.7;}
elseif($grade == 'B+') {$tmo = 84; $gp=3.3;}
elseif($grade == 'B+') {$tmo = 79; $gp=3;}
elseif($grade == 'B-'){$tmo = 74;$gp=2.7;}
elseif($grade == 'C+'){$tmo = 69;$gp=2.3;}
elseif($grade == 'C-'){$tmo = 64;$gp=2;}
elseif($grade == 'C-'){$tmo = 59;$gp=1.7;}
elseif($grade == 'D+'){$tmo = 59;$gp=1.3;}
elseif($grade == 'D+'){$tmo = 99;$gp=1;}
elseif($grade == 'F'){$tmo = 99;$gp=0;}
else {$valid = 0;}
      else {$valid = 0;}
      $scp_insert = "INSERT INTO student_course_performance_t (scpID, registrationID,
           totalMarksObtained, gradePoint)
$new registrationID' AND totalMarksObtained= '$tmo
```

B. Existing System







```
<div style="display:flex;justify-content:center;" class="row1">
form method="POST"
<select style="margin-left:10px;" name="courseID" class="select">
 <option disabled selected>Course</option>
    <option value="CSC101">CSC101</option>
  <option value="EEE131">EEE131</option>
<select style="margin-left:10px;" name="year" class="select">
 <option disabled selected>Year</option>
  <option value="2020">2020</option>
<option value="2021">2021</option>
                       <input style="background:#f1ab53;border-radius:@px;border:none;outline:none;color:#fff;font-size:14px;letter-spacing:2px;</pre>
                       text-transform:uppercase;cursor:pointer;font-weight:bold;margin-left:10px;height: 36px;width: 100px;
                       type="submit" name="submit" value="Submit"/>
      cdiv style="height:50px;padding-left:43%;margin-top:15px;">
cdiv style="height:60px;padding-left:43%;margin-left:40px;display:inline-block;border-radius:5px;">
cdiv style="height:60px;padding-left:43%;margin-left:40px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;display:10px;displa
       border: none;outline: none;background:#f1ab53;color: #fff;font-size: 14px;letter-spacing:2px;
         <div style="display:flex;justify-content:center;"class="row3" style="margin-top:5px;">
          <div id="curve chart" style="width: 900px; height: 500px; margin-top:15px;"></div>
```

```
$result=mysqli_query($con,$sql);
 google.charts.load('current', {'packages':['corechart']});
 google.charts.setOnLoadCallback(drawChart);
function drawChart() {
   var data = google.visualization.arrayToDataTable([
     ['Semester','Actual','Expected'],
       while($data=mysqli_fetch_array($result)){
         $semester=$data['semester'];
         $percent=$data['percent'];
      ['<?php echo $semester." ".$year;?>',<?php echo $percent;?>,<?php echo '70';?>],
   var options = {
     title: 'Semester Wise PLO Achievement Comparison For Course',
     curveType: 'function',
     legend: { position: 'bottom' }
   var chart = new google.visualization.LineChart(document.getElementById('curve_chart'));
   chart.draw(data, options);
```



```
function drawSummerChart() {
        var data = google.visualization.arrayToDataTable([
          ['PLO', 'Achieved', 'Expected'],
            while($data=mysqli_fetch_array($result)){
            $ploNum="PLO".$data['ploNum'];
            $percent=$data['percent'];
           ['<?php echo $ploNum;?>',<?php echo $percent;?>,<?php echo '70';?>],
        var options = {
          chart: {
            title: 'Semester Wise PLO Achievement for Program (Summer)',
          bars: 'vertical' // Required for Material Bar Charts.
        var chart = new google.charts.Bar(document.getElementById('Summer'));
        chart.draw(data, google.charts.Bar.convertOptions(options));
$sql="SELECT plo.ploNum AS ploNum,
AVG((ans.markObtained/q.markPerQuestion)*100) AS percent
WHERE r.sectionID=sec.sectionID AND r.registrationID=ans.registrationID
AND ans.examID=q.examID
AND ans.answerNum=q.questionNum AND q.coNum=co.coNum
```



```
AND sec.semester='autumn' AND sec.year='$year'
GROUP BY s.departmentID";
$result=mysqli query($con,$sql);
google.charts.load('current', {'packages':['bar']});
google.charts.setOnLoadCallback(drawAutumnChart);
google.charts.setOnLoadCallback(drawSummerChart);
google.charts.setOnLoadCallback(drawSpringChart);
  function drawAutumnChart() {
    var data = google.visualization.arrayToDataTable([
      ['Department', 'GPA'],
        while($data=mysqli_fetch_array($result)){
          $department=$data['department'];
          $GPA=$data['GPA'];
       ['<?php echo $department;?>',<?php echo $GPA;?>],
    ]);
   var options = {
      chart: {
       title: 'Autumn',
     bars: 'vertical' // Required for Material Bar Charts.
    var chart = new google.charts.Bar(document.getElementById('Autumn'));
    chart.draw(data, google.charts.Bar.convertOptions(options));
```

```
include 'connect.php';
$stdID = $_POST['stdID'];
$grade = $_POST['grade'];
yr = POST['yr'];
$semester = $_POST['semester'];
$course = $_POST['course'];
$section = $_POST['section'];
$query = "INSERT INTO cl_t (stdID, grade, yr, semester, course, section)
VALUES ('$stdID', '$grade', '$yr', '$semester', '$course', '$section')";
echo $_POST['stdID'];
echo $_POST['grade'];
echo $_POST['yr'];
echo $_POST['semester'];
echo $_POST['course'];
echo $_POST['section'];
if($con->query($query) == TRUE){
    echo "success";
    echo "error";
```

```
<meta charset="UTF-8">
<link rel="stylesheet" href="style2.css">
<link rel="stylesheet" href="bootstrap.min.css">
                  ctitle>(C:/fitle>
cstyle>
body{
background-image:url('background.png');
background-repeat:no-repeat;
background-stachment:fixed;
background-size:50% 80%;
background-position:center;
background-color:#4d4d4d;
}
                                   .button{
width:100px;

  <a href="employee_dashboard.php">Dashboard</a>
                                                                                                    cul class="list">
    cli><a href="ploAnalysis.php" target="_self">PLO Analysis</a>
    cli><a href="ploAnalysis.php" target="_self">PLO Analysis</a>
    cli><a href="ploAchieveStats.php" target="_self">PLO Achievement Stats</a>
    cli><a href="ploAchieveStats.php" target="_self">PLO Achievement Stats</a>
    cli><a href="dataEntry.php" target="_self">PLO Achievement Stats</a>
    cli><a href="deaCourseOutline.php" target="_self">PLO Achievement Stats</a>
    cli><a href="renollmentStatistics.php" target="_self">PLO Analysis</a>
    cli><a href="performanceStats.php" target="_self">PLO Analysis</a>
    cli><a href="performanceStats.php" target="_self">PLO Analysis</a>
    cli><a href="courseOutcomeForm.php" target="_self">PLO Analysis</a>
    cli><a href="courseOutcomeForm.php" target="_self">PLO Analysis</a>
    <div class="wrapper transition">
<div class="title">
<h1>Course Outcome Analysis</h1>
//div>
//div
//div/class="contact-form">
//div class="input-fields">
//diput type="text" class="input-fields"|
//diput type="fields"|
//diput-fields="fields="input-fields"|
//diput-fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="fields="
```

```
if($invalid==1){
  echo '<div class="alert alert-danger alert-dismissible fade show" role="alert">
  <strong></strong> Invalid credentials!
  <button type="button" class="close" data-dismiss="alert" aria-label="Close">
div style="display:flex;justify-content:center;">
<div class="mainContainer">
 <form action="login.php" method="post">
   <select name="userType" class="select selectNew">
           <option disabled selected>User Type</option>
           <option value="student">Student</option>
           <option value="faculty">Faculty</option>
           <option value="department head">Department Head</option>
<option value="dean">Dean</option>
  <label style="margin-left:10%;">
   ID
  <input class="ID" style="margin-left:0%;" type="text" name="ID" placeholder="Enter Your ID">
    Password
```

CHAPTER- 5 CONCLUSION

A.PROBLEM AND SOLUTION:

Analysis Phase:

Lack of information on organizational activities during the analysis phase caused uncertainty regarding the Rich Picture and Six Element Analysis. The project team conducted interviews with faculty members and other stakeholders to collect pertinent data about the system being developed in order to resolve this problem.

The project team was able to clarify any ambiguities or misconceptions regarding the Rich Picture and Six Element Analysis thanks to the information gathered from the interviews. Additionally, it assisted in identifying possible system flaws and limitations that might influence their development and application.

Additionally, by including the stakeholders in the development process, the project team was able to create a sense of ownership and collaboration. This can result in a system that is more successful and effective because it considers the requirements and viewpoints of those who will be impacted by it.

Designing Phase:

The project team faced a number of difficulties when developing the Enhanced Entity-Relationship Diagram (EERD) and Relational Schema during the Design Phase. However, the team was able to resolve these problems thanks to ongoing feedback from the faculty members.

Faculty members' comments gave us important insights into the needs of the system, which helped us better understand the EERD and Relational Schema. The design of the system was made in accordance with the requirements and expectations of the stakeholders thanks to the iterative process of getting feedback and revising the design.

The project team was able to overcome design obstacles while also identifying possible problems that might impair the system's usability or functionality. As a result, the team was able to make the necessary modifications to the EERD and Relational Schema, which eventually enhanced the system's overall functionality.

Additionally, including the faculty members in the design process increased their sense of ownership and participation in the project while also facilitating the resolution of design-related issues. As a result, stakeholders may adopt and accept the system more readily once it is put into place because they will feel that their feedback has been considered.

Implementation Phase:

All the System Requirements were completed successfully.

Front-End Developing tools: HTML, CSS, JavaScript, Google Charts, Chart JS

Back-End Developing tools: PHP, JSON

Database-integration: MySQL

Additional Features and Future Development:

A peer-to-peer learning platform is a function that could be added to a student educational monitoring system. Students could interact with one another and share knowledge using this function on an online platform.

The peer-to-peer learning platform might have tools like discussion boards, online study groups, and team tasks. The forum allowed students to pose questions, share their knowledge and experience, and give constructive criticism to one another's work.

Peer tutoring, in which students who succeed in particular subjects help those who are struggling, could also be made possible by the platform. Students would have the chance to support their own learning while also assisting their classmates.

The peer-to-peer learning platform could promote a feeling of community and collaboration in the classroom by allowing students to learn from one another. Additionally, it might contribute to the development of a learning atmosphere that is more geared toward the interests and needs of the students themselves.

References

http://www.iub.edu.bd/AboutIUB/ataglance. [Online]. http://www.cse.iub.edu.bd/degrees/1. [Online].