

Adobe

**EXPERIENCE PLATFORM
FOUNDATIONS BOOTCAMP**



LID Methodology Lab Worksheets



Label


```

    erDiagram
        STORE ||--o{ ORDER : "has"
        ORDER ||--o{ ORDER_PRODUCT : "has"
        ORDER ||--o{ CUSTOMER_ACCOUNT : "has"
        ORDER ||--o{ CUSTOMER_ADDRESSES : "has"
        ORDER ||--o{ BILLING_STATEMENT : "has"
        ORDER_PRODUCT ||--o{ PRODUCT : "has"
        CUSTOMER_ACCOUNT ||--o{ CUSTOMER_LINE : "has"
        CUSTOMER_ADDRESSES ||--o{ BILLING_STATEMENT : "has"
        BILLING_STATEMENT ||--o{ BILLING_DETAIL : "has"
        BILLING_STATEMENT ||--o{ PLAN : "has"
        PLAN ||--o{ ORDER : "has"

        STORE {
            string PK_STORE_ID PK
            string STORE_NAME
            string STORE_INAGURATION_DATE
            string STORE_STREET
            string STORE_CITY
            string STORE_STATE
            string STORE_ZIP_CODE
            string STORE_OPEN_TIME
            string STORE_CLOSE_TIME
        }

        ORDER {
            string PK_ORDER_ID PK
            string ORDER_DATE
            string ORDER_TOTAL
            string ORDER_STATUS
            string ORDER_STATUS_UPDATE
            string PAYMENT_TYPE
            string PAYMENT_AMOUNT
            string PAYMENT_CURRENCY_CODE
            string PAYMENT_TRANSACTION_ID
            string CUSTOMER_ID FK
            string EMAIL FK
            string SHIPPING_METHOD
            string SHIPPING_DESTINATION
            string SHIPPING_STREET_ADDRESS
            string SHIPPING_CITY
            string SHIPPING_STATE
            string SHIPPING_ZIP
            string BILLING_STREET_ADDRESS
            string BILLING_CITY
            string BILLING_STATE
            string BILLING_ZIP
            string STORE_ID FK
            string PLAN_ID FK
        }

        ORDER_PRODUCT {
            string PK_ORDER_PRODUCT_ID PK
            string ORDER_PRODUCT_ID FK
            string PRODUCT_ID FK
            string ORDER_ID FK
            string QUANTITY
            string TOTAL
            string CURRENCY
        }

        CUSTOMER_ACCOUNT {
            string PK_CUSTOMER_ID PK
            string FIRST_NAME
            string LAST_NAME
            string EMAIL
            string MOBILE_PHONE
            string BIRTH_DATE
            string EMAIL_OPTION
            string SMS_OPTION
            string ACCOUNT_CREATE_DATE
            string ACCOUNT_END_DATE
            string PLAN_ID FK
            string CREATE_DATE
            string LAST_MODIFIED
            string SOURCE
        }

        CUSTOMER_LINE {
            string PK_CUSTOMER_LINE_ID PK
            string CUSTOMER_ID FK
            string MOBILE_PHONE FK
            string PRODUCT_ID FK
            string ACTIVE_INDICATOR
            string PRIMARY_LINE_INDICATOR
        }

        PRODUCT {
            string PK_PRODUCT_ID PK
            string PRODUCT_TYPE FK
            string MAKE
            string MODEL
            string SG_COMPATIBLE
            string RELEASE_YEAR
            string PRICE
        }


        CUSTOMER_ADDRESSES {
            string FK_CUSTOMER_ID FK
            string ADDRESS_TYPE
            string STREET_ADDRESS
            string CITY
            string STATE
            string ZIP_CODE
            string PRIMARY_INDICATOR
        }

        BILLING_STATEMENT {
            string PK_STATEMENT_ID PK
            string CUSTOMER_ID FK
            string STATEMENT_DATE
            string BILLING_PERIOD_START
            string BILLING_PERIOD_END
            string TYPE
            string DATA_USAGE
            string DATA_ALLOWANCE
            string PLAN_ID FK
            string BILL_TOTAL
        }

        BILLING_DETAIL {
            string PK_DETAIL_STATEMENT_ID PK
            string STATEMENT_ID FK
            string CUSTOMER_LINE_ID FK
            string AMOUNT_CHARGED
            string PHONE_NUMBER
        }

        PLAN {
            string PK_PLAN_ID PK
            string PLAN_TYPE
            string PLAN_NAME
            string MONTHLY_LINE_COST
            string MONTHLY_DATA_ALLOWANCE
            string UNLIMITED_TALK
            string UNLIMITED_TEXT
            string UNLIMITED_DATA
        }
  
```


Connection 5G Streaming ERD






Identify Part 1

Connection 5G Data Warehouse ERD




Connection 5G Streaming ERD






IDENTIFY PART 2


Step 1 - Label Key Fields in the XDM Individual Profile Schema



Step 2 - Label Key Fields in the XDM Experience Event Schema's



Step 2 continued...



Step 2 continued...

E	Orders Payload
	{
	"orderID": "12345",
	"orderDate": "2017-09-26T15:52:25+00:00",
	"orderTotal": 1045.00,
	"orderStatus": "placed",
	"lastOrderStatusUpdate": "2017-09-26T15:52:25+00:00",
	"payments": {
	"paymentType": "credit debit cash",
	"paymentAmount": 1045.00,
	"paymentCurrencyCode": "USD",
	"paymentTransactionID": "PYMNT100"
	},
	"customerID": "C100",
	"email": "john.doe@abc.com",
	"shippingDestination": "store home",
	"storeID": "STR100",
	"shippingstreet": "345 Park Ave",
	"shippingcity": "San Jose",
	"shippingstate": "CA",
	"shippingpostalCode": "95111",
	"shippingMethod": "standard expedited overnight",
	"shippingAmount": 0.00,
	"shippingMethod": "standard expedited overnight",
	"billingstreet": "345 Park Ave",
	"billingcity": "San Jose",
	"billingstate": "CA",
	"billingpostalCode": "95111",
	"plan": {
	"ID": "PLN100"
	},
	"source": "web",
	"productOrders": [
	{
	"productID": "P100",
	"make": "Apple",
	"model": "Iphone 13",
	"quantity": 1.0,
	"price": 1000.00,
	"currencyCode": "USD"
	}
	]
	}

Step 2 continued...

E	Ecommerce Checkout Payload
	{
	"checkoutDate": "2017-09-26T14:52:25+00:00",
	"customerID": "C100",
	"email": "john.doe@abc.com",
	"purchaseID": "12345",
	"orderStatus": "placed",
	"shipping": {
	"shippingMethod": "standard expedited overnight",
	"shippingAmount": 0,
	"shippingstreet": "345 Park Ave",
	"shippingcity": "San Jose",
	"shippingstate": "CA",
	"shippingpostalCode": "95111"
	},
	"productListItems": {
	"productID": "P100",
	"model": "Iphone 13",
	"priceTotal": 1000,
	"quantity": 1,
	"currencyCode": "USD"
	}
	}

Step 2 continued...

[illegible]

Note:

_id, T & ET are all generated by Adobe Web/Mobile SDK

Step 3 - Label the Key Fields in the Lookup Schemas

Plan	
L	
PK	Plan ID
	Plan Type (Mobile)
	Plan Name (Basic, Ultimate, Pro)
	Monthly Line Cost
	Monthly Data Allowance
	Unlimited Talk
	Unlimited Text
	Unlimited Data


Store	
L	
PK	Store ID
	Store Name
	Store Inaguration Date
	Store Address
	Store City
	Store State
	Store Zip Code
	Store Open time
	Store Close Time

Product	
L	
PK	Product ID
	Product Type ID
	Make
	Model
	5G Compatible
	Release Year
	Price




DENORMALIZE

Connection 5G Data Warehouse ERD



Connection 5G Streaming ERD



Step 1 - Fill in the Individual Profile Schema with the Missing Values


Customer Account	
PI	Customer ID
I	Email
	Mobile Phone
	First Name
	Last Name
	Birth Date
	Email Optin
	SMS Optin
	Account Create Date
	Account End Date
R	Plan ID
	Create Date
	Last Modified
	Source (Store, Web)

Step 2 - Fill in the Experience Event Schema with the Missing Values

Orders	
_id	Order ID + Last Order Status Update
T	Last Order Status Update
	Order Status (Open,Complete, Cancelled,Ready for Pickup, Picked Up,Shipped)
	Order ID
	Order Date
	Order Total
I	Customer ID
PI	Email
	Payment Type (Credit, Debit, Gift, Cash)
	Payment Amount
	Payment Currency Code
	Payment Transaction ID
	Shipping Destination (Home, Store)
	Shipping Method
	Shipping Amount
	Shipping Address
	Shipping City
	Shipping State
	Shipping Zip Code
	Billing Address
	Billing City
	Billing State
	Billing Zip
R	Store ID
R	Plan ID
	Acq Source (Store, Web)

Billing	
_id	Statement ID
T	Statement Date
	"billing.statement"
PI	Customer ID
	Billing Period Start
	Billing Period End
	Type (Phone)
	Data Usage
	Data Allowance
R	Plan ID
	Bill Total

Step 3 - Fill in the Lookup Schemas with the Missing Values





ANSWER KEY
ADOBE EXPERIENCE
PLATFORM ERD

Connection 5G XDM ERD

