

# RTCDP Collaboration | Audience Sourcing Guide

v1.3 | May 2026

|                                    |   |
|------------------------------------|---|
| OBJECTIVE                          | 1 |
| AUDIENCE SOURCING DATA SCHEMA      | 1 |
| Formatting Details                 | 1 |
| Audience Membership Schema         | 1 |
| Data Management and Refreshes      | 2 |
| ADDITIONAL IDENTIFIERS COMING SOON | 2 |

## Objective

This document outlines the schema required for RTCDP Collaboration to reference and generate Adobe Clean Sketches for audience insights and audience activation purposes. The schema may be expanded and updated to support incremental features or optimizations as the product evolves. Please note that this document may not be exhaustive, so please reach out for any outstanding questions.

## Audience Sourcing Data Schema

### Formatting Details

- **Format:** CSV
- **Field Delimiter:** “,” (comma)
- **Array / Multi-value Delimiter:** ‘|’ (pipe)
- **Multi-file Sourcing:** If you intend to source multiple audience membership files from the same cloud store, please ensure that all files contain the same columns.
- **Row Structure:** Data must be structured as **one row per profile**. Each row must consolidate all identities and audience memberships for a given profile: (1) all identities for that profile must be included in that row (pipe-delimited per the multi-value delimiter above); (2) if the profile belongs to multiple audiences, multiple audience IDs can be provided in the AUDIENCE\_ID field (pipe-delimited). This structure is required to support activation of key concepts, activation to endpoints, and complex workflows such as attribute sourcing and identity relationships.

### Audience Membership Schema

The audience membership table will be used to generate Adobe Clean Sketches per identity type (e.g., hashed email). When audiences are provided, we will leverage the union of all identities by type to auto-calculate your full audience universe. The full universe will also be used as the source that we will match your collaborator's Adobe Clean Sketches against to process audience activations into your preferred end point storage. Note, no post-matched data is stored in RTCDP Collaboration.

| Field Name           | Details                                                                                                                                                            |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AUDIENCE_ID          | string. 255-character limit<br>Name or ID of the audience segment (e.g., “Full Universe”, “Viewership-Comedy” etc.)<br>Can contain multiple values, pipe-delimited |
| HASHED_EMAIL_SHA_256 | string<br>address<br>Lowercased hexadecimal SHA256-hashed value of the email<br>Can contain multiple values, pipe-delimited                                        |
| HASHED_PHONE_SHA_256 | string<br>Lowercased hexadecimal SHA256-hashed value of the <a href="#">E.164</a> standardized phone number<br>Can contain multiple values, pipe-delimited         |
| HASHED_IPV4_SHA_256  | string<br>address<br>Lowercased hexadecimal SHA256-hashed value of the IPv4<br>Can contain multiple values, pipe-delimited                                         |
| IDFA                 | string<br>Lowercased hexadecimal value of the Apple / iOS ID for advertising<br>Can contain multiple values, pipe-delimited                                        |
| GAID                 | string<br>Lowercased hexadecimal value of the Google / Android mobile advertising ID<br>Can contain multiple values, pipe-delimited                                |
| CRM_ID               | string<br>Can only contain a single value                                                                                                                          |
| LOYALTY_ID           | string<br>Can contain multiple values, pipe-delimited                                                                                                              |
| ADFIXUS_ID           | string<br>Can contain multiple values, pipe-delimited                                                                                                              |

### Data Management and Refreshes

**Refresh Cadence:** We will do a refresh of Adobe Clean Sketches from the source dataset every 1 to 6 days. If no refresh occurs within 7 days, we will delete all underlying data.

**Consent Handling:** By sourcing data into RTCDP Collaboration, you acknowledge that you have obtained all necessary consumer consents, authorizations, and acquired appropriate opt-in or honored opt-out confirmations as required by applicable privacy and data protection laws. You also acknowledge Adobe reads the identities and audiences within your tables as-is at read-time and will not perform any additional identity filtering on your dataset. Our refreshes are designed to capture any updates made to your audience tables.

### Additional Identifiers Coming Soon

1. rida – Roku ID for Advertisers
2. afai – Amazon Fire ID
3. msai – Microsoft Advertising ID

4. vida – Vizio ID for Advertisers
5. lgudid – LG Advertising ID
6. tifa – Samsung Advertising ID