

State Farm B2B (statefarm-b2b-eds) - Admin Guide

Date: July 31, 2026

Table of Contents

- State Farm B2B (statefarm-b2b-eds) - Admin Guide 3
 - Quick Reference 3
 - Authentication 4
 - Config Service Setup 4
 - Permissions & Access Control 5
 - Admin API Operations 6
 - Cache Management 7
 - Code Sync 8
 - Common Tasks 8
 - Troubleshooting 8
 - Resources 9

State Farm B2B (statefarm-b2b-eds) - Admin Guide

Complete administration guide for managing the **statefarm-b2b-eds** Edge Delivery Services project in the **adobedrago** Config Service organization.

Quick Reference

URLs

Purpose	URL
Login	https://admin.hlx.page/login/adobedrago/statefarm-b2b-eds
Config Service (site)	https://admin.hlx.page/config/adobedrago/sites/statefarm-b2b-eds.json
Preview	https://main-statefarm-b2b-eds-adobedrago.aem.page/
Live	https://main-statefarm-b2b-eds-adobedrago.aem.live/
Content Source (DA)	https://content.da.live/adobedrago/statefarm-b2b-eds
Code Repository	https://github.com/adobedrago/statefarm-b2b-eds

Project Facts (from Config Service, verified 2026-07-31)

Property	Value
Organization	adobedrago
Site	statefarm-b2b-eds
Config schema version	7
Code source type	GitHub (adobedrago/statefarm-b2b-eds)
Content source type	markup (Document Authoring / da.live)
Content bus ID	d0bab90255c66687a4e9e3a5cdc1d30f8db83f14c09c5709edc3127152d
Site created	2026-07-22T19:30:41.358Z
Last config change	2026-07-22T19:35:56.862Z
Auth requirement	auto (public read, authenticated write/admin)

Note on organization scope: the adobedrago Config Service organization is shared across multiple client projects (22+ sites, e.g. chevron, kaiser-permanente, statefarm-eds, zeposia, etc.). This guide covers **only** the statefarm-b2b-eds site. Administrators managing other sites in this org should request a separate guide

for those projects — the Admin API calls below are scoped to this site's path (/config/adobedrago/sites/statefarm-b2b-eds/...), so they will not affect other sites.

Authentication

All Admin API operations require a bearer token obtained via Adobe IMS OAuth.

Login (interactive)

1. Open: `https://admin.hlx.page/login/adobedrago/statefarm-b2b-eds`
2. Sign in with an Adobe ID that has been granted access (see **Access Control** below)
3. The resulting session/token can be used for subsequent authenticated Admin API calls

Login (CLI / token flow)

For scripted access, obtain an IMS access token (aem-project-management:auth or an equivalent IMS OAuth flow) and export it:

```
export IMS_TOKEN="<your IMS access token>"
```

All examples below assume `$IMS_TOKEN` is set.

Logout

```
curl -X POST \
  -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/logout/adobedrago/statefarm-b2b-eds/main"
```

Config Service Setup

The Config Service is the source of truth for how this site is wired — code repository, content source, access control, and any custom headers/CDN behavior.

View current site configuration

```
curl -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/config/adobedrago/sites/statefarm-b2b-eds.json"
```

Returns the full config shown in **Project Facts** above, including code, content, access, and apiKey sections.

View org-level site list

```
curl -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/config/adobedrago/sites.json"
```

Useful to confirm statefarm-b2b-eds is registered correctly and to see sibling sites in the org (for context only — do not modify them from this guide).

Update site configuration

Configuration changes (content source, code source, custom headers) are made with a PUT to the same endpoint, sending a merged JSON body. Always GET first, edit the JSON, then PUT the full object back — partial PUTs can unintentionally clear fields.

```
curl -X PUT \
  -H "Authorization: Bearer $IMS_TOKEN" \
  -H "Content-Type: application/json" \
  -d @updated-site-config.json \
  "https://admin.hlx.page/config/adobedrago/sites/statefarm-b2b-eds.json"
```

Custom headers / CDN configuration

If custom response headers or CDN behavior are ever needed, they live at:

```
curl -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/config/adobedrago/sites/statefarm-b2b-eds/headers.json"
```

No custom headers configuration was found for this site at the time of writing (default Edge Delivery Services behavior applies).

Permissions & Access Control

Access control for this site is defined in the access block of the site configuration, keyed by role.

Current access configuration

```
"access": {
  "admin": {
    "role": {
      "admin": [
        "gallardo@adobe.com",
        "mdean@adobe.com"
      ]
    },
    "requireAuth": "auto"
  }
}
```

- **requireAuth: "auto"** — content is publicly readable on preview/live; write operations (preview, publish, config changes) require authentication.
- **role.admin** — the list of Adobe IDs with full administrative rights on this site (config changes, user management, publish/unpublish, cache purge, code sync). Currently: gallardo@adobe.com, mdean@adobe.com.
- No separate author role list is currently configured — any additional contributor roles should be added explicitly (see below) rather than assumed.

View current access

```
curl -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/config/adobedrago/sites/statefarm-b2b-eds/access.json"
```

Add a user

Role	Command
Admin	POST /config/adobedrago/sites/statefarm-b2b-eds/access/admin.json with body {"users": ["email@example.com"]}
Author	POST /config/adobedrago/sites/statefarm-b2b-eds/access/author.json with body {"users": ["email@example.com"]}

```
curl -X POST \
  -H "Authorization: Bearer $IMS_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{"users": ["newadmin@example.com"]}' \
  "https://admin.hlx.page/config/adobedrago/sites/statefarm-b2b-eds/access/admin.json"
```

Remove a user

```
curl -X DELETE \
  -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/config/adobedrago/sites/statefarm-b2b-eds/access/admin/newadmin@example.com.json"
```

Document Authoring (DA) access

Content authoring access is separate from the Edge Delivery Admin API and is managed at the content.da.live / da.live level for the adobedrago/statefarm-b2b-eds content source. Grant/revoke authoring access there for content editors who do not need Admin API or code-level access.

Admin API Operations

The Admin API (admin.hlx.page) drives preview, publish, cache, and code-sync operations. All operations below are scoped to the main branch of statefarm-b2b-eds unless noted.

Preview (push content/code to the preview environment)

Operation	Endpoint
Single page	POST /preview/adobedrago/statefarm-b2b-eds/main/{path}
Bulk preview	POST /preview/adobedrago/statefarm-b2b-eds/main/*
Remove from preview	DELETE /preview/adobedrago/statefarm-b2b-eds/main/{path}

```
curl -X POST \
  -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/preview/adobedrago/statefarm-b2b-eds/main/index"
```

Publish (push to the live environment)

Operation	Endpoint
Single page	POST /live/adobedrago/statefarm-b2b-eds/main/{path}
Bulk publish	POST /live/adobedrago/statefarm-b2b-eds/main/*
Unpublish	DELETE /live/adobedrago/statefarm-b2b-eds/main/{path}

```
curl -X POST \
  -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/live/adobedrago/statefarm-b2b-eds/main/index"
```

Status check

```
curl -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/status/adobedrago/statefarm-b2b-eds/main/{path}"
```

Returns preview/live/edit state for a given path — useful for diagnosing why a page isn't appearing as expected.

Job monitoring (bulk operations)

Bulk preview/publish operations (/*) return a job reference. Poll job status with:

```
curl -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/job/adobedrago/statefarm-b2b-eds/main/{job-name}/details"
```

Cache Management

Edge Delivery Services fronts published content with a CDN cache. Purge it when a publish doesn't appear to take effect immediately, or after config/header changes.

Operation	Endpoint
Purge single path	POST /cache/adobedrago/statefarm-b2b-eds/main/{path}
Purge entire site	POST /cache/adobedrago/statefarm-b2b-eds/main/*

```
curl -X POST \
  -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/cache/adobedrago/statefarm-b2b-eds/main/*"
```

If a purge doesn't seem to resolve stale content, retry with a forced update:

```
curl -X POST \
  -H "Authorization: Bearer $IMS_TOKEN" \
  -H "Content-Type: application/json" \
  -d '{"forceUpdate": true}' \
  "https://admin.hlx.page/cache/adobedrago/statefarm-b2b-eds/main/*"
```

Code Sync

Code changes pushed to the main branch of `github.com/adobedrago/statefarm-b2b-eds` are synced automatically by AEM Code Sync (GitHub App) within seconds. Manual sync is rarely needed but can be triggered explicitly:

```
curl -X POST \
  -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/code/adobedrago/statefarm-b2b-eds/main"
```

Verifying code sync status

```
curl -H "Authorization: Bearer $IMS_TOKEN" \
  "https://admin.hlx.page/status/adobedrago/statefarm-b2b-eds/main/{path}?editUrl=auto"
```

Check the code section of the response for the last-synced commit SHA and timestamp, and compare against `git log` on main in the GitHub repository.

Feature branches

Non-main branches sync automatically to their own preview environment once pushed (`https://{branch}--statefarm-b2b-eds--adobedrago.aem.page/`). No separate Admin API call is required to enable this — it is automatic for any pushed branch in the connected repository.

Common Tasks

Task	Steps
Add new admin	POST <code>/config/adobedrago/sites/statefarm-b2b-eds/access/admin.json</code> with <code>{"users": ["email"]}</code>
Remove an admin	DELETE <code>/config/adobedrago/sites/statefarm-b2b-eds/access/admin/{email}.json</code>
Republish entire site	POST <code>/preview/.../main/*</code> then POST <code>/live/.../main/*</code>
Clear all cache	POST <code>/cache/adobedrago/statefarm-b2b-eds/main/*</code>
Force-refresh a stuck page	POST <code>/cache/.../main/{path}</code> with <code>{"forceUpdate": true}</code>
Manually trigger code sync	POST <code>/code/adobedrago/statefarm-b2b-eds/main</code>
Check why a page looks stale	GET <code>/status/adobedrago/statefarm-b2b-eds/main/{path}</code>

Troubleshooting

Issue	Likely Cause	Solution
401 Unauthorized	Token expired or missing	Re-authenticate via login URL / IMS token flow

Issue	Likely Cause	Solution
403 Forbidden	Account not in <code>access.role.admin</code> (or <code>author</code>) list	Have an existing admin add the account via the access API
404 Not Found	Wrong org/site name, or path doesn't exist in content source	Confirm <code>adobedrago</code> / <code>statefarm-b2b-eds</code> spelling and that the path exists in DA
429 Too Many Requests	Rate limited (usually during large bulk operations)	Wait and retry; break large bulk publishes into smaller batches
Published change not visible	CDN cache still serving old content	Purge cache for the path (see Cache Management)
Code change not reflected on preview/live	Code sync hasn't run yet, or GitHub App connection issue	Check <code>/status</code> for last-synced SHA; trigger manual <code>/code sync</code> if needed
Content edits in DA not appearing	Page not yet previewed/published from DA	Preview and publish the page from Document Authoring, or via the Admin API

Resources

Resource	URL
Admin API Reference	https://www.aem.live/docs/admin.html
Config Service Setup	https://www.aem.live/docs/config-service-setup
Access Control docs	https://www.aem.live/docs/access-control
Document Authoring (da.live)	https://da.live/
Project GitHub Repository	https://github.com/adobedrago/statefarm-b2b-eds