# Surefire Report Summary

[Summary] [Package List] [Test Cases]

Tests	Errors	Failures	Skipped	Success Rate	Time
14	0	0	0	100%	1.292 s

Note: failures are anticipated and checked for with assertions while errors are unanticipated.

# **Package List**

[Summary] [Package List] [Test Cases]

Package	Tests	Errors	Failures	Skipped	Success Rate	Time
org.oosd.teamorange_finalsubmission	14	0	0	0	100%	1.292 s

Note: package statistics are not computed recursively, they only sum up all of its testsuites numbers.

# org.oosd.teamorange\_finalsubmission

-	Class	Tests	Errors	Failures	Skipped	Success Rate	Time
<b></b>	BoardEvaluatorTest	1	0	0	0	100%	0.032 s
₩	FakeExternalClientTest	1	0	0	0	100%	0.009 s
₩	PureGameJsonTest	1	0	0	0	100%	0.344 s
₩	RulesCanPlaceTest	1	0	0	0	100%	0.002 s
₩	RulesClearLinesTest	1	0	0	0	100%	0.003 s
<b></b>	RulesRotateIndexTest	8	0	0	0	100%	0.083 s
<b>#</b>	TetrisSoundsMockitoTest	1	0	0	0	100%	0.819 s

# **Test Cases**

[Summary] [Package List] [Test Cases]

#### **BoardEvaluatorTest**

prefersClearedLinesAndFewerHoles
0.017 s

# **FakeExternalClientTest**

returnsPredeterminedMove
0.007 s

#### **PureGameJsonTest**

⇔ serializesExpectedShape 0.343 s

## RulesCanPlaceTest

rejectsOutOfBoundsAndCollisions 0.001 s

# RulesClearLinesTest

#### RulesRotateIndexTest

₩.	maps4x4IndicesCorrectly(int, int, int, int)[1]	0.022 s
*	maps4x4IndicesCorrectly(int, int, int, int)[2]	0.001 s
<b>\$</b>	maps4x4IndicesCorrectly(int, int, int, int)[3]	0 s
<b>\$</b>	maps4x4IndicesCorrectly(int, int, int, int)[4]	0 s
<b>\$</b>	maps4x4IndicesCorrectly(int, int, int, int)[5]	0 s
<b>\$</b>	maps4x4IndicesCorrectly(int, int, int, int)[6]	0.001 s
₩.	maps4x4IndicesCorrectly(int, int, int, int)[7]	0.001 s
- 🔆	maps4x4IndicesCorrectly(int, int, int, int)[8]	0 s

### **TetrisSoundsMockitoTest**



(https://maven.apache.org/)