Approve/Reject Article

An editor approves or rejects a submitted article.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Editor
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The editor opens an article.
3. The editor selects either "Approve" or "Reject".
4. If approving:
   4.1. The system changes the article status to "Approved by Editor".
5. If rejecting:
   5.1. The editor provides feedback.
6. The system changes the article status to "Rejected".
7. The system notifies the author (e.g., via email).
8. The use case ends.
9.
10. Alternative Flows:
11. Missing feedback on rejection:
    11.1. The system requires the editor to provide feedback.
12. Unauthorized access:
    12.1. The system denies the action.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Editor The article is in "In Review" or "Submitted" state
Post-conditions	The article is either approved or rejected The author is notified
Author	N/A
Assumptions	N/A

Approve Editor-Reviewed Articles

A newspaper manager approves articles that were previously approved by an editor.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Manager
Suppporting Actors	Author, Editor

Scenarios

Scenario

1. Main Flow of Events:
2. The manager opens the list of editor-approved articles.
3. The system retrieves articles with status "Approved by Editor".
4. The system displays the list of articles.
5. The manager selects an article.
6. The system displays article details.
7. The manager reviews the article.
8. The manager approves the article.
9. The system changes the article status to "Approved by Manager".
10. The use case ends.
11.
12. Alternative Flows:
13. Manager rejects the article:
    13.1. The manager selects "Reject".
    13.2. The manager provides feedback.
    13.3. The system changes status to "Rejected".
    13.4. The author is notified.
14. Unauthorized access:
    14.1. The system denies the action.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Newspaper Manager The article is in "Approved by Editor" state The article belongs to the manager's newspaper
Post-conditions	The article is approved by the manager (or rejected)
Author	N/A
Assumptions	N/A

Approve Newspaper Publication

A director approves a newspaper for publication, ensuring it meets overall standards.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Director
Suppporting Actors	Manager

Scenarios

Scenario

1. Main Flow of Events:
2. The director opens the list of newspapers awaiting approval.
3. The system retrieves newspapers in "Approved by Manager" status.
4. The director selects a newspaper.
5. The system displays newspaper details, including articles and schedule.
6. The director reviews the newspaper.
7. The director approves the newspaper for publication.
8. The system updates the newspaper status to "Published" or "Approved for Publication".
9. The use case ends.
10.
11. Alternative Flows:
12. Director rejects the newspaper:
    12.1. The director provides feedback.
    12.2. The system updates status to "Rejected".
    12.3. The manager is notified.
13. Unauthorized access:
    13.1. The system denies the action.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The director is logged in The newspaper has been approved by its manager
Post-conditions	The newspaper is approved or rejected for publication
Author	N/A
Assumptions	N/A

Assign Categories

An author assigns categories to an article.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Author
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The author opens the article editor.
3. The system displays available categories.
4. The author selects one or more categories.
5. The author saves the article.
6. The system assigns the categories to the article.
7. The use case ends.
8.
9. Alternative Flows:
10. No categories selected (if required):
    10.1. The system displays a validation error.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Author The article exists Categories exist in the system
Post-conditions	The article is assigned to selected categories
Author	N/A
Assumptions	N/A

Assign Editors to Articles

A newspaper manager assigns an editor to an article.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Manager
Suppporting Actors	Editor

Scenarios

Scenario

1. Main Flow of Events:
2. The manager opens an article.
3. The manager selects "Assign Editor".
4. The system displays a list of available editors.
5. The manager selects an editor.
6. The system assigns the editor to the article.
7. The system notifies the editor.
8. The use case ends.
9.
10. Alternative Flows:
11. No available editors:
    11.1. The system displays a message.
12. Unauthorized access:
    12.1. The system denies the action.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Newspaper Manager The article exists and belongs to the manager's newspaper Editors exist in the system
Post-conditions	The article is assigned to an editor
Author	N/A
Assumptions	N/A

Assign Roles

The system administrator assigns roles to registered users, granting them appropriate permissions.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Administrator
Suppporting Actors	Registred User

Scenarios

Scenario

1. Main Flow of Events:
2. The administrator opens the user management panel.
3. The system displays a list of users.
4. The administrator selects a user.
5. The administrator assigns or changes a role for the user.
6. The system updates the user's permissions accordingly.
7. The system notifies the user about their new role.
8. The use case ends.
9.
10. Alternative Flows:
11. Invalid role selection:
    11.1. The system displays a validation error.
12. Unauthorized access:
    12.1. The system denies the action.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The system administrator is logged in Users exist in the system
Post-conditions	The selected user has the assigned role and corresponding permissions
Author	N/A
Assumptions	N/A

Browse Articles

User browses a list of published articles on the homepage or category pages.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User, Visitor
Suppporting Actors	

Scenarios

Scenario

1. Main Flow:
2. The user opens the homepage or a category page.
3. The system retrieves a list of published articles.
4. The system displays article previews (title, short text, author, date).
5. The user browses through the list (scrolling or pagination).
6. The use case ends.
7.
8. Alternative Flows:
9. No articles available:
10. The system displays a message: "No articles found."

Extensions

1.a.

6.a.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The system is running Published articles exist in the system
Post-conditions	The user is presented with a list of available articles
Author	N/A
Assumptions	N/A

Comment on Article

A registered user adds a comment to an article.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The user opens an article.
3. The user enters a comment into the comment field.
4. The user submits the comment.
5. The system validates the comment content.
6. The system stores the comment.
7. The system displays the comment under the article.
8. The use case ends.
9.
10. Alternative Flows:
11. Empty or invalid comment:
    11.1. The system displays an error message.
12. Unauthorized user (not logged in):
    12.1. The system prompts the user to log in.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in The article exists and is published
Post-conditions	The comment is stored and visible under the article
Author	N/A
Assumptions	N/A

Create Article

An author creates a new article in the system.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Author
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The author opens the article editor.
3. The author selects "Create new article".
4. The system displays an empty article form.
5. The author enters article details (title, content).
6. The author saves the article.
7. The system stores the article with status "Draft".
8. The use case ends.
9.
10. Alternative Flows:
11. Invalid or missing data:
    11.1. The system displays validation errors.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Author
Post-conditions	A new article is created in Draft state
Author	N/A
Assumptions	N/A

Delete Any Article

The system administrator can delete any article, regardless of author or status

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Administrator
Suppporting Actors	Author, Editor, Manager

Scenarios

Scenario

1. Main Flow of Events:
2. The administrator opens the article management panel.
3. The system displays all articles.
4. The administrator selects an article.
5. The administrator selects "Delete".
6. The system asks for confirmation.
7. The administrator confirms deletion.
8. The system deletes the article.
9. The use case ends.
10.
11. Alternative Flows:
12. Deletion canceled:
    12.1. The system aborts the operation.
13. Unauthorized access:
    13.1. The system denies the action.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The administrator is logged in Articles exist in the system
Post-conditions	The selected article is removed from the system
Author	N/A
Assumptions	N/A

Delete Article

An author deletes their article.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Author
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The author selects an article.
3. The author chooses "Delete".
4. The system asks for confirmation.
5. The author confirms deletion.
6. The system deletes the article.
7. The use case ends.
8.
9. Alternative Flows:
10. Deletion canceled:
    10.1. The system aborts the operation.
11. Unauthorized access:
    11.1. The system denies deletion.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Author The article exists The article belongs to the author
Post-conditions	The article is removed from the system
Author	N/A
Assumptions	N/A

Edit Article

An author edits an existing article.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Author
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The author opens the list of their articles.
3. The author selects an article.
4. The system displays the article in edit mode.
5. The author modifies the content.
6. The author saves changes.
7. The system updates the article.
8. The use case ends.
9.
10. Alternative Flows:
11. Unauthorized access:
    11.1. The system denies editing access.
12. Invalid input:
    12.1. The system displays validation errors.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Author The article exists The article belongs to the author
Post-conditions	The article is updated
Author	N/A
Assumptions	N/A

High-Level Editorial Decisions (policy, assignments)

A director defines editorial policies and assigns responsibilities to managers or editors.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Director
Suppporting Actors	Manager, Editor

Scenarios

Scenario

1. Main Flow of Events:
2. The director opens the editorial policy management page.
3. The system displays current policies and assignments.
4. The director creates or updates policies (e.g., article review process, content standards).
5. The director assigns or reassigns editors/managers to newspapers or tasks.
6. The system saves the changes and notifies affected users.
7. The use case ends.
8.
9. Alternative Flows:
10. Invalid assignment or policy data:
    10.1. The system displays a validation error.
11. Unauthorized access:
    11.1. The system denies the action.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The director is logged in
Post-conditions	Editorial policies are updated Assignments are applied and notifications sent
Author	N/A
Assumptions	N/A

Like Article

A registered user likes or unlikes an article.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The user opens an article.
3. The user clicks the "Like" button.
4. The system records the like.
5. The system updates the total number of likes.
6. The use case ends.
7.
8. Alternative Flows:
9. User already liked the article:
   9.1. The system removes the like (toggle behavior).
10. Unauthorized user:
    10.1. The system prompts login.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in The article exists and is published
Post-conditions	The article like state is updated
Author	N/A
Assumptions	N/A

Login

A registered user logs into the system.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User, Visitor
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The user opens the login page.
3. The user enters email and password.
4. The user submits the login form.
5. The system validates credentials.
6. The system authenticates the user.
7. The system grants access and displays the homepage.
8. The use case ends.
9.
10. Alternative Flows:
11. Invalid credentials:
    11.1. The system displays an error message.
12. Account not verified:
    12.1. The system prompts the user to verify their email.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user has a registered account
Post-conditions	The user is authenticated and logged in
Author	N/A
Assumptions	N/A

Logout

A registered user logs out of the system, terminating their active session.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events
2. The user clicks the "Logout" button.
3. The system receives the logout request.
4. The system invalidates the user session.
5. The system clears authentication data (e.g., cookies, tokens).
6. -The system redirects the user to the homepage or login page.
7. The use case ends.
8.
9. Alternative Flows
10. Session already expired:
    10.1. The system informs the user that they are already logged out.
11. System error during logout:
    11.1. The system displays an error message and suggests retrying.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged into the systemAn active session exists
Post-conditions	The user is logged out The session is terminated The system no longer recognizes the user as authenticated
Author	N/A
Assumptions	N/A

Manage Categories (for their newspaper)

A newspaper manager creates, edits, or deletes categories within their newspaper.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Manager
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The manager opens category management.
3. The system displays existing categories.
4. The manager selects an action: create, edit, or delete.
5. Create Category:
   5.1. The manager enters category name.
   5.2. The system validates input.
   5.3. The system creates the category.
6. Edit Category:
   6.1. The manager modifies category details.
   6.2. The system updates the category.
7. Delete Category:
   7.1. The manager selects a category.
   7.2. The system checks whether the category is empty.
   7.3. The system deletes the category.
8. The use case ends.
9.
10. Alternative Flows:
11. Category not empty:
    11.1. The system prevents deletion and displays a message.
12. Invalid input:
    12.1. The system displays validation errors.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Newspaper Manager
Post-conditions	Categories are updated according to the manager's actions
Author	N/A
Assumptions	N/A

Manage Multiple Newspapers (overview, monitoring)

A director monitors and manages multiple newspapers under the publishing house.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Director
Suppporting Actors	Manager

Scenarios

Scenario

1. Main Flow of Events:
2. The director opens the newspaper management dashboard.
3. The system displays a list of all newspapers with statuses.
4. The director can select a newspaper to view detailed info.
5. The director reviews key metrics, article counts, and schedules.
6. The director optionally performs management actions (e.g., reassign manager).
7. The use case ends.
8.
9. Alternative Flows:
10. No newspapers exist:
    10.1. The system displays a message: "No newspapers found."

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The director is logged in Multiple newspapers exist in the system
Post-conditions	The director has an overview of all newspapers and can take actions
Author	N/A
Assumptions	N/A

Manage System Configuration

The system administrator manages system-wide settings and configuration options.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Administrator
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The administrator opens the system configuration panel.
3. The system displays configurable settings (e.g., email server, security settings, notification settings).
4. The administrator updates one or more settings.
5. The system validates the inputs.
6. The system saves the configuration changes.
7. The use case ends.
8.
9. Alternative Flows:
10. Invalid input:
    10.1. The system displays validation errors.
11. Unauthorized access:
    11.1. The system denies the action.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The administrator is logged in
Post-conditions	System configuration is updated according to administrator actions
Author	N/A
Assumptions	N/A

Moderate Comments

The system administrator moderates comments on articles to ensure compliance with rules.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Administrator
Suppporting Actors	Visitor, Editor

Scenarios

Scenario

1. Main Flow of Events:
2. The administrator opens the comment moderation panel.
3. The system displays comments flagged for moderation or all comments.
4. The administrator selects a comment.
5. The administrator can delete or approve the comment.
6. The system updates the comment status accordingly.
7. The use case ends.
8.
9. Alternative Flows:
10. No comments found:
    10.1. The system displays a message: "No comments to moderate."

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The administrator is logged in Comments exist in the system
Post-conditions	Comments are moderated (deleted or approved)
Author	N/A
Assumptions	N/A

Register

A visitor creates a new user account in the system.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User, Visitor
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The user opens the registration page.
3. The user enters required information (e.g., email, password).
4. The user submits the registration form.
5. The system validates the input data.
6. The system creates a new user account.
7. The system sends a confirmation email.
8. The use case ends.
9.
10. Alternative Flows:
11. Invalid input:
    11.1. The system displays validation errors and asks the user to correct them.
12. Email already exists:
    12.1. The system informs the user that the account already exists.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is not logged in
Post-conditions	A new user account is created
Author	N/A
Assumptions	N/A

Request Revision from Author

An editor requests changes to an article instead of approving or rejecting it.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Editor
Suppporting Actors	Author

Scenarios

Scenario

1. Main Flow of Events:
2. The editor opens an article.
3. The editor selects "Request Revision".
4. The editor provides feedback describing required changes.
5. The system sends the feedback to the author.
6. The system changes the article status to "Revision Requested".
7. The use case ends.
8.
9. Alternative Flows:
10. No feedback provided:
    10.1. The system prompts the editor to enter feedback.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Editor The article is in review
Post-conditions	The article is returned to the author for revision The author is notified about required changes
Author	N/A
Assumptions	N/A

Reset password

A registered user resets their password when they have forgotten it, using a secure password recovery process.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events
2. The user clicks on "Forgot Password" on the login page.
3. The system displays a password reset request form.
4. The user enters their registered email address.
5. The user submits the request.
6. The system validates the email.
7. The system generates a secure password reset token.
8. The system sends a password reset link to the user’s email.
9. The user opens the reset link.
10. The system verifies the token.
11. The system displays a form to enter a new password.
12. The user enters and confirms the new password.
13. The user submits the new password.
14. The system validates the password (e.g., strength rules).
15. The system updates the user’s password.
16. The system confirms the password reset.
17. The use case ends.
18.
19. Alternative Flows
20. Email not found:

20.1. The system displays a generic message (e.g., "If the email exists, a reset link has been sent").

21. - Invalid or expired token:

21.1. -The system displays an error and prompts the user to request a new reset.

22. Weak or invalid password:

22.1. -The system displays validation errors and asks for correction.

23. - Email delivery failure:

23.1. - The system informs the user and suggests retrying later.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user has a registered account The user is not logged in (typical case) The system can send emails
Post-conditions	The user’s password is updated The old password is no longer valid The user can log in with the new password
Author	N/A
Assumptions	N/A

Review Publication Statistics

A director reviews statistics for newspapers and articles to make informed decisions.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Director
Suppporting Actors	Manager

Scenarios

Scenario

1. Main Flow of Events:
2. The director opens the statistics dashboard.
3. The system retrieves and displays metrics such as:
   3.1. Number of published articles per newspaper
   3.2. Average article views (if tracked)
   3.3. Likes and comments counts
   3.4. Publication timelines
4. The director analyzes the data.
5. The use case ends.
6.
7. Alternative Flows:
8. No statistics available:
   8.1. The system displays: "No statistics available."

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The director is logged in Statistics data exists for newspapers/articles
Post-conditions	The director has reviewed and analyzed publication statistics
Author	N/A
Assumptions	N/A

Review Submitted Articles

An editor reviews articles submitted by authors.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Editor
Suppporting Actors	Author

Scenarios

Scenario

1. Main Flow of Events:
2. The editor opens the list of submitted articles.
3. The system retrieves articles with status "Submitted".
4. The system displays the list of articles.
5. The editor selects an article.
6. The system displays the article details (content, images, categories).
7. The editor reviews the article.
8. The use case ends.
9.
10. Alternative Flows:
11. No submitted articles:
    11.1. The system displays a message: "No articles to review."

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Editor There are articles in "Submitted" state
Post-conditions	The editor has reviewed an article
Author	N/A
Assumptions	N/A

Schedule Article Publication

A newspaper manager schedules an approved article for publication.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Manager
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The use case is triggered from Approve Editor-Reviewed Articles (extension).
3. The manager selects "Schedule Publication".
4. The system displays scheduling options.
5. The manager sets publication date and time.
6. The system validates the input.
7. The system saves the publication schedule.
8. The system updates the article status to "Scheduled" or "Published" (if immediate).
9. The use case ends.
10.
11. Alternative Flows:
12. Invalid date (e.g., past date):
    12.1. The system displays an error message.
13. Immediate publication:
    13.1. The system skips scheduling and publishes the article directly.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Newspaper Manager The article is in "Approved by Manager" state
Post-conditions	The article has a defined publication date or is published
Author	N/A
Assumptions	N/A

Search Articles

User searches for articles using keywords or filters.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User, Visitor
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The user enters a search query into the search bar.
3. The user submits the search request.
4. The system processes the query (keywords, filters like category, author, date).
5. The system retrieves matching articles.
6. The system displays search results (title, preview, author, date).
7. The use case ends.
8.
9. Alternative Flows:
10. No results found:
    10.1. The system displays a message: "No results found."
11. Invalid input (e.g. empty query):
    11.1. The system prompts the user to enter a valid search query.

Extensions

7.a.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The system is running Articles exist in the system
Post-conditions	The user sees a list of articles matching the search criteria
Author	N/A
Assumptions	N/A

Submit Article for Review

An author submits an article for editorial review.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Author
Suppporting Actors	Editor

Scenarios

Scenario

1. Main Flow of Events:
2. The author opens an article.
3. The author selects "Submit for Review".
4. The system validates the article (title, content, categories).
5. The system changes article status to "Submitted".
6. INCLUDE (Review Submitted Articles)
7. The use case ends.
8.
9. Alternative Flows:
10. Validation fails:
    10.1. The system displays an error message.
11. Article already submitted:
    11.1. The system prevents duplicate submission.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Author The article exists The article is in Draft state
Post-conditions	The article is submitted for editorial review
Author	N/A
Assumptions	N/A

Update author profile

An author updates their profile information, such as personal details, bio, or profile settings.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Author
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events
2. The author navigates to their profile page.
3. The author selects the "Edit Profile" option.
4. The system displays the editable profile form.
5. The author modifies profile information (e.g., name, bio, profile picture).
6. The author submits the changes.
7. The system validates the input data.
8. The system updates the author's profile.
9. The system displays a confirmation message.
10. The use case ends.
11.
12. Alternative Flows
13. Invalid input data:
    13.1. The system displays validation errors and prompts the author to correct them.
14. Unauthorized access:
    14.1. The system denies access and redirects the user.
15. Update failure (e.g., system error):
    15.1. The system displays an error message and suggests retrying.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Author The author profile exists
Post-conditions	The author's profile information is updated -The updated data is visible on the profile page
Author	N/A
Assumptions	N/A

Upload Images

An author uploads images to include in an article.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Author
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The author opens the article editor.
3. The author selects "Upload Image".
4. The author chooses an image file.
5. The system validates the file (type, size).
6. The system uploads and stores the image.
7. The system displays the image in the article.
8. The use case ends.
9.
10. Alternative Flows:
11. Invalid file type/size:
    11.1. The system displays an error message.
12. Upload failure:
    12.1. The system informs the user about the failure.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Author The article exists
Post-conditions	The image is stored and linked to the article
Author	N/A
Assumptions	N/A

View Articles

User views the full content of a selected article.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User, Visitor
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The user selects an article from a list or search results.
3. The system retrieves the full article content.
4. The system displays:
   - 4.1. Title
   - 4.2. Author
   - 4.3. Publication date
   - 4.4. Category
   - 4.5. Full text content
   - 4.6. Images (if available)
   - 4.7. Number of likes
     - 4.7.1. Comments
5. The use case ends.
6.
7. Alternative Flows:
8. Article not found:
   - 8.1. The system displays an error message: "Article not found."
9. Access restricted (visitor):
   - 9.1. The system displays only a preview and prompts login/registration

Extensions

5.a.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The article exists The article is published (Optional) User must be logged in if full access is restricted
Post-conditions	The user views the article content or receives an appropriate error message
Author	N/A
Assumptions	N/A

View Articles Status

An author views the statuses of their submitted articles to track progress in the review and publication process.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Author
Suppporting Actors	Editor, Manager

Scenarios

Scenario

1. Main Flow of Events
2. The author navigates to their list of articles (e.g., dashboard or profile).
3. -The system retrieves all articles created by the author.
4. The system displays a list of articles with their current statuses, such as:
   - 4.1. Draft
   - 4.2. Submitted
   - 4.3. In Review
   - 4.4. Revision Requested
   - 4.5. Approved by Editor
   - 4.6. Approved by Manager
   - 4.7. Scheduled
   - 4.8. Published
   - 4.9. Rejected
5. The author selects a specific article (optional).
6. The system displays detailed information, including status history and feedback (if available).
7. The use case ends.
8.
9. Alternative Flows
10. No articles exist:
    - 10.1. The system displays a message: "No articles found."

11. Article data retrieval failure:
    11.1. The system displays an error message and suggests retrying.
12. Unauthorized access:
    12.1. The system denies access to articles not owned by the author.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in as Author The author has created at least one article
Post-conditions	The author can see the current status of their articles The author is informed about progress and any required actions (e.g., revisions)
Author	N/A
Assumptions	N/A

View Author Profile

A user views the profile page of an article's author to see information about them and their published content.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User, Visitor
Suppporting Actors	Author

Scenarios

Scenario

1. Main Flow of Events
2. The user opens an article.
3. The user clicks on the author's name or profile link.
4. The system retrieves the author's profile information.
5. The system displays the author's profile page, including:
   5.1. Author name
   5.2. Bio or description (if available)
   5.3. List of published articles
   5.4. Additional metadata (e.g., join date)
6. - 5. The user browses the author's profile.
7. - 6. The use case ends.
8.
9. Alternative Flows
10. Author profile not found:
    10.1. The system displays an error message: "Author profile not found."
11. Author has no published articles:
    11.1. The system displays the profile with a message: "No articles available."

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The author has a profile in the systemThe author has at least one published article (optional)
Post-conditions	The user views the author's profile information The system remains in a state where the user can navigate further
Author	N/A
Assumptions	N/A

View Profile

A registered user views their profile information.

Information

Rank	Unspecified
ID	
Status	Unspecified
Justification	
Primary Actors	Registred User
Suppporting Actors	

Scenarios

Scenario

1. Main Flow of Events:
2. The user navigates to their profile page.
3. The system retrieves user information.
4. The system displays profile details (name, email, etc.).
5. The system displays user-related data (e.g., articles if author).
6. The use case ends.
7.
8. Alternative Flows:
9. User data not found:
   9.1. The system displays an error message.

Details

Level	N/A
Complexity	N/A
Use Case Status	N/A
Implementation Status	N/A
Preconditions	The user is logged in
Post-conditions	The user views their profile information
Author	N/A
Assumptions	N/A