# Emollients





## Emollients... Your Essential Selection Guide

Croda's extensive range of emollients offers a broad spectrum of sensory and functional benefits to provide infinite formulation flexibility.

Take the guesswork out of your selection process and skip the "trial and error" phase with this easy to use selection guide for perfect results every time.

Product and INCI Name	Key Properties							Physical Form	E	mollience	After	feel	Function	nal Benet	its	Applications				Ad	Additional Comments		
	Skin Migration Value (mm² after 10 mins)	Degree of "Skin Play"	Refractive Index		Таск	Melting Point °C	Dynamic Viscosity (cP)	Required HLB			Heavy	Medium	Silky	Cushiony	Solvent for Waxes Pigment Wetting	Glossing Agent	Co-emulsifier	Body Care Facial Care	Sun Care	Hair Care	Colour Cosmetics	Green	
Arlamol™ HD Isohexadecane	1772	L	1.43	94 l	L	-	3.1	12	Low	Clear, colourless liquid		•	•					•	•		•	Exc	xcellent spreader that reduces greasiness of anhydrous systems.
Arlamol PS15E PPG-15 Stearyl Ether	739	M	1.44	84 N	М	-	56.2	10	High	Clear, pale yellow liquid		•					•	•			•	God	ood solvent for a wide range of actives.
Crodamol™ IPIS   Isopropyl Isostearate	1257	L	1.44	44 l	L	-	7.7	9	Medium	Clear, colourless liquid		•	•					•	•			■ Effe	ffective make-up remover. Proven moisturising benefits.
Crodamol ML Myristyl Lactate	-	М	1.44	38 L	L	-	-	12	-	Clear, pale yellow liquid/paste		•	•					•		•	•	■ Me	lelts on application to the skin. Reduces stickiness in roll-on antiperspirants and emulsion systems. Binder for pressed powders. Aqueous / alcoholic solubility up to 50:50.
Crodamol PIA Propylene Glycol Isoceteth-3 Acetate	1004	Н	1.44	59 l	L	-	17.9	-	High	Clear, colourless liquid		•	•			1	✓ I	•	•	•		Sel	elf-emulsifying oil. Excellent "skin play" for massage applications.
Crodamol SFX* PPG-3 Benzyl Ether Ethylhexanoate	1126	L	1.46	60 l	L	-	11.1	14	High	Clear, pale yellow liquid		•	•		1			•	•	•	•	God	ood alternative to volatile silicones especially cyclomethicone D5. Solvent for organic sunscreens.
Crodamol TN Isotridecyl Isononanoate	1153	L	1.44	37 l	L	-	9.1	10	Low	Clear, colourless liquid		•	•		1			•			•	Ser	ensorial replacement for cyclomethicone.
Crodamol W Stearyl Heptanoate (and) Stearyl Caprylate	-	M	1.44	63 l	L	25-27	-	8	-	Off-white solid		•		•				•	ı		•	App	pproved natural by Ecocert. High water repellency. Imparts a cooling effect on the skin.
Sensasil™ PCA PCA Dimethicone	387	L	1.40	74 l	L	-	619.6	10	Low	Yellow liquid		•						•	•	•	•	Cou	oupling agent for silicones and other oils.
Lanesta™ S Isopropyl Lanolate	-	Н	-	l	L	-	-	11	-	Yellow paste		•		•					•		•	■ Me	lelts on application to the skin. Readily absorbs without stickiness.
Cithrol™ PGMIS Propylene Glycol Isostearate	855	L	1.45	40 l	L	-	42.3	-	High	Clear, colourless liquid		•		•	1		√ I					Sol	olvent for organic sunscreens.
Crodamol DIPD Diisopropyl Dimer Dilinoleate	739	М	1.46	47 l	L	-	81.7	6	Medium	Clear, colourless liquid		•								•	•	■ Goo	ood lubrication and water repellent properties.
Crodamol DISD Diisostearyl Dimer Dilinoleate	133	L	1.47	20 l	L	-	270.6	7	Medium	Clear, colourless liquid		•									•	■ Enh	nhances wash-off resistance.
Crodamol GTEH Triethylhexanoin	962	М	1.44	31 L	L	-	22.8	10	Medium	Clear, colourless liquid		•		•	1						•	Ser	ensorial replacement for cyclomethicone. Solvent for organic sunscreens.
Crodamol GTIS Triisostearin	452	М	1.46	50 L	L	-	114	8	High	Clear, pale yellow liquid		•			1	1					•	■ App	pproved natural by Ecocert. Film forming properties.
Crodamol ISIS Isostearyl Isostearate	1018	М	1.46	00 L	L	-	34.9	11	Medium	Clear, colourless liquid		•		•	1						•	■ App	pproved natural by Ecocert. Boosts the natural skin barrier to improve skin hydration.
Crodamol SSA* Decyl Isostearate (and) Isostearyl Isostearate	1195	Н	1.45	08 L	L	-	18.9	9	Medium	Clear, colourless liquid		•		•							•	■ App	pproved natural by Ecocert. Sensory alternative to Squalane.
Crodamol STS* PPG-3 Benzyl Ether Myristate	945	Н	1.46	95 l	L	-	21.5	9	High	Clear, pale yellow liquid		•		•	1	1		•	-	•	•	Fur	unctional replacement for dimethicone. Enhances wash-off resistance. Confers hair glossing benefits.
Crodamol TINN Triisononanoin	944	М	1.44	68 L	L	-	46.8	11	Medium	Clear, colourless liquid		•		•							•	Pro	rovides even actives distribution and elegant, soft skin feel.
Crodamol TTIS Trimethylolpropane Triisostearate	380	М	1.46	30 L	L	-	137	6	Medium	Clear, pale yellow liquid		•			1 1	1					•	■ Red	educes skin migration/bleed in lip glosses.
Cromollient™ DP3A* Di-PPG-3 Myristyl Ether Adipate	855	М	1.45	00 L	L	-	65	11	High	Clear, colourless liquid		•		• ,	1 1						•	lmp	nparts distinctive rich skin feel without greasiness.
Cithrol GMIS 40 Glyceryl Isostearate	133	L	1.46	50 N	М	-	476.5	-	High	Clear, colourless liquid	•					1	√ I				•	■ App	pproved natural by Ecocert.
Cithrol GMM Glyceryl Myristate	-	-	-		-	44-46	-	-	-	White solid	•						√ I			•		App	pproved natural by Ecocert. Bodying agent.
Cithrol PG21IS Polyglyceryl-2 Isostearate	79	L	1.46	98 H	Н	-	1351.6	-	High	Clear, colourless liquid	•				1	1	√ I	•			•	■ Red	educes skin migration/bleed in lip glosses.
Cithrol PG23IS Polyglyceryl-2 Triisostearate	284	L	1.46	95 N	М	-	240	-	High	Clear, pale yellow liquid	•				1	1	√ I	•			•	■ Mo	dodifies viscosity of oily systems without stickiness.
Cithrol PG3PR Polyglyceryl-3 Polyricinoleate	113	L	1.47	90 H	Н	-	2288.5	-	High	Amber liquid	•				1	1	√ I	•	-		•	■ App	pproved natural by Ecocert.
Cithrol PG32IS Polyglyceryl-3 Diisostearate	79	L	1.47	07 H	Н	-	1779.3	-	High	Clear, pale yellow liquid	•				1 1	1	√ I	•	•		•	■ App	pproved natural by Ecocert.
Crodaderm™ S* Sucrose Polysoyate	177	L	1.47	54 N	М	-	320.3	6	High	Clear, pale yellow liquid	•				1	1					•	■ Exc	xceptional skin moisturising and softening benefits. Enhances the retention of actives.
Crodamol MM Myristyl Myristate	-	-	-		-	33-35	-	8	-	Off-white solid	•							•			•	■ App	pproved natural by Ecocert. Bodying agent.
Crodamol PTIS Pentaerythrityl Tetraisostearate	227	L	1.47	50 N	М	-	218.6	7	High	Clear, colourless liquid	•			• ,	1 1	1	1	•			•	■ Ent	nhances wash-off resistance. Good alternative to castor oil.
Cromollient ESP* Tris(PPG-3 Benzyl Ether) Citrate	99	L	1.49	38 N	M	-	361.4	13	High	Yellow to amber liquid	•					1					•	Wo	orks synergistically with organic sunscreens.
Cromollient SCE* Di-PPG-2 Myreth-10 Adipate	452	M	1.45	93 L	L	-	149.4	-	High	Clear, colourless liquid	•			• ,	1 1		1	•		•	•	Sui	uitable for clear surfactant systems.
Liquiwax™ PolyEFA* Octyldodecyl/PPG-3 Myristyl Ether Dimer	342	M	1.46	60 N	M	-	244.0	5	High	Clear, viscous liquid	•			•	1	1					•	Goo	ood pigment wetting properties.
Liquiwax PolyIPL* StearyI/PPG-3 Myristyl Ether Dimer Dilinoleate (and) Beeswax (Proposed)	-	М	1.46	40 N	М	-	-	-	-	Buttery yellow solid	•			•		1		•			•		Melts on application to the skin. Synthetic replacement for Isopropyl Lanolate.
Procetyl™ AWS PPG-5-Ceteth-20	70	L	1.45	92 H	Н	-	163.6	-	High	Clear/hazy colourless liquid	•				1		1			•	•	Exc	xcellent solubiliser and wetting agent.
Supermol™ L Pentaerythrityl Isostearate/Caprate/Caprylate/Adipate	154	L	1.46	85 N	M	-	767.2	5	High	Clear, yellow liquid	•				1 1	1					•	■ Sup	uperfatting agent. Excellent pigment wetting properties.
Supermol S Pentaerythrityl Stearate/Caprate/Caprylate/Adipate	-	M	-	N	М	-	-	11	-	Yellow paste	•			•		1						■ Sup	uperfatting agent. Melts on application to the skin.
Super Sterol Ester C10-30 Cholesterol/Lanosterol Esters	-	L	1.47	10 H	Н	-	-	9	-	White paste	•			•		1							kin replenishing, protection and repair benefits. Biomimetic emollient. Melts on application to the skin.
Super Sterol Liquid C10-30 Cholesterol/Lanosterol Esters	177	1	1.48		M	_	682.5	6	Medium	Clear, colourless liquid	•				1	1							kin replenishing, protection and repair benefits. Biomimetic emollient.

Skin Migration Value - defines the degree of migration, over a 10 minute period, when 20ul of product is dropped onto Vitro Skin™ under controlled conditions.

Skin Play - relates to the application properties of the emollients and defines the "massagability" of the product in terms of ease and duration. This parameter was assessed using a panel of sensory evaluators.

A material with a high degree of skin play (H) will move freely over the surface of the skin during application and will remain on the surface of the skin long enough to facilitate spreading and even coverage. Such materials are ideal for body moisturisers, self-tanning products, sun care and foundations.

A material with low skin play (L) will not move freely over the surface of the skin during application. This may be a highly tenacious product with rheological properties that do not favour extensive spreading or it may be an emollient that is quickly absorbed into the skin.

Refractive Index - measured at 25°C using an Abbe Refractometer. Refractive index can be used to define shine properties. In general terms, the higher the RI the greater the propensity to convey shine either on the skin or on hair. For a matifying effect, a material with a low RI should be selected.

Tack - assessed using a panel of sensory evaluators.

Dynamic Viscosity - measured at 30°C using the Anton Parr SVM 3000 Stabinger Viscometer according to ASTM D7042 test method.

Afterfeel:

Silky - a light, smooth skin feel Cushiony - a robust, soft, velvety skin feel

#### Emollience

- Evaluated from a simple base formulation
- Evaluated in neat form

\* Patented product



### Croda Offices

#### Europe, Middle East, Africa

Tel: +44 (0)1405 860551 Fax: +44 (0)1405 861767 pc-europe@croda.com www.croda.com/europe/pc

#### **North America**

Tel: +1 732 417 0800 Fax: +1 732 417 0804 marketing-usa@croda.com www.croda.com/na/pc

#### **Latin America**

Tel: +55 (0)19 37653500 Fax: +55 (0)19 37653536 marketingla@croda.com www.croda.com/la/pc

#### **Asia Pacific**

Tel: +65 65519600 Fax: +65 65519550 pc-asia@croda.com www.croda.com/asia

#### Non-warranty

The information in this publication is believed to be accurate and is given in good faith, but no representation or warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representation or warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties of merchantability, fitness for a particular purpose, non-infringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and designs. Any trademarks identified herein are trademarks of the Croda group of companies.

