Using artificial intelligence to improve decision-making in conservation conflicts
Ten-week report

Adrian Bach

December 8, 2018

Contents

1 Conservation conflicts

At the beginning of what could be a new mass extinction episode (LACKS REF), preserving the remaining Nature is a central concern for humanity. Many convictions can justify this statement, but the fact is we undeniably depend on the services ecosystems provide us. (no need for references, right?) Pollination, soil enrichment, water treatment, among many more, are essential for food production for example. However, the key for the permanence of ecosystems is diversity, as it assures a quick and dynamic response to change. Note that this variety is often an inspiration for innovation in any kind of technology. Thus, conservation of biodiversity have become a leading field of research and application.

1.1 Conservation

Definition of conservation. Conservation can be applied in many different policies. It can be preventive, by establishing protected area to preserve intact ecosystems from human impact (Wilgen and Biggs, 2011; **?**), or in direct reaction to a problem without preventing contact, *e.g.* culling control by monetary incentives (Mason et al., 2017; **?**). Another example is offsetting, meaning implementing elsewhere the natural features damaged somewhere by human activity (Gordon et al., 2011). Yet, completely successful implementation of conservation is scarce because of the numerous challenges it faces (**??**).

1.2 Problems faced in conservation

1.2.1 Complexity

Conservation problems are recognized as highly complex and densely interconnected systems, including ecology, sociology, agronomy and climatology simultaneously. Therefore, it is often impossible to isolate the causes of unexpected changes in the system.

1.2.2 Lack of data

These features make monitoring very expensive, time demanding, and often irrelevant, as the number of possible variables is too large. Thus, conservation policies often lack data to account for their effectiveness, or to understand failure.

1.2.3 Rigidity

Moreover, the Ref: geese case, apply a simple protection lead to population reaching conflictual numbers.

Other limits in keith2011uncertainty about politics and self-serving. Unexpectedly, there is little evidence that bigger budgets make conservation easier or more effective (Ref: game2013conservation)

1.3 More generally, uncertainty

At four main levels: population dynamics, links between components of the ecosystems, type of estimation of the population, making the right decision without knowing precisely the outcomes, reaction of the users, politics, response of the system, ...

2 Adaptive management

2.1 Purpose

how it deals with certain problems. Acting while acquiring informations, learning from mistakes, closer to the system response to act as quickly as possible.

2.2 Limits

critics from game2013.
High diversity, lack of common framework. Ref: schluter2012.
other unresolved problems from above.

3 Modelling

need for it, because conservation complexity is usually beyond our direct understanding. Decision helping tools, capable of considering more features than we do simultaneously.

3.1 Different models used in literature

examples. Ref: schluter2012, rumpff2011 (dealt with uncertainty by implementing different scenarios), brainbridge2017.

For a proper implementation, need for human decision-making modelling, because one of the main reasons for failures. Ref: schluter2012.

Even if it effectively protects species from going extinct, conservation mismanagement can lead population to reach problematical numbers for human livelihood.

4 Conflicts

This is when conflicts arise, because people impacted by a protected population's growth are very likely to defect conservation policies, which can be threatening for the species persistence.
Definition of a conflict. Ref: Redpath's book.
Examples from ConFooBio. Ref: Redpath's book, redpath2013, mason2017. Elsewhere: behr2017, glynatsi2018.

4.1 Divergent interests between stakeholders

The inherent problem in conflicts is obviously the divergence of stakeholders interests. Farmers are usually way more interested in the yield they live on then the survival of the species that is part of its decreasing. The reaching of a consensus is therefore a unproductive process, moreover it can prevent the situation to change in a equitable way (Peterson et al., 2005).

4.2 MSE

Schema. All the problems it deals with.
First implemented in fisheries than applied on terrestrial animals conservation. Ref: bunnefeld2011, bunnefeld2013.

5 Decision-making modelling

Most successful approach is game theory, initiated by ??? in ??? in their book ??? economics.

5.1 Game theory

brief description. Ref: myerson1997.
Definition of the key concepts like utility. Ref: myerson1997.

5.2 Application to conservation conflicts

Ref: colyvan2011, Glynasti2018 (emphasize on the fact that it's recent).

Recently developed a model coupling all this.

6 GMSE

Ref: duthie2018gmse. emphasize on its novelty.

6.1 Formalisation of MSE framework

describe how it falls in MSE framework, how it deals with uncertainty at each level, consensus biases, long term foreseeing.
Explain clearly what it is meant for.

6.2 First IBM in conservation

"Individualbased models (IBMs; also known as agent-based models) are used to model the behaviour of a system at an individual level by specifying simple rules for agents and allowing them to interact. These models allow for complex behaviour to emerge from simple interactions, though this comes at some cost to interpretation and analysis." Ref: hamblin2012parctical.

6.3 Decision-making artificial intelligence

Genetic algorithm. Very accessible worded explanation. ref: hamblin2012practical
How is it suited to human decision-making?
Also used in solving game theoretical problems. Ref: Maynard Smith 1982.
An example of interaction between IBM and genetic algorithm was in hamblin2009, where the parameter governing the interaction rules in foraging ants where allowed to evolve through a GA.

6.4 limits

6.4.1 Theoretical

Agents act independently, which is very unlikely. REF???!!
Different types of conservation interests. Would be interesting to implement.
Does not consider the do nothing option which is sometimes interesting.
Measure of conflict intensity?

6.4.2 Computational

Computing time when the number of stakeholders increases.
Lacks machine learning to be a proper artificial intelligence.
Parallelism in general.

7 Research Questions

They have to be very closely related to conservation (to avoid making it a mere modelling project)

7.1 Case study: Geese

Description. Ref: mason2017, brainbridge2017. Its attributes (liked with the limits of GMSE).

from now on always speak about goose, state and farmers to settle the problem in the context of geese

7.2 Is waiting an interesting option for managers?

Recently introduced in iacona2017evolutionary: optimal delay before using funds.

7.2.1 Calculus of impact

Dr Ascelin Gordon: the difference in the variable of interest when manager acts or do nothing. Implementing the 'doing nothing' option in GMSE. Quantitatively assess the impact on repeated simulations. Mean deviation from conservation target at each time step.
According to duthie2018gmse. The number of extinctions over several simulations increases exponentially with the frequence of manager non-intervention. So, I suspect it is going to show that doing nothing is not sustainable as a policy in itself. Surprise! But is it necessary to act as each time step, "as soon as possible"?

7.2.2 Action threshold

Currently in GMSE, a parameter sets the number of the manager's interventions per time step. Rigid, insensible to the situation, action if pop > ou < target, regardless of the size of this difference. acting even if the population if only a few individuals from the target.
First, fixed deviation from manager's target as an action threshold. has to be relative the the population size though, if population size is 100, 50 individuals missing or extra is very concerning, yet it is less if population size is tens of thousands. For example I could test thresholds of 1, 5, 10, . . . % of target.
Quantitative assessment of the impact on the "quality" of the policy over repeated simulations for increasing threshold values: mean deviation from manager's target? Impact? Conflict reduction? number of extinctions? (Is there a chance that the result will be the same as the manager intervention frequency?)
Dynamic threshold? A function of deviation from target, or conflict intensity, that would modify the action threshold.
Waiting could imply saving a certain amount of budget for next step. Something that could also concern the users, maybe highlighting a best time to act.

7.3 Including human values in adaptive management

All conservationists have different goals according to their values, it would be interesting to implement this. Using the framework from futureconservation.org, I could use quantitative measures of conservationists values and attribute utilities accordingly, and assess if it indeed produce the expected results. Users yields and population size according to the value on nature - people axis, and to conservation - capitalism one.

7.4 Standing alone: how to manage a conservation conflict with interacting users?

Possibly interaction among users, the information they perceive on their neighbours could influence their strategy.

8 Expected outputs

At least a paper on the action threshold, a talk in Newcastle, a poster in winter symposium, a participation at the Trondheim workshop. Updated version of GMSE. Field work for SNH, possibly in the policy team to which Aileen is close.

References

Bainbridge, I.
2017. Goose management in scotland: An overview. *Ambio*, 46(2):224–230.

Behr, D. M., A. Ozgul, and G. Cozzi
2017. Combining human acceptance and habitat suitability in a unified socio-ecological suitability model: a case study of the wolf in switzerland. *Journal of Applied Ecology*, 54(6):1919–1929.

Bunnefeld, N., C. T. T. Edwards, A. Atickem, F. Hailu, and E. J. Milner-Gulland
2013. Incentivizing monitoring and compliance in trophy hunting. *Conservation Biology*, 27(6):1344–1354.

Bunnefeld, N., E. Hoshino, and E. J. Milner-Gulland
2011. Management strategy evaluation: a powerful tool for conservation? *Trends in Ecology and Evolution*, 26(9):441 – 447.

Caswell, H.
1988. Theory and models in ecology: A different perspective. *Bulletin of the Ecological Society of America*, 69(2):102–109.

Colyvan, M., J. Justus, and H. M. Regan
2011. The conservation game. *Biological Conservation*, 144(4):1246 – 1253. Adaptive management for biodiversity conservation in an uncertain world.

Cusack, J. J., A. B. Duthie, O. S. Rakotonarivo, R. A. Pozo, T. H. E. Mason, J. Månsson, L. Nilsson, I. M. Tombre, E. Eythórsson, J. Madsen, A. Tulloch, R. D. Hearn, S. Redpath, and N. Bunnefeld
2018. Time series analysis reveals synchrony and asynchrony between conflict management effort and increasing large grazing bird populations in northern europe. *Conservation Letters*, 0(0):e12450.

Duthie, A. B., J. J. Cusack, I. L. Jones, J. Minderman, E. B. Nilsen, R. A. Pozo, O. S. Rakotonarivo, B. Van Moorter, and N. Bunnefeld
2018. Gmse: an r package for generalised management strategy evaluation. *Methods in Ecology and Evolution*.

Game, E. T., E. Meijaard, D. Sheil, and E. McDonald-Madden
2013. Conservation in a wicked complex world; challenges and solutions. *Conservation Letters*, 7(3):271–277.

Glynatsi, N. E., V. Knight, and T. E. Lee
2018. An evolutionary game theoretic model of rhino horn devaluation. *Ecological Modelling*, 389:33–40.

Gordon, A., W. T. Langford, J. A. Todd, M. D. White, D. W. Mullerworth, and S. A. Bekessy
2011. Assessing the impacts of biodiversity offset policies. *Environmental Modelling and Software*, 26(12):1481 – 1488.

Grimm, V., T. Wyszomirski, D. Aikman, and J. Uchmański
1999. Individual-based modelling and ecological theory: synthesis of a workshop. *Ecological Modelling*, 115(2):275 – 282.

Hamblin, S.
2013. On the practical usage of genetic algorithms in ecology and evolution. *Methods in Ecology and Evolution*, 4(2):184–194.

Hilbe, C., S. Simsa, K. Chatterjee, and M. A. Nowak
2018. Evolution of cooperation in stochastic games. *Nature*, 559(7713):246.

Iacona, G. D., H. P. Possingham, and M. Bode
2017. Waiting can be an optimal conservation strategy, even in a crisis discipline. *Proceedings of the National Academy of Sciences*, 114(39):10497–10502.

Keith, D. A., T. G. Martin, E. McDonald-Madden, and C. Walters
2011. Uncertainty and adaptive management for biodiversity conservation. *Biological Conservation*, 144(4):1246 – 1253. Adaptive management for biodiversity conservation in an uncertain world.

Mason, T. H. E., A. Keane, S. M. Redpath, and N. Bunnefeld
2017. The changing environment of conservation conflict: Geese and farming in scotland. *Journal of Applied Ecology*, 55(2):651–662.

Maynard-Smith, J. and G. R. Price
1973. The logic of animal conflict. *Nature*, 246:15–18.

Myerson, R. B.
1997. *Game Theory: Analysis of Conflict*, 1st paperback edition edition. Harvard University Press.

Peterson, M. N., M. J. Peterson, and T. R. Peterson
2005. Conservation and the myth of consensus. *Conservation Biology*, 19(3):762–767.

Redpath, S., A. Keane, H. Andrén, Z. Baynham-Herd, N. Bunnefeld, A. Duthie, J. Frank, C. Garcia, J. Månsson, L. Nilsson, C. Pollard, O. Rakotonarivo, C. Salk, and H. Travers
2018. Games as tools to address conservation conflicts. *Trends in Ecology and Evolution*, 33(6):415–426.

Redpath, S. M., R. J. Gutierrez, K. A. Wood, and J. C. Young
2015. *Conflicts in conservation: navigating towards solutions*. Cambridge University Press.

Rumpff, L., D. Duncan, P. Vesk, D. Keith, and B. Wintle
2011. State-and-transition modelling for adaptive management of native woodlands. *Biological Conservation*, 144(4):1224 – 1236. Adaptive management for biodiversity conservation in an uncertain world.

Runge, M. C., S. J. Converse, and J. E. Lyons
2011. Which uncertainty? using expert elicitation and expected value of information to design an adaptive program. *Biological Conservation*, 144(4):1214 – 1223. Adaptive management for biodiversity conservation in an uncertain world.

Schlüter, M., R. McAllister, R. Arlinghaus, N. Bunnefeld, K. Eisenack, F. Hoelker, E. Milner-Gulland, B. Müller, E. Nicholson, M. Quaas, et al.
2012. New horizons for managing the environment: A review of coupled social-ecological systems modeling. *Natural Resource Modeling*, 25(1):219–272.

Tilman, A. R., J. R. Watson, and S. Levin
2017. Maintaining cooperation in social-ecological systems. *Theoretical Ecology*, 10(2):155–165.

Wilgen, B. V. and H. Biggs
2011. A critical assessment of adaptive ecosystem management in a large savanna protected area in south africa. *Biological Conservation*, 144(4):1179 – 1187. Adaptive management for biodiversity conservation in an uncertain world.