

[Home](#)[GitHub](#)

CLASSES

[ArticlesService](#)[ErrorBoundary](#)

EVENTS

[SIGINT](#)[unhandledRejection](#)

NAMESPACES

[apiConfig](#)[contactoEmergenciaService](#)[diarioService](#)

GLOBAL

[404_Error_Handler](#)[ACTIVIDADES](#)[API_URL](#)[ASPECTOS_COGNITIVOS](#)[ActionCard](#)[ActivitySelector](#)[App](#)[Articulos](#)[AuthButtons](#)[AuthLayout](#)[Button](#)[CORS_Configuration](#)[Card](#)[Carousel](#)[Checkbox](#)[CircularProgress](#)[CognitionSelector](#)[Diario](#)[DiaryBanner](#)[DiaryEditor](#)[DiaryEntry](#)[EMOCIONES](#)[EmergencyButton](#)[EmergencyModal](#)[EmotionSelector](#)[EmotionStats](#)

frontend/src/components/layout/AuthLayout.jsx

```
1.  /**
2.   * @file Layout para las páginas de autenticación.
3.   * @description Proporciona una estructura consistente para las pági
4.   * @requires react
5.   * @requires ../atoms/Logo
6.   * @requires ../../styles/layout/AuthLayout.css
7.   */
8.  import React from "react";
9.  import Logo from "../atoms/Logo";
10. import "../../styles/layout/AuthLayout.css";
11.
12. /**
13.  * @function AuthLayout
14.  * @description Renderiza un layout centrado para los formularios de
15.  * @param {object} props - Las propiedades del componente.
16.  * @param {React.ReactNode} props.children - El contenido a renderiz
17.  * @returns {JSX.Element} El componente de layout de autenticación.
18.  */
19. const AuthLayout = ({ children }) => {
20.   return (
21.     <div className="auth-layout">
22.       <div className="auth-container">
23.         <div className="auth-logo">
24.           <Logo />
25.         </div>
26.         <div className="auth-content">
27.           {children}
28.         </div>
29.         <div className="auth-footer">
30.           <p>&copy; {new Date().getFullYear()} MindCare -
31.         </div>
32.       </div>
33.     </div>
34.   );
35. };
36.
37. export default AuthLayout;
```

Documentation generated by [JSDoc 4.0.5](#) on Fri Feb 13 2026 09:08:14 GMT+0000 (Coordinated Universal Time) using the [docdash](#) theme.