

[Home](#)[GitHub](#)

CLASSES

[ErrorBoundary](#)

EVENTS

[SIGINT](#)[unhandledRejection](#)

NAMESPACES

[apiConfig](#)[contactoEmergenciaService](#)[diarioService](#)

GLOBAL

[404_Error_Handler](#)[ACTIVIDADES](#)[API_URL](#)[ASPECTOS_COGNITIVOS](#)[ActionCard](#)[ActivitySelector](#)[App](#)[AuthButtons](#)[AuthLayout](#)[Button](#)[CORS_Configuration](#)[Card](#)[Carousel](#)[Checkbox](#)[CircularProgress](#)[CognitionSelector](#)[Diario](#)[DiaryBanner](#)[DiaryEditor](#)[DiaryEntry](#)[EMOCIONES](#)[EmergencyButton](#)[EmergencyModal](#)[EmotionSelector](#)[EmotionStats](#)[Footer](#)[GET /](#)

frontend/src/App.js

```
1.  /**
2.   * @file Componente raíz de la aplicación.
3.   * @description Configura el enrutador, las rutas, los layouts y el
4.   * @requires react
5.   * @requires react-router-dom
6.   * @requires react-hot-toast
7.   * @requires ./styles/App.css
8.   * @requires ./components/molecules/Navbar
9.   * @requires ./components/layout/MainLayout
10.  * @requires ./components/layout/AuthLayout
11.  * @requires ./components/organisms/ErrorBoundary
12.  * @requires ./pages/Landing
13.  * @requires ./pages/Login
14.  * @requires ./pages/Register
15.  * @requires ./pages/Home
16.  * @requires ./pages/Seguimiento
17.  * @requires ./pages/Diario
18.  * @requires ./store/authStore
19.  */
20. // src/App.js
21. import React from "react";
22. import { BrowserRouter as Router, Routes, Route, Navigate } from "react-router-dom";
23. import { Toaster } from 'react-hot-toast';
24.
25. import './styles/App.css';
26. import Navbar from "./components/molecules/Navbar";
27. import MainLayout from "./components/layout/MainLayout";
28. import AuthLayout from "./components/layout/AuthLayout";
29. import ErrorBoundary from "./components/organisms/ErrorBoundary";
30. import Landing from "./pages/Landing";
31. import Login from "./pages/Login";
32. import Register from "./pages/Register";
33. import Home from "./pages/Home";
34. import Seguimiento from "./pages/Seguimiento";
35. import Diario from "./pages/Diario";
36.
37. import { useAuthStore } from "./store/authStore";
38.
39. /**
40.  * @function App
41.  * @description Componente principal que renderiza la aplicación, ge
42.  * @returns {JSX.Element} El componente de la aplicación.
43.  */
44. function App() {
45.     const { user, token } = useAuthStore();
46.
47.     /**
48.      * @function ProtectedRoute
49.      * @description Un componente que envuelve las rutas para protege
50.      * @description Redirige a los usuarios no autenticados a la pág
51.      * @param {object} props - Las propiedades del componente.
52.      * @param {React.ReactNode} props.children - Los componentes hij
53.      * @returns {JSX.Element} Los componentes hijos o una redirecció
54.      */
```

```

55.     const ProtectedRoute = ({ children }) => {
56.         // Verificar tanto user como token
57.         const isAuthenticated = user && token;
58.
59.         if (!isAuthenticated) {
60.             console.log('ProtectedRoute: Usuario no autenticado, redirigir a login');
61.             return <Navigate to="/login" replace />;
62.         }
63.
64.         return children;
65.     };
66.
67.     return (
68.         <ErrorBoundary>
69.             <Router>
70.                 <Toaster
71.                     position="top-right"
72.                     toastOptions={{
73.                         duration: 3000,
74.                         style: {
75.                             background: '#363636',
76.                             color: 'fff',
77.                             padding: '16px',
78.                             borderRadius: '8px',
79.                         },
80.                         success: {
81.                             duration: 3000,
82.                             iconTheme: {
83.                                 primary: '#4f46e5',
84.                                 secondary: 'fff',
85.                             },
86.                         },
87.                         error: {
88.                             duration: 4000,
89.                             iconTheme: {
90.                                 primary: '#ef4444',
91.                                 secondary: 'fff',
92.                             },
93.                         },
94.                     }}
95.                 />
96.             <Routes>
97.                 /* Landing con Navbar global (mantiene diseño actual)
98.                 <Route path="/" element={
99.                     <>
100.                        <Navbar />
101.                        <Landing />
102.                    </>
103.                } />
104.
105.                 /* Auth pages con AuthLayout (sin navbar, diseño centrado)
106.                 <Route path="/login" element={
107.                     <AuthLayout>
108.                         <Login />
109.                     </AuthLayout>
110.                 } />
111.
112.                 <Route path="/register" element={
113.                     <AuthLayout>
114.                         <Register />
115.                     </AuthLayout>
116.                 } />
117.
118.                 /* Páginas protegidas con MainLayout (navbar + footer)

```

```
119.     <Route path="/home" element={
120.         <MainLayout>
121.             <ProtectedRoute>
122.                 <Home />
123.             </ProtectedRoute>
124.         </MainLayout>
125.     } />
126.
127.     <Route path="/seguimiento" element={
128.         <MainLayout>
129.             <ProtectedRoute>
130.                 <Seguimiento />
131.             </ProtectedRoute>
132.         </MainLayout>
133.     } />
134.
135.     <Route path="/diario" element={
136.         <MainLayout>
137.             <ProtectedRoute>
138.                 <Diario />
139.             </ProtectedRoute>
140.         </MainLayout>
141.     } />
142.     </Routes>
143. </Router>
144. </ErrorBoundary>
145. );
146. }
147.
148. export default App;
```