



Runs Test



Histogram of residuals w/ normal curve



| | | | | | |
|---|----------------------------------|-----------------------|-----------------------|----------|--------|
| Breusch–Pagan test for heteroskedasticity: | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | P-values | 0.9601 |
| Harrison–McCabe test for heteroskedasticity: | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | | 0.576 |
| Breusch–Godfrey test for higher–order serial correlation: | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | | 2e–04 |
| Durbin–Watson test for autocorrelation of disturbances: | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | | 0 |
| Lilliefors (Kolmogorov–Smirnov) test for normality: | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | | 0.8521 |
| Anderson–Darling test for normality: | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | | 0.9741 |
| Pearson chi-square test for normality: | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | | 0.8214 |
| Shapiro–Wilk test for normality: | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | | 0.9948 |
| Phillips–Perron test for null hypothesis x has a unit root: | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | | 0.0892 |
| Runs test: | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | | 0.8129 |