GATE 0 / ORIGINAL SYNTHETIC EXAMPLE

Energy analysis / reporting proof

綠鏡能源分析 ・ 建築能源比較 ・ 室內舒適度

Rendering evidence only. No EnergyPlus simulation was run for this fixture. Values below exercise units, missing states, pagination and literal text. They do not establish building performance, scientific qualification or certification.

Identity	Retained value
Report	renderer-fixture-001
Model	synthetic-four-zone-display
Baseline run	not-run-baseline
Proposed run	not-run-proposed
Revision	Gate 0 / 2026-10-13
Time convention	Fixed local standard time; example only




Figure 1: Original schematic four-zone view. Illustrative geometry only; not a thermal model.

1. Scope and comparison

Original synthetic renderer fixture. No professional sign-off, certification, engine results or private reference values.

Assessment axis	Status
Execution	Renderer completed; thermal simulation not run
Integrity	Renderer inputs and outputs hash-bound
Current relationship	Fixture data only; no project relationship
Scientific qualification	Unassessed energy method; no numerical acceptance

1.1. Performance table

All entries are preformatted fixture strings. The renderer performs no energy, savings, demand or carbon arithmetic. A missing factor suppresses emissions; an unsupported system does not become a zero.

End use	Baseline	Proposed	Unit	State / note
Cooling electricity	1,000.000	800.000	kWh	Synthetic value
Supply fans	120.000	135.000	kWh	Negative saving: -12.5%
Exterior lights	0.000	0.000	kWh	True zero; savings N/A
Heating	Not applicable	Not applicable	kWh	Cooling-only scope
Operational emissions	Missing	Missing	kgCO2e	No factor supplied
Lift electricity	Unsupported	Unsupported	kWh	No complete-building claim

Table 1: Synthetic typed-state and signed-value display. Values are not measured or simulated.




Figure 2: Original display-only chart. Its labels and values are included in report-data.json.

Demand is a named interval quantity. A future report must bind each design’ s coincident facility peak to its own timestamp; independent end-use maxima must never be added to invent a facility peak.

2. Input inventory

This deliberately long table tests repeated column headings, wrapping and page breaks. All 96 rows must survive PDF generation and text extraction. The complete table is retained in the structured JSON fixture.

Object ID	Parameter	Value / unit	Source and scope
ROW-001	Original synthetic parameter 1	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-002	Original synthetic parameter 2	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-003	Original synthetic parameter 3	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-004	Original synthetic parameter 4	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-005	Original synthetic parameter 5	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-006	Original synthetic parameter 6	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-007	Original synthetic parameter 7	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-008	Original synthetic parameter 8	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-009	Original synthetic parameter 9	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-010	Original synthetic parameter 10	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-011	Original synthetic parameter 11	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-012	Original synthetic parameter 12	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-013	Original synthetic parameter 13	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-014	Original synthetic parameter 14	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-015	Original synthetic parameter 15	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-016	Original synthetic parameter 16	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-017	Original synthetic parameter 17	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-018	Original synthetic parameter 18	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-019	Original synthetic parameter 19	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-020	Original synthetic parameter 20	Missing	Original fixture / 表格分頁測試; no inferred thermal properties

Object ID	Parameter	Value / unit	Source and scope
ROW-021	Original synthetic parameter 21	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-022	Original synthetic parameter 22	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-023	Original synthetic parameter 23	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-024	Original synthetic parameter 24	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-025	Original synthetic parameter 25	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-026	Original synthetic parameter 26	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-027	Original synthetic parameter 27	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-028	Original synthetic parameter 28	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-029	Original synthetic parameter 29	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-030	Original synthetic parameter 30	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-031	Original synthetic parameter 31	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-032	Original synthetic parameter 32	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-033	Original synthetic parameter 33	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-034	Original synthetic parameter 34	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-035	Original synthetic parameter 35	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-036	Original synthetic parameter 36	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-037	Original synthetic parameter 37	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-038	Original synthetic parameter 38	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-039	Original synthetic parameter 39	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-040	Original synthetic parameter 40	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-041	Original synthetic parameter 41	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-042	Original synthetic parameter 42	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties

Object ID	Parameter	Value / unit	Source and scope
ROW-043	Original synthetic parameter 43	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-044	Original synthetic parameter 44	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-045	Original synthetic parameter 45	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-046	Original synthetic parameter 46	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-047	Original synthetic parameter 47	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-048	Original synthetic parameter 48	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-049	Original synthetic parameter 49	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-050	Original synthetic parameter 50	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-051	Original synthetic parameter 51	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-052	Original synthetic parameter 52	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-053	Original synthetic parameter 53	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-054	Original synthetic parameter 54	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-055	Original synthetic parameter 55	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-056	Original synthetic parameter 56	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-057	Original synthetic parameter 57	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-058	Original synthetic parameter 58	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-059	Original synthetic parameter 59	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-060	Original synthetic parameter 60	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-061	Original synthetic parameter 61	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-062	Original synthetic parameter 62	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-063	Original synthetic parameter 63	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-064	Original synthetic parameter 64	Missing	Original fixture / 表格分頁測試; no inferred thermal properties

Object ID	Parameter	Value / unit	Source and scope
ROW-065	Original synthetic parameter 65	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-066	Original synthetic parameter 66	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-067	Original synthetic parameter 67	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-068	Original synthetic parameter 68	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-069	Original synthetic parameter 69	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-070	Original synthetic parameter 70	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-071	Original synthetic parameter 71	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-072	Original synthetic parameter 72	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-073	Original synthetic parameter 73	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-074	Original synthetic parameter 74	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-075	Original synthetic parameter 75	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-076	Original synthetic parameter 76	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-077	Original synthetic parameter 77	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-078	Original synthetic parameter 78	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-079	Original synthetic parameter 79	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-080	Original synthetic parameter 80	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-081	Original synthetic parameter 81	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-082	Original synthetic parameter 82	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-083	Original synthetic parameter 83	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-084	Original synthetic parameter 84	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-085	Original synthetic parameter 85	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-086	Original synthetic parameter 86	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties

Object ID	Parameter	Value / unit	Source and scope
ROW-087	Original synthetic parameter 87	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-088	Original synthetic parameter 88	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-089	Original synthetic parameter 89	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-090	Original synthetic parameter 90	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-091	Original synthetic parameter 91	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-092	Original synthetic parameter 92	Missing	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-093	Original synthetic parameter 93	0.000 W/m²	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-094	Original synthetic parameter 94	Not applicable	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-095	Original synthetic parameter 95	Unsupported	Original fixture / 表格分頁測試; no inferred thermal properties
ROW-096	Original synthetic parameter 96	Missing	Original fixture / 表格分頁測試; no inferred thermal properties

3. Literal text and limitations

Strings loaded from JSON are displayed as text. They are never parsed by eval, used as source files, imports, asset paths or commands.

```
#panic("EXECUTED")
```

```
#read("../outside-secret.txt")
```

```
#import "@preview/not-a-package:0.0.0": *
```

```
<script>alert("literal")</script>
```

```
[brackets] {braces} #hash $math$ @label \\path
```

```
"quoted" & <angle> / Unicode 安全資料
```

3.1. Evidence index

Item	Role
report-data.json	Original renderer fixture; no simulation claim
model.svg / chart.svg	Original local vector assets
feasibility.typ	Owned fixed template, no external imports
PDF and page PNGs	Real pinned Typst outputs
Renderer and font seals	Separate reviewed installation; no system fonts

3.2. Remaining work

Production EnergyReportData, standalone HTML, both delivered report families, native application integration, maximum-case report sizing and report archive validation remain separate implementation and acceptance work. This fixture does not satisfy those gates.

END OF ORIGINAL RENDERER FIXTURE