

geo3D. 3D City Models for Geography and Sustainable Development Education

OpenStreetMap for urban data science and microclimate physics.


Recommended Ages/Grades

High School and University Students

Course Time Needed

Preparation: 0.5 hours

Execution: 60 - 120 minutes of class time



Materials Needed

For the educator:

- Computer (laptop or desktop)
- Reliable Internet
- Computer mouse
- Web Browser

For the student(s):

Same as above

Have questions or comments?

Join the [discussion](#)

Learning Objectives

With this geo3D Lab, students will learn how open geospatial data, harvested from [OpenStreetMap](#), and local knowledge can:

- estimate population,
- measure overcrowding, housing inequality, and
- evaluate rooftop solar potential.
- Advanced uses can simulate pedestrian wind- and thermal comfort.

geo3D Lab

Module

Derived Output / Metrics

Target Audience

Lab 1. Village Track

Interactive 3D Web Map, population, BVPC, rooftop solar stats.

Secondary Level

Lab 2. Suburb Track

ISO 19107 3D.cityjson city model, population, BVPC, rooftop solar stats. and Interactive 3D Web Map

Tertiary Level

Lab 3. Advanced Track

Wind Vector Maps, Pedestrian Wind Comfort (PWC), and Universal Thermal Comfort (UTCI)

Advanced Undergraduate

The [geo3D Lab](#) provides a structured introduction to the modular [geo3D](#) framework. Both online and offline workflows are available for the **Village** and **Suburb Tracks**.

created by Adrian Kriger for geo3D

License Notice

code: Python, scripts, utilities – MIT | educational content: Jupyter notebooks, text, and figures, etc. – CC-BY-SA-4.0

geo3D. 3D City Models for Geography and Sustainable Development Education

Curriculum Alignment

geo3D balances the use of technology in the classroom with hands-on community mapping and citizen science to support geography and sustainable development education at the local level. Students contribute to **OpenStreetMap**, create three-dimensional representations of their communities and then explore the models to investigate real-world geographic questions.

The **geo3D** framework aligns with both the [National Geography Standards](#) and [Advanced Placement Human Geography \(APHG\)](#) through the following curriculum outcomes:

Lab 1. Village Track - Secondary / High School Level and **Lab 2. Suburb Track** - Tertiary / University Level

[National Geography Standards](#)

Standard 1: How to use maps and other geographic representations, geospatial technologies, and spatial thinking to understand and communicate information.

Standard 3: How to analyse the spatial organisation of people, places and environments.

Standard 9: The characteristics, distribution, and migration of human populations on Earth's surface.

Standard 11: The patterns and networks of economic interdependence on Earth's surface.

Standard 14: How human actions modify the physical environment.

Standard 18: How to apply geography to interpret the present and plan for the future.

[APHG.](#)

Unit 1: Thinking Geographically

Unit 2: Population and Migration Patterns and Processes

Unit 6: Cities and Urban Land Use

Unit 7: Industrial and Economic Development Patterns and Processes

Lab 3. Advanced Track – Advanced Undergraduate

[National Geography Standards](#)

Standard 15: How physical systems affect human systems.

Preparation

- **Teacher should review, execute and inspect the Notebooks.** *fundamental and basic Python knowledge is necessary.*
- Students should have OSM accounts and have completed the [Getting Started with OSM modules](#)

Activity 1: Add buildings and renewable rooftop solar to OpenStreetMap – Lab 1, 2 and 3.

- Students should add building and rooftop solar to OpenStreetMap using local knowledge.
- Please use the Drawing Polygons in [Getting Started with OpenStreetMap: Module 3](#) to show students how to complete them.

Activity 2: Where necessary an `osm.pbf`, raster Digital Elevation Model (DEM) and `POWER_Regional_Monthly_XXXX.csv` **should be harvested** - Lab 2 and 3

- Students should harvest an `osm.pbf` via the links provided in the appropriate Jupyter Notebook.
- An ALLSKY_SFC_SW_DWN (All Sky Surface Shortwave Downward Irradiance) dataset to estimate **Annual Average Solar Potential, per home** can be harvested via the link provided in the [CityJSONdataScience-noInternet.ipynb](#) Jupyter Notebook.

Activity 3: Software necessary for CFD simulations - Lab 3

- Students must install [OpenFOAM](#). Instructions are provided in the [urbanFlow-noInternet.ipynb](#) Jupyter Notebook.

geo3D. 3D City Models for Geography and Sustainable Development Education

Lab 1. Village Track — Secondary Level (Spatial Data Science and Interactive Exploration)

Materials & Prerequisites

- **Software/Environment Required:**
 - Browser (for JupyterBook / WebGL).
 - Python / Jupyter Notebooks (pandas).
- **Datasets Used:** OpenStreetMap building footprints and local knowledge
- **Direct Links:**
 - **Hosted JupyterBook:** [interactiveOnly.ipynb](#)
 - **Code Repositories:** [geo3D Lab](#), [geo3D](#).

Task 1.1: Execute the [interactiveOnly.ipynb](#) Jupyter Notebook and estimate population metrics, Building Volume Per Capita (BVPC), and calculate rooftop solar stats. Inspect the WebGL viewer and navigate the 3D scene.

Possible conversations starters / discussion and questions

Geography	- Talk about the main difference between a globe and a map, and why we use map projections to represent the Earth on a flat surface - Explain why different map projections are used for different purposes. For example, why might a Mercator projection be useful for navigation, but not for comparing the sizes of countries?
Basic understanding and observations	- What types of buildings are most common in the area (houses, apartments, retail, etc.)? - Can you identify any patterns in the distribution of different types of buildings (e.g., are retail stores concentrated in certain areas)?
Spatial Relationships and Impacts	- How does the location of residential areas compare to the location of retail and commercial areas? - What impact might the density and distribution of buildings have on local traffic and transportation? - How might the population distribution affect the demand for local services such as schools, hospitals, and parks?
Socioeconomic and Environmental Considerations	- Are there any correlations between the types of housing available and the household size? <i>additional demographics (e.g., income level) for the area will strengthen the analysis!</i> - How might the current building stock and population influence the local economy? <i>demographics (e.g., age distribution, household size) for the area will strengthen the analysis!</i> - What are some potential environmental impacts of the current building distribution, such as green space availability or pollution levels?
Future Planning and Development	- Based on the current building stock and population metrics, what areas might benefit from additional housing or commercial development? - How could urban planners use this information to improve the quality of life in the area? - What changes would you recommend to better balance residential, commercial, and recreational spaces?

geo3D. 3D City Models for Geography and Sustainable Development Education

Lab 2. Suburb Track — Tertiary Level (Offline 3D city model Creation, Spatial Analytics and Interactive Exploration)

Materials & Prerequisites

- **Software/Environment Required:**
 - Browser (for JupyterBook / WebGL, CityJSON viewer and quality control).
 - Python / Jupyter Notebooks (pandas, triangle, cjo).
- **Datasets Used:** OpenStreetMap building footprints via an `osm.pbf`, local knowledge, raster DEM, and an `ALLSKY_SFC_SW_DWN` (All Sky Surface Shortwave Downward Irradiance) dataset from [NASA POWER](#)
- **Direct Links:**
 - **Hosted JupyterBook:** [osm_LoD1_3D-noInternet.ipynb](#) and [CityJSONdataScience-noInternet.ipynb](#)
 - **Code Repositories:** [geo3D Lab](#), [geo3D](#).

Task 2.1: Combine offline OSM footprints and a raster Digital Elevation Model to create an [OGC](#) compliant [ISO 19107](#) Level-of-Detail (LoD1) 3D city model, via a Constrained Delaunay Triangulation (CDT), with the [osm_LoD1_3D-noInternet.ipynb](#) Jupyter Notebook.

Task 2.2: Explore the 3D city model in [ninja](#) the CityJSON viewer.

Task 2.3: Investigate the quality of the 3D city model with [val3dity](#)

Task 2.4: Execute the [CityJSONdataScience-noInternet.ipynb](#) Jupyter Notebook and estimate population metrics, Building Volume Per Capita (BVPC), and calculate rooftop solar stats. Inspect the WebGL viewer and navigate the 3D scene.

Possible conversations starters / discussion and questions

Geography	- Talk about the main difference between a globe and a map, and why we use map projections to represent the Earth on a flat surface - Explain why different map projections are used for different purposes. For example, why might a Mercator projection be useful for navigation, but not for comparing the sizes of countries?
Basic understanding and observations	- How does the building stock composition (e.g., ratio of houses) correlate with the population? <i>demographics (e.g., age distribution, household size) for the area will strengthen the analysis!</i> - Analyze the relationship between building density and population. What urban planning theories can explain this relationship?
Spatial Relationships and Impacts	- Evaluate the accessibility of essential services (e.g., healthcare, education) in relation to the population and building types. - Assess the potential social and economic impacts of a proposed new residential or commercial development in the area.
Socioeconomic and Environmental Considerations	- How does the current building stock support or hinder sustainable development goals (e.g., energy efficiency, reduced carbon footprint)? - What strategies could be implemented to increase the resilience of the community to environmental or economic changes?
Future Planning and Development	- How might different zoning regulations impact the distribution of residential, commercial, and industrial buildings in the future? - Propose urban design solutions that could improve the sustainability and livability of the area, considering both current metrics and future projections.
Quantitative and Qualitative Research	- Design a research study to investigate the impact of building type diversity on community wellbeing. What methodologies would you use? - Analyze historical data to understand trends in building development and population growth. How have these trends shaped the current urban landscape? - Conduct a SWOT analysis (Strengths, Weaknesses, Opportunities, Threats) of the area based on the building stock and population metrics.

geo3D. 3D City Models for Geography and Sustainable Development Education

Lab 3. Advanced Track — Advanced Undergraduate (Physics & Microclimate)

Materials & Prerequisites

- **Software/Environment Required:**
 - Browser (for JupyterBook / WebGL, CityJSON viewer and quality control).
 - Python / Jupyter Notebooks (pandas, triangle, cjo, trimesh, [OpenFOAM](#)).
- **Datasets Used:** OpenStreetMap building footprints via an osm.pbf, local knowledge, and raster DEM
- **Direct Links:**
 - **Hosted JupyterBook:** [urbanFlow-noInternet.ipynb](#)
 - **Code Repositories:** [geo3D Lab](#), [geo3D](#).

Task 3.1: Combine offline OSM footprints and a raster DEM to create an [OGC](#) compliant [ISO 19107](#) Level-of-Detail (LoD1) 3D CityJSON city model and an .obj with the [urbanFlow-noInternet.ipynb](#) Jupyter Notebook.

Task 3.2: Explore the 3D city model in [ninja](#) the CityJSON viewer.

Task 3.3: Investigate the quality of the 3D city model with [val3dity](#)

Task 3.4: Follow the instructions in the [urbanFlow-noInternet.ipynb](#) Jupyter Notebook to execute a Computational Fluid Dynamics (CFD) simulation via [OpenFOAM](#)

Task 3.5: Complete the [urbanFlow-noInternet.ipynb](#) Jupyter Notebook to visualise wind vectors, estimate Pedestrian Wind Comfort (PWC) and a Universal Thermal Comfort Indicator (UTCI)

Possible conversations starters / discussion and questions

Feeling the Wind in Place	- How do the simulation results compare with your own experience of wind in this area? - What features of the built environment (e.g., building height, street width) might explain these differences? - How could local knowledge help improve or validate the simulation?
Streets, Buildings & Wind	- Identify patterns in the simulation where wind is channelled, blocked, or redirected. - How does the arrangement of buildings shape these patterns? - What might this mean for how the area was designed or developed?
Comfort in Everyday Spaces	- Using the simulation, identify areas that may be uncomfortable for pedestrians. - How could these conditions affect different groups of people (e.g., elderly, children)? - What small changes could make these spaces more comfortable?
Wind, Temperature & How We Feel	- How can wind speed influence perceived temperature (e.g., wind chill or thermal comfort)? - How might combining wind data with weather conditions change our understanding of comfort? - What kinds of places might be most affected during very hot or cold days?
Comparing Places	- Use the simulation to compare wind conditions across different locations. - What spatial patterns emerge (e.g., exposed vs sheltered zones)? - How could this influence movement, activity, or land use in the area?
Improving Local Spaces	- Test or propose design changes based on the simulation results. - How might interventions (e.g., vegetation, barriers) change wind patterns? - What trade-offs might exist between airflow (cooling) and comfort?
People, Place & Environment	- How can understanding wind and comfort support better public space design? - What role can local communities play in identifying environmental challenges? - How could this analysis support more inclusive and livable urban spaces?
Understanding the Model	- What are the limitations of this type of simulation? - How sensitive are results to inputs like wind direction or building data? - How could field observations be used to improve the model?