



log10(p_value) vs AF
Sample size: 100



Allele frequency
OR: 1.3 Interaction OR: 1.7


log10(p_value) vs AF
Sample size: 500



Allele frequency
OR: 1.3 Interaction OR: 1.7

log10(p_value) vs AF

Sample size: 1000




Allele frequency

OR: 1.3 Interaction OR: 1.7


log10(p_value) vs AF

Sample size: 2500




Allele frequency
OR: 1.3 Interaction OR: 1.7

log10(p_value) vs AF
Sample size: 5000



Allele frequency
OR: 1.3 Interaction OR: 1.7


log10(p_value) vs AF
Sample size: 7500



Allele frequency
OR: 1.3 Interaction OR: 1.7

log10(p_value) vs AF

Sample size: 10000




Allele frequency

OR: 1.3 Interaction OR: 1.7

log10(p_value) vs AF

Sample size: 15000




Allele frequency

OR: 1.3 Interaction OR: 1.7

log10(p_value) vs AF

Sample size: 20000




Allele frequency

OR: 1.3 Interaction OR: 1.7

log10(p_value) vs AF


Sample size: 25000



Allele frequency

OR: 1.3 Interaction OR: 1.7

log10(p_value) vs AF
Sample size: 30000



Allele frequency
OR: 1.3 Interaction OR: 1.7