


log10(p_value) vs AF

Sample size: 100




Allele frequency

OR: 1.30 Interaction OR: 0.59

log10(p_value) vs AF

Sample size: 500




Allele frequency

OR: 1.30 Interaction OR: 0.59

log10(p_value) vs AF


Sample size: 1000



Allele frequency
OR: 1.30 Interaction OR: 0.59

log10(p_value) vs AF

Sample size: 2500




Allele frequency

OR: 1.30 Interaction OR: 0.59

log10(p_value) vs AF

Sample size: 5000




Allele frequency

OR: 1.30 Interaction OR: 0.59

log10(p_value) vs AF

Sample size: 7500




Allele frequency

OR: 1.30 Interaction OR: 0.59

log10(p_value) vs AF

Sample size: 10000




Allele frequency

OR: 1.30 Interaction OR: 0.59

log10(p_value) vs AF

Sample size: 15000




Allele frequency

OR: 1.30 Interaction OR: 0.59

log10(p_value) vs AF

Sample size: 20000




Allele frequency

OR: 1.30 Interaction OR: 0.59

log10(p_value) vs AF

Sample size: 25000




Allele frequency

OR: 1.30 Interaction OR: 0.59

log10(p_value) vs AF

Sample size: 30000



Allele frequency

OR: 1.30 Interaction OR: 0.59