

```

Program.cs
LowkeysDrops.API
1 using Microsoft.OpenApi;
2 using Microsoft.EntityFrameworkCore;
3 using Microsoft.AspNetCore.Authentication.JwtBearer;
4 using Microsoft.IdentityModel.Tokens;
5 using System.Text;
6 var builder = WebApplication.CreateBuilder(args);
7
8 // Add services to the container.
9
10 builder.Services.AddDbContext<LowkeysDrops.API.Data.LowkeysDropsDbContext>(options =>
11     options.UseSqlServer(builder.Configuration.GetConnectionString("LowkeysDropsDB")));
12
13 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IProductoRepository, LowkeysDrops.API.Repositories.ProductoRepository>();
14 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.ICategoriaRepository, LowkeysDrops.API.Repositories.CategoriaRepository>();
15 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IDropRepository, LowkeysDrops.API.Repositories.DropRepository>();
16 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IDireccionRepository, LowkeysDrops.API.Repositories.DireccionRepository>();
17 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IPedidoRepository, LowkeysDrops.API.Repositories.PedidoRepository>();
18 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IResenaRepository, LowkeysDrops.API.Repositories.ResenaRepository>();
19 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IConsultasRepository, LowkeysDrops.API.Repositories.ConsultasRepository>();
20
21 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IProductoService, LowkeysDrops.API.Services.ProductoService>();
22 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.ICategoriaService, LowkeysDrops.API.Services.CategoriaService>();
23 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IDropService, LowkeysDrops.API.Services.DropService>();
24 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IDireccionService, LowkeysDrops.API.Services.DireccionService>();
25 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IPedidoService, LowkeysDrops.API.Services.PedidoService>();
26 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IResenaService, LowkeysDrops.API.Services.ResenaService>();
27 builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IConsultasService, LowkeysDrops.API.Services.ConsultasService>();
28
29 // JWT Authentication
30 var jwtKey = builder.Configuration["Jwt:Key"] ?? "SuperSecretKeyForDevelopmentOnly1234567890!";
31 builder.Services.AddAuthentication(options =>
32 {
33     options.DefaultAuthenticateScheme = JwtBearerDefaults.AuthenticationScheme;
34     options.DefaultChallengeScheme = JwtBearerDefaults.AuthenticationScheme;
35 })
36 .AddJwtBearer(options =>
37 {
38     options.RequireHttpsMetadata = false;
39     options.SaveToken = true;
40     options.TokenValidationParameters = new TokenValidationParameters
41     {
42         ValidateIssuerSigningKey = true,
43         IssuerSigningKey = new SymmetricSecurityKey(Encoding.ASCII.GetBytes(jwtKey)),
44         ValidateIssuer = false,
45         ValidateAudience = false,
46         ValidateLifetime = true,
47         ClockSkew = TimeSpan.Zero
48     };
49 });

```

```

// JWT Authentication
var jwtKey = builder.Configuration["Jwt:Key"] ?? "SuperSecretKeyForDevelopmentOnly1234567890!";
builder.Services.AddAuthentication(options =>
{
    options.DefaultAuthenticateScheme = JwtBearerDefaults.AuthenticationScheme;
    options.DefaultChallengeScheme = JwtBearerDefaults.AuthenticationScheme;
})
.AddJwtBearer(options =>
{
    options.RequireHttpsMetadata = false;
    options.SaveToken = true;
    options.TokenValidationParameters = new TokenValidationParameters
    {
        ValidateIssuerSigningKey = true,
        IssuerSigningKey = new SymmetricSecurityKey(Encoding.ASCII.GetBytes(jwtKey)),
        ValidateIssuer = false,
        ValidateAudience = false,
        ValidateLifetime = true,
        ClockSkew = TimeSpan.Zero
    };
});

builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IUsuarioRepository, LowkeysDrops.API.Repositories.UsuarioRepository>();
builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IAuthService, LowkeysDrops.API.Services.AuthService>();
builder.Services.AddScoped<LowkeysDrops.API.Interfaces.IUsuarioService, LowkeysDrops.API.Services.UsuarioService>();
builder.Services.AddControllers();
// Learn more about configuring Swagger/OpenAPI at https://aka.ms/aspnetcore/swashbuckle
builder.Services.AddEndpointsApiExplorer();
builder.Services.AddSwaggerGen(c =>

```

```

        Description = "JWT Authorization header using the Bearer scheme. Example: \"Authorization: Bearer {token}\"",
        Name = "Authorization",
        In = ParameterLocation.Header,
        Type = SecuritySchemeType.Http,
        Scheme = "bearer",
        BearerFormat = "JWT"
    });
    c.OperationFilter<Swashbuckle.AspNetCore.Filters.SecurityRequirementsOperationFilter>(true, "Bearer");
});

var app = builder.Build();

// Configure the HTTP request pipeline.
if (app.Environment.IsDevelopment())
{
    app.UseSwagger();
    app.UseSwaggerUI();
}

app.UseMiddleware<LowkeysDrops.API.Middleware.GlobalExceptionMiddleware>();
app.UseHttpsRedirection();

app.UseAuthentication();
app.UseAuthorization();

app.MapControllers();

app.Run();

```

```
namespace LowkeysDrops.API.Models.Entities;

[Keyless]

public partial class VwVentasEntregada
{
    public int IdPedido { get; set; }

    public DateTime FechaPedido { get; set; }

    public DateTime? FechaEntrega { get; set; }

    [StringLength(100)]
    public string Cliente { get; set; } = null!;


    [Column(TypeName = "decimal(10, 2)")]
    public decimal Subtotal { get; set; }

    [Column(TypeName = "decimal(10, 2)")]
    public decimal CostoEnvio { get; set; }

    [Column(TypeName = "decimal(10, 2)")]
    public decimal Total { get; set; }

    [StringLength(20)]
    public string ...
```

✔ No se encontraron problemas. ✎ ^



```
CategoriaRepository.cs | VwVentasEntregada.cs | Program.cs
LowkeysDrops.API | LowkeysDrops.API.Repositories.CategoriaRepository | _context

1 using Microsoft.EntityFrameworkCore;
2 using LowkeysDrops.API.Data;
3 using LowkeysDrops.API.Interfaces;
4 using LowkeysDrops.API.Models.Entities;
5
6 namespace LowkeysDrops.API.Repositories
7 {
8     public class CategoriaRepository : ICategoriaRepository
9     {
10
11         private readonly LowkeysDropsDbContext _context;
12
13         public CategoriaRepository(LowkeysDropsDbContext context)
14         {
15             _context = context;
16         }
17
18         public async Task<IEnumerable<Categoria>> GetAllAsync()
19         {
20             return await _context.Categoria.AsNoTracking().ToListAsync();
21         }
22
23         public async Task<Categoria?> GetByIdAsync(int id)
24         {
25             return await _context.Categoria.FindAsync(id);
26         }
27     }
28 }
```

Explorador de so...
Buscar en Explorador c...
C# Producto.cs
C# Resena.cs
C# Usuario.cs
C# VwAuditoriaRe
C# VwCatalogoDis
C# VwPedidosDisp
C# VwPedidosRes
C# VwVentasEntre
Repositories
C# CategoriaReposit
C# ConsultasReposit
C# DireccionReposit
C# DropRepository.c
C# PedidoRepository
C# ProductoRepositc
C# ResenaRepository
C# UsuarioRepositor
Services
appsettings.json
DOCUMENTACION
LowkeysDrops.APLh
Program.cs
PRUEBAS_API.md
README_API.md

```
DireccionRepository.cs | CategoriaRepository.cs | VwVentasEntregada.cs | Program.cs
LowkeysDrops.API | LowkeysDrops.API.Repositories.DireccionRepository | _context

1 using Microsoft.EntityFrameworkCore;
2 using LowkeysDrops.API.Data;
3 using LowkeysDrops.API.Interfaces;
4 using LowkeysDrops.API.Models.Entities;
5
6 namespace LowkeysDrops.API.Repositories {
7     public class DireccionRepository : IDireccionRepository {
8
9         private readonly LowkeysDropsDbContext _context;
10         public DireccionRepository(LowkeysDropsDbContext context) { _context = context; }
11
12         public async Task<IEnumerable<Direccion>> GetAllAsync() { return await _context.Direccions.AsNoTracking().ToListAsync(); }
13
14         public async Task<Direccion?> GetByIdAsync(int id) { return await _context.Direccions.FindAsync(id); }
15
16         public async Task<Direccion> AddAsync(Direccion direccion) { _context.Direccions.Add(direccion); await _context.SaveChangesAsync(); }
17
18         public async Task UpdateAsync(Direccion direccion) { _context.Entry(direccion).State = EntityState.Modified; await _context.SaveChangesAsync(); }
19
20         public async Task DeleteAsync(int id) { var dir = await _context.Direccions.FindAsync(id); if (dir != null) { _context.Direccions.Remove(dir); await _context.SaveChangesAsync(); } }
21
22         public async Task<bool> ExistsAsync(int id) { return await _context.Direccions.AnyAsync(e => e.IdDireccion == id); }
23     }
24 }
```

Explorador de so...
Buscar en Explorador c...
C# Producto.cs
C# Resena.cs
C# Usuario.cs
C# VwAuditoriaRe
C# VwCatalogoDis
C# VwPedidosDisp
C# VwPedidosRes
C# VwVentasEntre
Repositories
C# CategoriaReposit
C# ConsultasReposit
C# DireccionReposit
C# DropRepository.c
C# PedidoRepository
C# ProductoRepositc
C# ResenaRepository
C# UsuarioRepositor
Services
appsettings.json
DOCUMENTACION
LowkeysDrops.APLh
Program.cs
PRUEBAS_API.md
README_API.md

```
ConsultasService.cs | DireccionRepository.cs | CategoriaRepository.cs | VwVentasEntregada.cs | Program.cs
LowkeysDrops.API | LowkeysDrops.API.Services.ConsultasService | _repository

1 using LowkeysDrops.API.Interfaces;
2 using LowkeysDrops.API.Models.Entities;
3
4 namespace LowkeysDrops.API.Services {
5     public class ConsultasService : IConsultasService {
6
7         private readonly IConsultasRepository _repository;
8         public ConsultasService(IConsultasRepository repository) { _repository = repository; }
9
10         public async Task<IEnumerable<VwCatalogoDisponible>> GetCatalogoDisponibleAsync() { return await _repository.GetCatalogoDisponibleAsync(); }
11
12         public async Task<IEnumerable<VwPedidosResuman>> GetPedidosResumenAsync() { return await _repository.GetPedidosResumenAsync(); }
13
14         public async Task<IEnumerable<VwPedidosDisponiblesRepartidor>> GetPedidosDisponiblesRepartidorAsync() { return await _repository.GetPedidosDisponiblesRepartidorAsync(); }
15
16         public async Task<IEnumerable<VwVentasEntregada>> GetVentasEntregadasAsync() { return await _repository.GetVentasEntregadasAsync(); }
17
18         public async Task<IEnumerable<VwAuditoriaReciente>> GetAuditoriaRecienteAsync() { return await _repository.GetAuditoriaRecienteAsync(); }
19     }
20 }
```


Explorador de so...
Buscar en Explorador c...
C# Usuario.cs
C# VwAuditoriaRe
C# VwCatalogoDis
C# VwPedidosDisp
C# VwPedidosRes
C# VwVentasEntre
Repositories
C# CategoriaReposit
C# ConsultasReposit
C# DireccionReposit
C# DropRepository.c
C# PedidoRepository
C# ProductoRepositc
C# ResenaRepository
C# UsuarioRepositor
Services
C# AuthService.cs
C# CategoriaService.cs
C# ConsultasService.cs
C# DireccionService.cs
C# DropService.cs
C# PedidoService.cs
C# ProductoService.cs
C# ResenaService.cs
C# UsuarioService.cs

121 % No se encontraron problemas. Línea: 1, Carácter: 1 SPC CRLF UTF-8 Explorador d... Cambios de...


```
LowkeysDropsAPI
1 using System;
2 using System.Collections.Generic;
3 using LowkeysDrops.API.Models.Entities;
4 using Microsoft.EntityFrameworkCore;
5
6 namespace LowkeysDrops.API.Data;
7
8 public partial class LowkeysDropsDbContext : DbContext
9 {
10     public LowkeysDropsDbContext(DbContextOptions<LowkeysDropsDbContext> options)
11         : base(options)
12     {
13     }
14
15     public virtual DbSet<Auditorium> Auditoria { get; set; }
16
17     public virtual DbSet<Categoria> Categoria { get; set; }
18
19     public virtual DbSet<DetallePedido> DetallePedidos { get; set; }
20
21     public virtual DbSet<Direccion> Direccions { get; set; }
22
23     public virtual DbSet<Drop> Drops { get; set; }
24 }
```

```
AdminController.cs
1 using Microsoft.AspNetCore.Mvc;
2 using LowkeysDrops.API.Interfaces;
3 using LowkeysDrops.API.DTOs;
4 using Microsoft.AspNetCore.Authorization;
5
6 namespace LowkeysDrops.API.Controllers
7 {
8     [Route("api/[controller]")]
9     [ApiController]
10     [Authorize(Roles = "ADMIN")]
11     public class AdminController : ControllerBase
12     {
13         private readonly IConsultasService _service;
14         private readonly IUserarioService _usuarioService;
15
16         public AdminController(IConsultasService service, IUserarioService usuarioService)
17         {
18             _service = service;
19             _usuarioService = usuarioService;
20         }
21
22         [HttpGet("pedidos")]
23         public async Task<ActionResult> GetPedidos()
24         {
25             var pedidos = await _service.GetPedidosResumenAsync();
26             return Ok(pedidos);
27         }
28     }
```

```
RepartidorController.cs
1 using Microsoft.AspNetCore.Mvc;
2 using LowkeysDrops.API.Interfaces;
3
4 namespace LowkeysDrops.API.Controllers
5 {
6     [Route("api/[controller]")]
7     [ApiController]
8     public class RepartidorController : ControllerBase
9     {
10         private readonly IConsultasService _service;
11
12         public RepartidorController(IConsultasService service) { _service = service; }
13
14         [HttpGet("pedidos-disponibles")]
15         public async Task<ActionResult> GetPedidosDisponibles()
16         {
17             var pedidos = await _service.GetPedidosDisponiblesRepartidorAsync();
18             return Ok(pedidos);
19         }
20     }
```



```
1 using LowkeysDrops.API.Models.Entities;
2 namespace LowkeysDrops.API.Interfaces {
3     public interface IPedidoRepository {
4         Task<int> CrearPedidoAsync(int idCliente, int idDireccion, string metodoPago);
5         Task AgregarProductoPedidoAsync(int idPedido, int idProducto, int cantidad);
6         Task VerificarPagoAnticipadoAsync(int idPedido, string referencia);
7         Task TomarPedidoAsync(int idPedido, int idRepartidor);
8         Task MarcarEnCaminoAsync(int idPedido, int idRepartidor);
9         Task RegistrarEntregaAsync(int idPedido, int idRepartidor, string? fotoEntregaUrl, string? observacion);
10        Task RegistrarEntregaFallidaAsync(int idPedido, int idRepartidor, string? observacion);
11        Task ConfirmarRecepcionAsync(int idPedido, int idCliente);
12        Task<Pedido?> GetByIdAsync(int id);
13    }
14 }
15 }
```



```
8 private readonly RequestDelegate _next;
9
10 private readonly ILogger<GlobalExceptionHandlerMiddleware> _logger;
11
12 public GlobalExceptionHandlerMiddleware(RequestDelegate next, ILogger<GlobalExceptionHandlerMiddleware> logger)
13 {
14     _next = next;
15     _logger = logger;
16 }
17
18 0 referencias
19 public async Task InvokeAsync(HttpContext context)
20 {
21     try
22     {
23         await _next(context);
24     }
25     catch (Exception ex)
26     {
27         _logger.LogError(ex, "Ocurrió una excepción no manejada.");
28         await HandleExceptionAsync(context, ex);
29     }
30 }
31
32 private static Task HandleExceptionAsync(HttpContext context, Exception exception)
33 {
34     context.Response.ContentType = "application/json";
35     var statusCode = (int)HttpStatusCode.InternalServerError;
36     var message = "Error interno del servidor.";
37 }
```

Estructura del Proyecto

- **Controllers:** Gestionan las peticiones HTTP y llaman a los servicios.
- **Data:** Configuración del DbContext para la conexión a la base de datos SQL Server.
- **DTOs:** Objetos de transferencia de datos usados para recibir y enviar información.
- **Interfaces:** Definición de contratos (firmas de métodos) para repositorios y servicios.
- **Middleware:** Componentes como GlobalExceptionHandlerMiddleware que se ejecutan antes o después de procesar peticiones HTTP.
- **Models > Entities:** Clases que representan las tablas y vistas de la base de datos.
- **Repositories:** Lógica de acceso a datos (consultas a la base de datos).

Services: Lógica de negocio principal y cálculos.