

```
1 C:\Users\KubaT\.jdks\openjdk-25\bin\java.exe "-  
javaagent:C:\Program Files\JetBrains\IntelliJ IDEA  
Community Edition 2025.2.3\lib\idea_rt.jar=53883" -  
Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -  
Dsun.stderr.encoding=UTF-8 -classpath C:\Users\KubaT\  
e-commerce-backend\target\classes;C:\Users\KubaT\.m2\  
repository\org\springframework\boot\spring-boot-  
starter-data-jpa\3.5.6\spring-boot-starter-data-jpa-3  
.5.6.jar;C:\Users\KubaT\.m2\repository\org\  
springframework\boot\spring-boot-starter\3.5.6\spring  
-boot-starter-3.5.6.jar;C:\Users\KubaT\.m2\repository  
\org\springframework\boot\spring-boot\3.5.6\spring-  
boot-3.5.6.jar;C:\Users\KubaT\.m2\repository\org\  
springframework\boot\spring-boot-autoconfigure\3.5.6\  
spring-boot-autoconfigure-3.5.6.jar;C:\Users\KubaT\.  
.m2\repository\org\springframework\boot\spring-boot-  
starter-logging\3.5.6\spring-boot-starter-logging-3.5  
.6.jar;C:\Users\KubaT\.m2\repository\ch\qos\logback\  
logback-classic\1.5.18\logback-classic-1.5.18.jar;C:\  
Users\KubaT\.m2\repository\ch\qos\logback\logback-  
core\1.5.18\logback-core-1.5.18.jar;C:\Users\KubaT\.  
.m2\repository\org\apache\logging\log4j\log4j-to-slf4j  
\2.24.3\log4j-to-slf4j-2.24.3.jar;C:\Users\KubaT\.m2\  
repository\org\apache\logging\log4j\log4j-api\2.24.3\  
log4j-api-2.24.3.jar;C:\Users\KubaT\.m2\repository\  
org\slf4j\jul-to-slf4j\2.0.17\jul-to-slf4j-2.0.17.jar  
;C:\Users\KubaT\.m2\repository\jakarta\annotation\  
jakarta.annotation-api\2.1.1\jakarta.annotation-api-2  
.1.1.jar;C:\Users\KubaT\.m2\repository\org\yaml\  
snakeyaml\2.4\snakeyaml-2.4.jar;C:\Users\KubaT\.m2\  
repository\org\springframework\boot\spring-boot-  
starter-jdbc\3.5.6\spring-boot-starter-jdbc-3.5.6.jar  
;C:\Users\KubaT\.m2\repository\com\zaxxer\HikariCP\6.  
3.3\HikariCP-6.3.3.jar;C:\Users\KubaT\.m2\repository\  
org\springframework\spring-jdbc\6.2.11\spring-jdbc-6.  
2.11.jar;C:\Users\KubaT\.m2\repository\org\hibernate\  
orm\hibernate-core\6.6.29.Final\hibernate-core-6.6.29  
.Final.jar;C:\Users\KubaT\.m2\repository\jakarta\  
persistence\jakarta.persistence-api\3.1.0\jakarta.  
persistence-api-3.1.0.jar;C:\Users\KubaT\.m2\  
repository\jakarta\transaction\jakarta.transaction-
```

```
1 api\2.0.1\jakarta.transaction-api-2.0.1.jar;C:\Users\KubaT\.m2\repository\org\jboss\logging\jboss-logging\3.6.1.Final\jboss-logging-3.6.1.Final.jar;C:\Users\KubaT\.m2\repository\org\hibernate\common\hibernate-commons-annotations\7.0.3.Final\hibernate-commons-annotations-7.0.3.Final.jar;C:\Users\KubaT\.m2\repository\io\smallrye\jandex\3.2.0\jandex-3.2.0.jar;C:\Users\KubaT\.m2\repository\com\fasterxml\classmate\1.7.0\classmate-1.7.0.jar;C:\Users\KubaT\.m2\repository\net\bytebuddy\byte-buddy\1.17.7\byte-buddy-1.17.7.jar;C:\Users\KubaT\.m2\repository\org\glassfish\jaxb\jaxb-runtime\4.0.5\jaxb-runtime-4.0.5.jar;C:\Users\KubaT\.m2\repository\org\glassfish\jaxb\jaxb-core\4.0.5\jaxb-core-4.0.5.jar;C:\Users\KubaT\.m2\repository\org\eclipse\angus\angus-activation\2.0.2\angus-activation-2.0.2.jar;C:\Users\KubaT\.m2\repository\org\glassfish\jaxb\txw2\4.0.5\txw2-4.0.5.jar;C:\Users\KubaT\.m2\repository\com\sun\istack\istack-commons-runtime\4.1.2\istack-commons-runtime-4.1.2.jar;C:\Users\KubaT\.m2\repository\jakarta\inject\jakarta.inject-api\2.0.1\jakarta.inject-api-2.0.1.jar;C:\Users\KubaT\.m2\repository\org\antlr\antlr4-runtime\4.13.0\antlr4-runtime-4.13.0.jar;C:\Users\KubaT\.m2\repository\org\springframework\data\spring-data-jpa\3.5.4\spring-data-jpa-3.5.4.jar;C:\Users\KubaT\.m2\repository\org\springframework\data\spring-data-commons\3.5.4\spring-data-commons-3.5.4.jar;C:\Users\KubaT\.m2\repository\org\springframework\spring-orm\6.2.11\spring-orm-6.2.11.jar;C:\Users\KubaT\.m2\repository\org\springframework\spring-context\6.2.11\spring-context-6.2.11.jar;C:\Users\KubaT\.m2\repository\org\springframework\spring-tx\6.2.11\spring-tx-6.2.11.jar;C:\Users\KubaT\.m2\repository\org\springframework\spring-beans\6.2.11\spring-beans-6.2.11.jar;C:\Users\KubaT\.m2\repository\org\slf4j\slf4j-api\2.0.17\slf4j-api-2.0.17.jar;C:\Users\KubaT\.m2\repository\org\springframework\spring-aspects\6.2.11\spring-aspects-6.2.11.jar;C:\Users\KubaT\.m2\repository\org\aspectj\aspectjweaver\1.9.24\aspectjweaver-1.9.24.jar;C:\Users\KubaT\.m2\repository\org\springframework\boot\spring-boot-
```

```
1 starter-security\3.5.6\spring-boot-starter-security-3
.5.6.jar;C:\Users\KubaT\.m2\repository\org\
springframework\spring-aop\6.2.11\spring-aop-6.2.11.
jar;C:\Users\KubaT\.m2\repository\org\springframework
\security\spring-security-config\6.5.5\spring-
security-config-6.5.5.jar;C:\Users\KubaT\.m2\
repository\org\springframework\security\spring-
security-web\6.5.5\spring-security-web-6.5.5.jar;C:\\
Users\KubaT\.m2\repository\org\springframework\spring-
expression\6.2.11\spring-expression-6.2.11.jar;C:\\
Users\KubaT\.m2\repository\org\springframework\boot\
spring-boot-starter-web\3.5.6\spring-boot-starter-web
-3.5.6.jar;C:\Users\KubaT\.m2\repository\org\
springframework\boot\spring-boot-starter-json\3.5.6\
spring-boot-starter-json-3.5.6.jar;C:\Users\KubaT\.m2 \
repository\com\fasterxml\jackson\datatype\jackson-
datatype-jdk8\2.19.2\jackson-datatype-jdk8-2.19.2.jar
;C:\Users\KubaT\.m2\repository\com\fasterxml\jackson\
datatype\jackson-datatype-jsr310\2.19.2\jackson-
datatype-jsr310-2.19.2.jar;C:\Users\KubaT\.m2\
repository\com\fasterxml\jackson\module\jackson-
module-parameter-names\2.19.2\jackson-module-
parameter-names-2.19.2.jar;C:\Users\KubaT\.m2\
repository\org\springframework\boot\spring-boot-
starter-tomcat\3.5.6\spring-boot-starter-tomcat-3.5.6
.jar;C:\Users\KubaT\.m2\repository\org\apache\tomcat\
embed\tomcat-embed-core\10.1.46\tomcat-embed-core-10.
1.46.jar;C:\Users\KubaT\.m2\repository\org\apache\
tomcat\embed\tomcat-embed-websocket\10.1.46\tomcat-
embed-websocket-10.1.46.jar;C:\Users\KubaT\.m2\
repository\org\springframework\spring-web\6.2.11\
spring-web-6.2.11.jar;C:\Users\KubaT\.m2\repository\
io\micrometer\micrometer-observation\1.15.4\
micrometer-observation-1.15.4.jar;C:\Users\KubaT\.m2\
repository\io\micrometer\micrometer-commons\1.15.4\
micrometer-commons-1.15.4.jar;C:\Users\KubaT\.m2\
repository\org\springframework\spring-webmvc\6.2.11\
spring-webmvc-6.2.11.jar;C:\Users\KubaT\.m2\
repository\org\postgresql\postgresql\42.7.7\
postgresql-42.7.7.jar;C:\Users\KubaT\.m2\repository\
org\checkerframework\checker-qual\3.49.3\checker-qual
```

```
1 -3.49.3.jar;C:\Users\KubaT\.m2\repository\org\projectlombok\lombok\1.18.40\lombok-1.18.40.jar;C:\Users\KubaT\.m2\repository\org\springframework\security\spring-security-core\6.5.5\spring-security-core-6.5.5.jar;C:\Users\KubaT\.m2\repository\org\springframework\security\spring-security-crypto\6.5.5\spring-security-crypto-6.5.5.jar;C:\Users\KubaT\.m2\repository\org\springframework\spring-core\6.2.11\spring-core-6.2.11.jar;C:\Users\KubaT\.m2\repository\org\springframework\spring-jcl\6.2.11\spring-jcl-6.2.11.jar;C:\Users\KubaT\.m2\repository\org\mapstruct\mapstruct\1.6.3\mapstruct-1.6.3.jar;C:\Users\KubaT\.m2\repository\io\jsonwebtoken\jjwt-api\0.12.6\jjwt-api-0.12.6.jar;C:\Users\KubaT\.m2\repository\io\jsonwebtoken\jjwt-impl\0.12.6\jjwt-impl-0.12.6.jar;C:\Users\KubaT\.m2\repository\io\jsonwebtoken\jjwt-jackson\0.12.6\jjwt-jackson-0.12.6.jar;C:\Users\KubaT\.m2\repository\com\fasterxml\jackson\core\jackson-databind\2.19.2\jackson-databind-2.19.2.jar;C:\Users\KubaT\.m2\repository\com\fasterxml\jackson\core\jackson-annotations\2.19.2\jackson-annotations-2.19.2.jar;C:\Users\KubaT\.m2\repository\com\fasterxml\jackson\core\jackson-core\2.19.2\jackson-core-2.19.2.jar;C:\Users\KubaT\.m2\repository\jakarta\xml\bind\jakarta.xml.bind-api\4.0.2\jakarta.xml.bind-api-4.0.2.jar;C:\Users\KubaT\.m2\repository\jakarta\activation\jakarta.activation-api\2.1.4\jakarta.activation-api-2.1.4.jar;C:\Users\KubaT\.m2\repository\org\springframework\boot\spring-boot-starter-validation\3.5.6\spring-boot-starter-validation-3.5.6.jar;C:\Users\KubaT\.m2\repository\org\apache\tomcat\embed\tomcat-embed-el\10.1.46\tomcat-embed-el-10.1.46.jar;C:\Users\KubaT\.m2\repository\org\hibernate\validator\hibernate-validator\8.0.3.Final\hibernate-validator-8.0.3.Final.jar;C:\Users\KubaT\.m2\repository\jakarta\validation\jakarta.validation-api\3.0.2\jakarta.validation-api-3.0.2.jar;C:\Users\KubaT\.m2\repository\org\springdoc\springdoc-openapi-starter-webmvc-ui\2.8.11\springdoc-openapi-starter-webmvc-ui-2.8.11.jar;C:\Users\KubaT\.m2\repository\org\springdoc\springdoc-openapi-starter-webmvc-api\2.8.11
```

```

1 \springdoc-openapi-starter-webmvc-api-2.8.11.jar;C:\Users\KubaT\.m2\repository\org\springdoc\springdoc-
openapi-starter-common\2.8.11\springdoc-openapi-
starter-common-2.8.11.jar;C:\Users\KubaT\.m2\
repository\io\swagger\core\v3\swagger-core-jakarta\2.
2.36\swagger-core-jakarta-2.2.36.jar;C:\Users\KubaT\.m2\repository\org\apache\commons\commons-lang3\3.17.0
\commons-lang3-3.17.0.jar;C:\Users\KubaT\.m2\repository\io\swagger\core\v3\swagger-annotations-
jakarta\2.2.36\swagger-annotations-jakarta-2.2.36.jar
;C:\Users\KubaT\.m2\repository\io\swagger\core\v3\swagger-
models-jakarta\2.2.36\swagger-models-jakarta-
2.2.36.jar;C:\Users\KubaT\.m2\repository\com\fasterxml\jackson\dataformat\jackson-dataformat-yaml\2.19.2\jackson-
dataformat-yaml-2.19.2.jar;C:\Users\KubaT\.m2\repository\org\webjars\swagger-ui\5.27.1\swagger-
ui-5.27.1.jar;C:\Users\KubaT\.m2\repository\org\webjars\webjars-locator-lite\1.1.0\webjars-
locator-lite-1.1.0.jar;C:\Users\KubaT\.m2\repository\org\jspecify\jspecify\1.0.0\jspecify-1.0.0.jar;C:\Users\KubaT\.m2\repository\org\flywaydb\flyway-core\11.10.0\flyway-core-11.10.0.jar;C:\Users\KubaT\.m2\repository\org\flywaydb\flyway-database-
postgresql\11.7.2\flyway-database-postgresql-11.7.2.jar;C:\Users\KubaT\.m2\repository\org\projectlombok\lombok-
mapstruct-binding\0.2.0\lombok-mapstruct-binding-0.2.0.jar com.ecommerce.E_commerce.ECommerceApplication

2
3 .
4 /\\ / _ _ _ _ _ ( )_ _ _ _ _ \ \ \ \
5 ( ( )\__ | ' _ | ' _ | | ' _ \ / _ ` | \ \ \ \
6 \ \ / _ _ ) | | ) | | | | | ( | | ) ) ) )
7 ' | _ _ | . _ | | | | | \ _ , | / / / /
8 =====|_|=====|_|=/_|/_/_
9
10 :: Spring Boot ::           (v3.5.6)
11
12 2025-10-30T18:30:32.033+01:00  INFO 15796 --- [E-
commerce] [           main] c.e.E_commerce.
ECommerceApplication      : Starting
ECommerceApplication using Java 25 with PID 15796 (C

```

```
12 :\Users\KubaT\e-commerce-backend\target\classes
    started by KubaT in C:\Users\KubaT\e-commerce-backend
)
13 2025-10-30T18:30:32.038+01:00 INFO 15796 --- [E-
    commerce] [           main] c.e.E_commerce.
    ECommerceApplication      : No active profile set,
    falling back to 1 default profile: "default"
14 2025-10-30T18:30:33.695+01:00 INFO 15796 --- [E-
    commerce] [           main] .s.d.r.c.
    RepositoryConfigurationDelegate : Bootstrapping
    Spring Data JPA repositories in DEFAULT mode.
15 2025-10-30T18:30:33.858+01:00 INFO 15796 --- [E-
    commerce] [           main] .s.d.r.c.
    RepositoryConfigurationDelegate : Finished Spring
    Data repository scanning in 145 ms. Found 6 JPA
    repository interfaces.
16 2025-10-30T18:30:35.081+01:00 INFO 15796 --- [E-
    commerce] [           main] o.s.b.w.embedded.tomcat.
    TomcatWebServer : Tomcat initialized with port 8080
    (http)
17 2025-10-30T18:30:35.110+01:00 INFO 15796 --- [E-
    commerce] [           main] o.apache.catalina.core.
    StandardService   : Starting service [Tomcat]
18 2025-10-30T18:30:35.111+01:00 INFO 15796 --- [E-
    commerce] [           main] o.apache.catalina.core.
    StandardEngine   : Starting Servlet engine: [Apache
    Tomcat/10.1.46]
19 2025-10-30T18:30:35.231+01:00 INFO 15796 --- [E-
    commerce] [           main] o.a.c.c.C.[Tomcat].[
    localhost].[/]      : Initializing Spring embedded
    WebApplicationContext
20 2025-10-30T18:30:35.232+01:00 INFO 15796 --- [E-
    commerce] [           main] w.s.c.
    ServletWebServerApplicationContext : Root
    WebApplicationContext: initialization completed in
    3111 ms
21 2025-10-30T18:30:35.920+01:00 INFO 15796 --- [E-
    commerce] [           main] com.zaxxer.hikari.
    HikariDataSource      : HikariPool-1 - Starting...
22 2025-10-30T18:30:36.286+01:00 INFO 15796 --- [E-
    commerce] [           main] com.zaxxer.hikari.pool.
```

```
22 HikariPool      : HikariPool-1 - Added connection
    org.postgresql.jdbc.PgConnection@69d103f0
23 2025-10-30T18:30:36.288+01:00 INFO 15796 --- [E-
    commerce] [           main] com.zaxxer.hikari.
    HikariDataSource      : HikariPool-1 - Start
    completed.
24 2025-10-30T18:30:36.331+01:00 INFO 15796 --- [E-
    commerce] [           main] org.flywaydb.core.
    FlywayExecutor        : Database: jdbc:postgresql://
    localhost:5432/ecommerce_db (PostgreSQL 18.0)
25 2025-10-30T18:30:36.346+01:00 WARN 15796 --- [E-
    commerce] [           main] o.f.c.internal.database.
    base.Database      : Flyway upgrade recommended:
    PostgreSQL 18.0 is newer than this version of Flyway
    and support has not been tested. The latest supported
    version of PostgreSQL is 17.
26 2025-10-30T18:30:36.417+01:00 INFO 15796 --- [E-
    commerce] [           main] o.f.core.internal.command
    .DbValidate       : Successfully validated 4 migrations
    (execution time 00:00.053s)
27 2025-10-30T18:30:36.496+01:00 INFO 15796 --- [E-
    commerce] [           main] o.f.core.internal.command
    .DbMigrate        : Current version of schema "public"
    ": 3
28 2025-10-30T18:30:36.550+01:00 INFO 15796 --- [E-
    commerce] [           main] o.f.core.internal.command
    .DbMigrate        : Migrating schema "public" to
    version "5 - seed data"
29 2025-10-30T18:30:36.598+01:00 ERROR 15796 --- [E-
    commerce] [           main] o.f.core.internal.command
    .DbMigrate        : Migration of schema "public" to
    version "5 - seed data" failed! Changes successfully
    rolled back.
30 2025-10-30T18:30:36.605+01:00 WARN 15796 --- [E-
    commerce] [           main]
    ConfigServletWebServerApplicationContext : Exception
    encountered during context initialization -
    cancelling refresh attempt: org.springframework.beans
    .factory.BeanCreationException: Error creating bean
    with name 'entityManagerFactory' defined in class
    path resource [org/springframework/boot/autoconfigure
```

```
30 /orm/jpa/HibernateJpaConfiguration.class]: Failed to
    initialize dependency 'flywayInitializer' of
    LoadTimeWeaverAware bean 'entityManagerFactory':
    Error creating bean with name 'flywayInitializer'
    defined in class path resource [org/springframework/
    boot/autoconfigure/flyway/
    FlywayAutoConfiguration$FlywayConfiguration.class]:
    Failed to execute script V5__seed_data.sql
31 -----
32 SQL State  : 42703
33 Error Code : 0
34 Message    : BŁĄD: kolumna "first_name" relacji "
    users" nie istnieje
35 Pozycja: 112
36 Location   : db/migration/V5__seed_data.sql (C:\Users
    \KubaT\e-commerce-backend\target\classes\db\migration
    \V5__seed_data.sql)
37 Line       : 4
38 Statement  : Run Flyway with -X option to see the
    actual statement causing the problem
39
40 2025-10-30T18:30:36.606+01:00  INFO 15796 --- [E-
    commerce] [           main] com.zaxxer.hikari.
    HikariDataSource      : HikariPool-1 - Shutdown
    initiated...
41 2025-10-30T18:30:36.647+01:00  INFO 15796 --- [E-
    commerce] [           main] com.zaxxer.hikari.
    HikariDataSource      : HikariPool-1 - Shutdown
    completed.
42 2025-10-30T18:30:36.653+01:00  INFO 15796 --- [E-
    commerce] [           main] o.apache.catalina.core.
    StandardService     : Stopping service [Tomcat]
43 2025-10-30T18:30:36.673+01:00  INFO 15796 --- [E-
    commerce] [           main] .s.b.a.l.
    ConditionEvaluationReportLogger :
44
45 Error starting ApplicationContext. To display the
    condition evaluation report re-run your application
    with 'debug' enabled.
46 2025-10-30T18:30:36.707+01:00 ERROR 15796 --- [E-
    commerce] [           main] o.s.boot.
```

```
46 SpringApplication          : Application run
    failed
47
48 org.springframework.beans.factory.
    BeanCreationException: Error creating bean with name
        'entityManagerFactory' defined in class path
    resource [org/springframework/boot/autoconfigure/orm/
    jpa/HibernateJpaConfiguration.class]: Failed to
    initialize dependency 'flywayInitializer' of
    LoadTimeWeaverAware bean 'entityManagerFactory':
    Error creating bean with name 'flywayInitializer'
    defined in class path resource [org/springframework/
    boot/autoconfigure/flyway/
    FlywayAutoConfiguration$FlywayConfiguration.class]:
    Failed to execute script V5__seed_data.sql
49 -----
50 SQL State   : 42703
51 Error Code  : 0
52 Message     : BŁĄD: kolumna "first_name" relacji "
    users" nie istnieje
53 Pozycja: 112
54 Location    : db/migration/V5__seed_data.sql (C:\Users
    \KubaT\e-commerce-backend\target\classes\db\migration
    \V5__seed_data.sql)
55 Line        : 4
56 Statement   : Run Flyway with -X option to see the
    actual statement causing the problem
57
58      at org.springframework.beans.factory.support.
    AbstractBeanFactory doGetBean(AbstractBeanFactory.
    java:328) ~[spring-beans-6.2.11.jar:6.2.11]
59      at org.springframework.beans.factory.support.
    AbstractBeanFactory getBean(AbstractBeanFactory.java:
    207) ~[spring-beans-6.2.11.jar:6.2.11]
60      at org.springframework.context.support.
    AbstractApplicationContext.
    finishBeanFactoryInitialization(
    AbstractApplicationContext.java:970) ~[spring-context
    -6.2.11.jar:6.2.11]
61      at org.springframework.context.support.
    AbstractApplicationContext.refresh(
```

```
61 AbstractApplicationContext.java:627) ~[spring-
context-6.2.11.jar:6.2.11]
62     at org.springframework.boot.web.servlet.context.
ServletWebServerApplicationContext.refresh(
ServletWebServerApplicationContext.java:146) ~[
spring-boot-3.5.6.jar:3.5.6]
63     at org.springframework.boot.SpringApplication.
refresh(SpringApplication.java:752) ~[spring-boot-3.
5.6.jar:3.5.6]
64     at org.springframework.boot.SpringApplication.
refreshContext(SpringApplication.java:439) ~[spring-
boot-3.5.6.jar:3.5.6]
65     at org.springframework.boot.SpringApplication.
run(SpringApplication.java:318) ~[spring-boot-3.5.6.
jar:3.5.6]
66     at org.springframework.boot.SpringApplication.
run(SpringApplication.java:1361) ~[spring-boot-3.5.6
.jar:3.5.6]
67     at org.springframework.boot.SpringApplication.
run(SpringApplication.java:1350) ~[spring-boot-3.5.6
.jar:3.5.6]
68     at com.ecommerce.E_commerce.ECommerceApplication
.main(ECommerceApplication.java:10) ~[classes/:na]
69 Caused by: org.springframework.beans.factory.
BeanCreationException: Error creating bean with name
'flywayInitializer' defined in class path resource
[org/springframework/boot/autoconfigure/flyway/
FlywayAutoConfiguration$FlywayConfiguration.class]:
Failed to execute script V5__seed_data.sql
70 -----
71 SQL State  : 42703
72 Error Code : 0
73 Message    : BŁĄD: kolumna "first_name" relacji "
users" nie istnieje
74 Pozycja: 112
75 Location   : db/migration/V5__seed_data.sql (C:\\
Users\\KubaT\\e-commerce-backend\\target\\classes\\db\\
migration\\V5__seed_data.sql)
76 Line       : 4
77 Statement  : Run Flyway with -X option to see the
actual statement causing the problem
```

```
78
79      at org.springframework.beans.factory.support.
AbstractAutowireCapableBeanFactory.initializeBean(
AbstractAutowireCapableBeanFactory.java:1826) ~[
spring-beans-6.2.11.jar:6.2.11]
80      at org.springframework.beans.factory.support.
AbstractAutowireCapableBeanFactory.doCreateBean(
AbstractAutowireCapableBeanFactory.java:607) ~[
spring-beans-6.2.11.jar:6.2.11]
81      at org.springframework.beans.factory.support.
AbstractAutowireCapableBeanFactory.createBean(
AbstractAutowireCapableBeanFactory.java:529) ~[
spring-beans-6.2.11.jar:6.2.11]
82      at org.springframework.beans.factory.support.
AbstractBeanFactory.lambda$doGetBean$0(
AbstractBeanFactory.java:339) ~[spring-beans-6.2.11.
jar:6.2.11]
83      at org.springframework.beans.factory.support.
DefaultSingletonBeanRegistry.getSingleton(
DefaultSingletonBeanRegistry.java:373) ~[spring-
beans-6.2.11.jar:6.2.11]
84      at org.springframework.beans.factory.support.
AbstractBeanFactory doGetBean(AbstractBeanFactory.
java:337) ~[spring-beans-6.2.11.jar:6.2.11]
85      at org.springframework.beans.factory.support.
AbstractBeanFactory.getBean(AbstractBeanFactory.java
:202) ~[spring-beans-6.2.11.jar:6.2.11]
86      at org.springframework.beans.factory.support.
AbstractBeanFactory doGetBean(AbstractBeanFactory.
java:315) ~[spring-beans-6.2.11.jar:6.2.11]
87      ... 10 common frames omitted
88 Caused by: org.flywaydb.core.internal.exception.
FlywayMigrateException: Failed to execute script
V5__seed_data.sql
89 -----
90 SQL State : 42703
91 Error Code : 0
92 Message   : BŁĄD: kolumna "first_name" relacji "
users" nie istnieje
93 Pozycja: 112
94 Location  : db/migration/V5__seed_data.sql (C:\
```

```
94 Users\KubaT\e-commerce-backend\target\classes\db\
migration\V5__seed_data.sql)
95 Line      : 4
96 Statement : Run Flyway with -X option to see the
actual statement causing the problem
97
98      at org.flywaydb.core.internal.command.DbMigrate.
doMigrateGroup(DbMigrate.java:399) ~[flyway-core-11.
10.0.jar:na]
99      at org.flywaydb.core.internal.command.DbMigrate.
lambda$applyMigrations$1(DbMigrate.java:283) ~[
flyway-core-11.10.0.jar:na]
100     at org.flywaydb.core.internal.jdbc.
TransactionalExecutionTemplate.execute(
TransactionalExecutionTemplate.java:59) ~[flyway-
core-11.10.0.jar:na]
101     at org.flywaydb.core.internal.command.DbMigrate.
applyMigrations(DbMigrate.java:282) ~[flyway-core-11
.10.0.jar:na]
102     at org.flywaydb.core.internal.command.DbMigrate.
migrateGroup(DbMigrate.java:255) ~[flyway-core-11.10
.0.jar:na]
103     at org.flywaydb.core.internal.command.DbMigrate.
lambda$migrateAll$0(DbMigrate.java:153) ~[flyway-
core-11.10.0.jar:na]
104     at org.flywaydb.database.postgresql.
PostgreSQLAdvisoryLockTemplate.execute(
PostgreSQLAdvisoryLockTemplate.java:77) ~[flyway-
database-postgresql-11.7.2.jar:na]
105     at org.flywaydb.database.postgresql.
PostgreSQLAdvisoryLockTemplate.lambda$execute$0(
PostgreSQLAdvisoryLockTemplate.java:60) ~[flyway-
database-postgresql-11.7.2.jar:na]
106     at org.flywaydb.core.internal.jdbc.
TransactionalExecutionTemplate.execute(
TransactionalExecutionTemplate.java:59) ~[flyway-
core-11.10.0.jar:na]
107     at org.flywaydb.database.postgresql.
PostgreSQLAdvisoryLockTemplate.execute(
PostgreSQLAdvisoryLockTemplate.java:60) ~[flyway-
database-postgresql-11.7.2.jar:na]
```

```
108      at org.flywaydb.database.postgresql.  
PostgreSQLConnection.lock(PostgreSQLConnection.java:  
105) ~[flyway-database-postgresql-11.7.2.jar:na]  
109      at org.flywaydb.core.internal.schemahistory.  
JdbcTableSchemaHistory.lock(JdbcTableSchemaHistory.  
java:165) ~[flyway-core-11.10.0.jar:na]  
110      at org.flywaydb.core.internal.command.DbMigrate.  
migrateAll(DbMigrate.java:153) ~[flyway-core-11.10.0  
.jar:na]  
111      at org.flywaydb.core.internal.command.DbMigrate.  
migrate(DbMigrate.java:104) ~[flyway-core-11.10.0.  
jar:na]  
112      at org.flywaydb.core.Flyway.lambda$migrate$1(  
Flyway.java:247) ~[flyway-core-11.10.0.jar:na]  
113      at org.flywaydb.core.FlywayExecutor.execute(  
FlywayExecutor.java:210) ~[flyway-core-11.10.0.jar:  
na]  
114      at org.flywaydb.core.Flyway.migrate(Flyway.java:  
188) ~[flyway-core-11.10.0.jar:na]  
115      at org.springframework.boot.autoconfigure.flyway.  
.FlywayMigrationInitializer.afterPropertiesSet(  
FlywayMigrationInitializer.java:66) ~[spring-boot-  
autoconfigure-3.5.6.jar:3.5.6]  
116      at org.springframework.beans.factory.support.  
AbstractAutowireCapableBeanFactory.invokeInitMethods  
(AbstractAutowireCapableBeanFactory.java:1873) ~[  
spring-beans-6.2.11.jar:6.2.11]  
117      at org.springframework.beans.factory.support.  
AbstractAutowireCapableBeanFactory.initializeBean(  
AbstractAutowireCapableBeanFactory.java:1822) ~[  
spring-beans-6.2.11.jar:6.2.11]  
118      ... 17 common frames omitted  
119 Caused by: org.flywaydb.core.internal.sqlscript.  
FlywaySqlScriptException: Failed to execute script  
V5__seed_data.sql  
120 -----  
121 SQL State : 42703  
122 Error Code : 0  
123 Message   : BŁĄD: kolumna "first_name" relacji "  
users" nie istnieje  
124 Pozycja: 112
```

```
125 Location    : db/migration/V5__seed_data.sql (C:\\\  
          Users\\KubaT\\e-commerce-backend\\target\\classes\\db\\\n          migration\\V5__seed_data.sql)  
126 Line        : 4  
127 Statement   : Run Flyway with -X option to see the  
          actual statement causing the problem  
128  
129      at org.flywaydb.core.internal.sqlscript.  
          DefaultSqlScriptExecutor.handleException(  
          DefaultSqlScriptExecutor.java:256) ~[flyway-core-11.  
          10.0.jar:na]  
130      at org.flywaydb.core.internal.sqlscript.  
          DefaultSqlScriptExecutor.executeStatement(  
          DefaultSqlScriptExecutor.java:217) ~[flyway-core-11.  
          10.0.jar:na]  
131      at org.flywaydb.core.internal.sqlscript.  
          DefaultSqlScriptExecutor.execute(  
          DefaultSqlScriptExecutor.java:137) ~[flyway-core-11.  
          10.0.jar:na]  
132      at org.flywaydb.core.internal.resolver.sql.  
          SqlMigrationExecutor.executeOnce(  
          SqlMigrationExecutor.java:75) ~[flyway-core-11.10.0.  
          jar:na]  
133      at org.flywaydb.core.internal.resolver.sql.  
          SqlMigrationExecutor.lambda$execute$0(  
          SqlMigrationExecutor.java:66) ~[flyway-core-11.10.0.  
          jar:na]  
134      at org.flywaydb.core.internal.database.  
          DefaultExecutionStrategy.execute(  
          DefaultExecutionStrategy.java:31) ~[flyway-core-11.  
          10.0.jar:na]  
135      at org.flywaydb.core.internal.resolver.sql.  
          SqlMigrationExecutor.execute(SqlMigrationExecutor.  
          java:65) ~[flyway-core-11.10.0.jar:na]  
136      at org.flywaydb.core.internal.command.DbMigrate.  
          doMigrateGroup(DbMigrate.java:391) ~[flyway-core-11.  
          10.0.jar:na]  
137      ... 36 common frames omitted  
138 Caused by: org.postgresql.util.PSQLException: BŁĄD:  
          kolumna "first_name" relacji "users" nie istnieje  
139 Pozycja: 112
```

```
140      at org.postgresql.core.v3.QueryExecutorImpl.  
receiveErrorResponse(QueryExecutorImpl.java:2734) ~[  
postgresql-42.7.7.jar:42.7.7]  
141      at org.postgresql.core.v3.QueryExecutorImpl.  
processResults(QueryExecutorImpl.java:2421) ~[  
postgresql-42.7.7.jar:42.7.7]  
142      at org.postgresql.core.v3.QueryExecutorImpl.  
execute(QueryExecutorImpl.java:372) ~[postgresql-42.  
7.7.jar:42.7.7]  
143      at org.postgresql.jdbc.PgStatement.  
executeInternal(PgStatement.java:518) ~[postgresql-  
42.7.7.jar:42.7.7]  
144      at org.postgresql.jdbc.PgStatement.execute(  
PgStatement.java:435) ~[postgresql-42.7.7.jar:42.7.7  
]  
145      at org.postgresql.jdbc.PgStatement.  
executeWithFlags(PgStatement.java:357) ~[postgresql-  
42.7.7.jar:42.7.7]  
146      at org.postgresql.jdbc.PgStatement.  
executeCachedSql(PgStatement.java:342) ~[postgresql-  
42.7.7.jar:42.7.7]  
147      at org.postgresql.jdbc.PgStatement.  
executeWithFlags(PgStatement.java:318) ~[postgresql-  
42.7.7.jar:42.7.7]  
148      at org.postgresql.jdbc.PgStatement.execute(  
PgStatement.java:313) ~[postgresql-42.7.7.jar:42.7.7  
]  
149      at com.zaxxer.hikari.pool.ProxyStatement.execute  
(ProxyStatement.java:95) ~[HikariCP-6.3.3.jar:na]  
150      at com.zaxxer.hikari.pool.HikariProxyStatement.  
execute(HikariProxyStatement.java) ~[HikariCP-6.3.3.  
jar:na]  
151      at org.flywaydb.core.internal.jdbc.JdbcTemplate.  
executeStatement(JdbcTemplate.java:215) ~[flyway-  
core-11.10.0.jar:na]  
152      at org.flywaydb.core.internal.sqlscript.  
ParsedSqlStatement.execute(ParsedSqlStatement.java:  
88) ~[flyway-core-11.10.0.jar:na]  
153      at org.flywaydb.core.internal.sqlscript.  
DefaultSqlScriptExecutor.executeStatement(  
DefaultSqlScriptExecutor.java:212) ~[flyway-core-11.
```

```
153 10.0.jar:na]  
154     ... 42 common frames omitted  
155  
156  
157 Process finished with exit code 1  
158
```