Fusion Wallet: Execution Evidence

FinTechathon 2026 · Topic F "Agent Wallet" · Base Sepolia (chain 84532) · real on-chain transaction hashes

Deployed contracts

Contract	Address
Safe (2-of-2 treasury)	`0x029869910714D9e09b854a2688311AFd42fBb44E`
KavachiModule (on-chain policy)	`0xA560ec10259657E9bADd297E68286d2838Cd5a8f`
Test USDC	`0xba50Cd2A20f6DA35D788639E581bca8d0B5d4D5f`
Aave vault (waUSDC)	`0xf430cb6E2b85f99222fBFA6dFEa18Ff60FA6B32a`

Headline transactions

What it proves	Signed by	Transaction
The on-device AI paid a bill from inside the phone app	AI session key (APP)	`0x4d09be10…5c89`
AI session key moved cash into Aave (owner-mandated rehearsal)	AI session key (APP)	`0x7acca495…aaaf`
…and back out to Safe cash	AI session key (APP)	`0xe6f0105b…709a`
Owners raised only the per-move cap, 10 → 75 USDC	Safe 2-of-2 (OWNER)	`0xea19c153…939f3`

Full, regenerable list below (41 transactions). Verify with no keys: `python3 scripts/judge/verify_all.py` (59 checks).

Network: Base Sepolia testnet (chain 84532). Test money only. Every row is a transaction in `evidence/tx_index.json` (41 rows, 41 unique hashes), grouped by the Topic F operation it performed. Click a hash to open it on BaseScan. To check them yourself with no keys: `python3 scripts/judge/verify_all.py` (59 checks; see `JUDGES.md`).

Source badges

The badge is what the index recorded. It is never guessed from the action name or the signer.

Badge	Meaning	Rows
AGENT	Broadcast by `agent-runner` with the on-device model (AHEM-G), signed by the session key	4
APP	Triggered inside the Android app and signed by the `:signer` process with a Keystore key	4
OWNER	Safe 2-of-2 transaction signed by both owners	7
SCRIPT	Operator or test script (deterministic planner). Never counted as autonomous	26

Summary

Operation	AGENT	APP	OWNER	SCRIPT	Total
Asset management	0	2	0	3	5
Transaction execution	4	1	0	8	13
Risk control	0	1	1	9	11
Owner and setup	0	0	6	6	12
All	4	4	7	26	41

- **Sent by the on-device AI's session key: 7** (4 `AGENT`, 3 `APP`): 4 bill payments and 3 other module actions (queue step, owner-mandated vault rehearsal). The model chose each from the candidate set; the contract checked each one.
- The proof screen in the app counts `AGENT` rows only (4).
- `SCRIPT` rows are operator scripts. They show the contract working. They are not claimed as autonomous.

Asset management (5)

Deposits into and withdrawals from the two pinned vaults, and the owners' funding of the Safe.

Source	What	USDC	Block	Transaction
SCRIPT	Deposit into a vault · evidence `E10`	1,850	48317876	`0x35ff759c17bc48442a1d25b02a75fb66aac2307502cd0402e36b40916d65d726`
SCRIPT	Owners fund the Safe (explicit 2-of-2 allocation, not the agent) · evidence `FUNDING`	7,000	48318006	`0xfd7cd40d688fddbaa2dbf68d9dabbbfd65c163934d23ac2a88cbcdf6d293dbba`
SCRIPT	Withdraw from a vault · evidence `E11`	10	48319856	`0x06530794bc195da12a84ee3ae4538ed1cca3b91f727f2ba4eaeb87f76da67950`
APP	Owner-mandated rehearsal (2-of-2) · Deposit into a vault · model chose `A` · planner `mnn+ahem-g@android` · OnePlus CPH2447 · evidence `K38-APP-DEPOSIT`	10	48359626	`0x7acca495d3bd0da2e62f92d0f6f1f20ef22c1e4bd8dc985be59c37ad4bd2aaaf`
APP	Owner-mandated rehearsal (2-of-2) · Withdraw from a vault · model chose `A` · planner `mnn+ahem-g@android` · OnePlus CPH2447 · evidence `K38-APP-WITHDRAW`	9.999999	48359868	`0xe6f0105b8cd4a941943112f7507efb1dee6adc47e08aa45852223c7c62cc709a`

Transaction execution (13)

Bill payments (instant, delayed, owner tier) and the queue and approval steps that lead to them.

Source	What	USDC	Block	Transaction
SCRIPT	Owners approved an action · evidence `E9`		48317855	`0x4fe8a794c15a91bf70e841549b2bf1907290100ee46f6a1abfa98cdc1221b603`
SCRIPT	Bill paid, instant tier (Acme Hosting) · evidence `E7`	8	48319621	`0x3d5682afb067993bf04ae88a344eff6d642138062f56e8539d79ed975cffe6c7`
SCRIPT	Delayed action queued · evidence `E8`		48319637	`0x01316eaeebf051827e46b0fa61645376ea531342cb6d526e4252acc6b0db202a`

Source	What	USDC	Block	Transaction
SCRIPT	Bill paid, delayed tier (after the queue delay) (Acme Hosting) · evidence `E8`	75	48319745	`0xc63f9d98e7a2d28ebe88eea2ffcec9288a39c4be0aa218da1acb584670b1fe7f`
SCRIPT	Delayed action queued · evidence `E8`		48319764	`0xdac5920996832c73375b584905d34cf430f35ad548ee1368a7695c927736548c`
SCRIPT	Owners approved an action · evidence `E9`		48319789	`0xddbc47e9037a49a0db323136d79360a9bd89f7e8220fb32f1ed987e4ef2601e0`
SCRIPT	Bill paid, owner-approved tier (Payroll Co.) · evidence `E9`	150	48319807	`0x97e5cd9c1c5bc351b32d2819e6735ef161fda91d3ab6285ccd4a06aec3ba232d`
SCRIPT	Bill paid directly by the owners (ownerPayObligation) (Payroll Co.) · evidence `E13`	300	48319821	`0x46470601cddedd6214792c494472affad03e5457e246bb7b68e35f38cf422826`
AGENT	Bill paid, instant tier (Acme Hosting) · model chose `B` · planner `mnn+ahem-g` · evidence `E7-AGENT`	8	48322748	`0x8bab484456d4f6c842281b1dfdf1ffcbd25ad3c0d0221353242c8c9530ebb3a6`
AGENT	Delayed action queued · model chose `A` · planner `mnn+ahem-g` · evidence `E8-QUEUE`		48324683	`0x5b7cd0573e6f0be53f6869b8908d886fcc27d7fcabd1192ea2a49a66f6743a95`
AGENT	Bill paid, delayed tier (after the queue delay) (Payroll Co.) · model chose `A` · planner `mnn+ahem-g` · evidence `E8-EXEC`	50	48324784	`0xf1e0afcb65cda6355cf8743b26f159afe76f0a634629a96e519eab98e9525f33`
AGENT	Bill paid, instant tier (Acme Hosting) · model chose `A` · planner `mnn+ahem-g` · evidence `DEMO-1792426406`	2	48329062	`0xa48f91bfc63cc7c8c8040f2372cfdf08284ded7cc786eff0b9779925b2000f10`
APP	Bill paid, instant tier (Acme Hosting) · model chose `A` · planner `mnn+ahem-g@android` · OnePlus CPH2447 · evidence `K17-APP`	8	48332176	`0x4d09be10bc6c75395cf5910844d9126715ebd15e8f20dbb4a6ab38f0d3be5c89`

Risk control (11)

Guardian pause, owner resume, queue cancel, emergency unwind, and attacks the contract rejected on purpose.

Source	What	USDC	Block	Transaction
SCRIPT	Attack rejected on purpose: Cooling payee rejected · evidence `E16` · reverted, status 0		48317882	`0x8f9dde942e571fad7b19c7e1f7a75564a80d18a893731539438a817100d30a70`
SCRIPT	Attack rejected on purpose: Delayed action cannot bypass queue · evidence `E16` · reverted, status 0		48317887	`0xe1d5dba152fb9a183192794e37bd17c98fe5530e1fcb937970ef2739904baa17`
SCRIPT	Attack rejected on purpose: Reserve raid rejected before queue creation · evidence `E16` · reverted, status 0		48318011	`0x55d44a2b3f7dedab3d898528a14cdd66aefaa49cf1eaa658b84dd3b777505d27`
SCRIPT	Queued action cancelled · evidence `E12`		48319776	`0x7e069c86c94e06fda563190567876b467f0b2facf9189ebb1a0939253182c4b5`
SCRIPT	Attack rejected on purpose: Duplicate committed bill payment rejected · evidence `E16` · reverted, status 0		48319779	`0x5af192e04e2ac730bd3eebc0a4f7f76d9ee76525896d40b0c9084f84d98e96b4`
SCRIPT	Attack rejected on purpose: Changed bank details require fresh cooling · evidence `E16` · reverted, status 0		48319835	`0xc04b77c2ffe8d0d945c1cc13aa70d3e34827a85b8af3629b2a2575e30f775d02`
SCRIPT	Guardian pause · evidence `E14`		48319867	`0xe33f6e100a88d1008bcb226302ec2e90c147929b1ae71167c6ba134059d7c61c`
SCRIPT	Owners resumed the module (Safe 2-of-2) · evidence `E6`		48319881	`0x4e097ab5cf673de69cd1e99283424b4935a9cc7ac536e4746b2889057bf43cf7`
SCRIPT	Emergency unwind: vault shares redeemed into the Safe · evidence `E15`		48319899	`0xbcbc2d8a0e6e460d2a19319f59a9a05ca4685ac5b284c105e75ef15e58518759`
APP	Guardian pause · Tecno CL6 (Android) · evidence `E14-APP`		48325338	`0xb36b6d227e1417c5b888a56218aaa377d508c2a6ba7d3551bfdcb30951b9fd08`
OWNER	Owners resumed the module (Safe 2-of-2) · evidence `E14-APP-RESUME`		not recorded	`0x82916108f2e39729018079ee629ef2b16d2e8f39016fb321ef76a59ab4de294f`

Owner and setup (12)

Safe creation, module enable, policy and bill commitments, payee registration, other owner Safe transactions.

Source	What	USDC	Block	Transaction
SCRIPT	Safe v1.4.1 created: two owners, threshold 2 · evidence `E1`		48317703	`0x957ef32ef5e4244b6c76ec20c6aa857b2ca57d2402ed1176eecf4bafcccb9e7b`
SCRIPT	KavachiModule enabled on the Safe · evidence `E2`		48317802	`0xd8d145e6795471b8fcc68c98c3b1e3763e5e95cbb383140fbcc04c256065e299`
SCRIPT	Policy configured, bills committed, session started, module resumed (one Safe batch) · evidence `E3`		48317803	`0xb8927af265a7d73d84bbefcafe512698bd6547a3cbbef64a6baa1c49659a27fa`
SCRIPT	Payee registered (cooling period starts) (Acme Hosting) · evidence `E4`		48317804	`0x8c2a208fed80010e4dfdeaf227f344d80d4411ee1669389abfaabd9d1a4e6ad0`
SCRIPT	Payee registered (cooling period starts) (Payroll Co.) · evidence `E4`		48317805	`0xabb5bd793393a221a72d773a8b65708d65ae7cc0be1a3064fe98ed088adf4f94`
SCRIPT	Changed bank details registered as a new payee (cooling restarts) (Acme new bank details) · evidence `E4`		48319832	`0x8c7216a9f5b69f9e7cdde1bc7085051510fda7a05f47c90574acaa82751597b3`
OWNER	Safe 2-of-2 transaction signed by both owners		not recorded	`0x168038b04b9e79104d4c070d6e567194cc50d300b8815776668f5d40136c7eac`
OWNER	Bills committed on chain (Merkle root), reviewed owner setup		not recorded	`0x5a474952470af72f95e123bacdeba0d071365faf6a3458cc3bce561f25527125`
OWNER	Safe 2-of-2 transaction signed by both owners		not recorded	`0x6415f09ace3aae89d44fa1539d778fef6e5a573c94dd1af2a703124100a081a5`
OWNER	Allocation Mandate		not recorded	`0xb4896d5bd3207eee5d05bc2bd956a23d820691c8d4eb7fc80209b432fc353f7a`
OWNER	Safe 2-of-2 transaction signed by both owners		not recorded	`0xd28f2346a5f91d4a307e1b1cb14e53787a872385f90e80ad7aef8bd6967ac99d`
OWNER	Owner policy change (2-of-2): microMaxRaw 10 to 75 USDC; fresh session restarted; module resumed · Policy Change And Session Resume		not recorded	`0xea19c153ec09f774f612576801d3eac13bbe8c14599808332127b9e68b4939f3`

Not claimed

- **A deposit the AI chose on its own because it pays.** The owners raised the per-move cap to 75 USDC (the OWNER row above); 75 USDC breaks even in about 11.7 days. In the latest live run on the agent phone the on-device AI still chose HOLD ("Nothing eligible to move within the current policy"); see `evidence/app/agent/K47C_hold_diagnosis.md`.
- **An automatic guardian pause from a risk detector.** Today's pause rows were triggered by a person; the app's reflex path exists but no live detector feeds it.

Regenerate

```
python3 scripts/build_tx_index.py         # rebuild evidence/tx_index.json (needs RPC access)
python3 scripts/gen_tx_hashes_md.py       # rewrite this file (offline)
python3 scripts/gen_tx_hashes_md.py --check
```