CONFIRM

Evidence-backed troubleshooting for industrial support

Adriel Ventura
SHPE AI Hackathon | Rockwell Automation
Simulation Round | August 2026

THE SECOND CALL

The expensive call isn't the first one.

~60%
Technical support first-call resolution

24–30%
Repeat contact rate

78%
Repeats occurring within 30 days

$8–15
Added cost per repeat contact

~$125k
Unplanned downtime, mid-size plant

SQM Group; MetricNet/Forrester benchmarks; ABB Value of Reliability, n=3,200 (vendor-sponsored)

JULY 9, 2026 — STELLANT SYSTEMS

Eight hours on a thermal simulation. Needed an 85°C boundary. Kept getting 22°C.

Same week: a file broke the model for 45 minutes. The fix was close it and reopen it. Documented nowhere.

A supervisor confirmed a setting from memory — and it had been years.


TWO FAILURES THAT COMPOUND

The fix is never proven. "It works now" closes the ticket. Nobody verified why.

The fix is never captured. It stays in one engineer's head, not the knowledge base.

ONE HYPOTHESIS AT A TIME

CONFIRM treats every call as a small experiment.



Every recommendation cites its source document and date. Every resolved call leaves a written record.

BUILT ON WHAT EXISTS

Honest feasibility, not a wish list.

Component	Status
Speech-to-text, intent extraction	Mature
Retrieval over technote corpus	Mature
Cited document IDs and dates	Proven — Siemens PAT Copilot ships this
Numeric proof over voice	Trivial
Photo proof	Needs upload path; TechConnect Live View exists
Baseline diff vs. known-good config	**Phase 2 — most customers don't version configs**
Modality adaptation	Partial — needs user profile

Confidence	Risk	Action
≥90%	Low	Give step, request proof, proceed
≥90%	High	Hard gate — proof required
60–90%	Any	Step + warning + source; mark unverified
<60%	Any	Do not guess. Escalate with packet

Not new: Evidence gating is a standard pattern in agentic AI. Siemens Industrial Copilot and ABB Genix already answer and cite sources.
New: Applying proof-gated, source-cited steps to industrial voice support, targeting repeat-call rate rather than first-call resolution.
Architecture: Hybrid — edge SLM for speech and safety filtering, cloud LLM for reasoning and retrieval.

WHAT IT CHANGES

Measured by whether the fix held.

Same-asset, same-issue repeat calls per 30-day window

Chosen because 78% of repeat contacts occur within 30 days.

SECONDARY METRICS

- Escalated case handle time
- % of steps closed with verified proof
- New technotes drafted per 100 resolved calls

CAPABILITY METRIC

Assisted-to-independent ratio

Does the same technician resolve a growing share of the same fault families without calling? A rising ratio means the tool is teaching, not just answering.

WHY ROCKWELL

- ARR ~10% of revenue, growing 8% YoY
- 41% using AI to close skills gaps; 48% redeploying workers

  State of Smart Manufacturing, n=1,500+ (vendor-sponsored)
- Every resolved call drafts a technote — the knowledge base compounds

PHASE 1

Elicit → one hypothesis → cited step → soft proof → handoff packet

PHASE 2

Tiered hard gating + opportunistic baseline diff

PHASE 3

Twin-validated resolution via Emulate3D before dispatch