

# Méthodes avancées en exploitation de donnée (MATH80619)

Estefan Apablaza-Arancibia	11271806
Adrien Hernandez	11269225

February 29, 2020

## List of Acronyms

**API** Application Programming Interface

# 1 Introduction

In the first section of this paper, a literature review covers the neural networks and deep learners algorithms, focusing on different type of neural networks architecture; the purpose of adding multiple hidden layers and, ultimately, what are the challenges regarding the increase in computing time. Furthermore, in the methodology section, a list of deep learning projects are shown in order to understand some patterns and methods. Then, an exhaustive list of the R libraries allowing to build neural networks and deep learners models. Correspondingly, the advantages and disadvantages of each libraries, their capabilities as well as what you can expect when using them. To sum up, the last section will give concrete examples on how to implement the neural networks and deep learners models with these libraries, using real data.

1.0.0. Très intéressant

[https://edu.kpfu.ru/pluginfile.php/419285/mod\\_resource/content/2/neural-networks-r.pdf](https://edu.kpfu.ru/pluginfile.php/419285/mod_resource/content/2/neural-networks-r.pdf)

1.0.0. Add more detail about deep learning integration

## 2 Litterature Review

### 2.1 What is Deep Learning and why use it?




Figure 1: Artificial Intelligence vs Machine Learning vs Deep Learning

Deep learning is a subset field of artificial intelligence and can be seen as a specific way of doing machine learning. Deep learning algorithms can be seen as feature representation learning. Indeed, by applying to the data multiple non-linear transformations through the use of hidden layers, deep learning models have their own trainable feature extraction capability making it possible to learn specific features from the data without needing a specific human domain expert. This means that deep learning models won't require the features extraction step that is essential for classic machine learning models. However, increasing the models capacity by adding hidden layers, requires increasingly computing power and slow down the training process of the model. The choice of hyperparameters, programming languages and memory management will therefore be important criteria to take into account when building deep learning models.

Since the last decade, deep learning models have shown notable predictive power and have been revolutionizing an important number of domains such as computer vision, natural language understanding, fraud detection, health and much more.

We suggest reading this first chapter written by pioneers in the field: <https://www.deeplearningbook.org/contents/intro.html>

2.1.0. Très très intéressant: [https://r2018-rennes.sciencesconf.org/data/pages/Deep\\_with\\_R\\_1.pdf](https://r2018-rennes.sciencesconf.org/data/pages/Deep_with_R_1.pdf)

### 2.1.1 Feed Forward Neural Network

"Deep feedforward networks, also called feedforward neural networks, or multilayer perceptrons (MLPs), are the quintessential deep learning models." [1]

Feedforward neural networks models are inspired from biology and by the way the human brain works. In a neural network, each neuron takes input from other neurons, processes the information and then transmits outputs to next neurons. Artificial neural networks follow the same process as each neuron will perform the weighted sum of inputs and will add a bias as a degree of freedom. It will then apply a non-linear transformation before outputting the information.




Figure 2: feedforward neural networks

2.1.1. ajouter formule mathématique du neurone

. Thus, the information goes forward in the network; neurons transmit information from the input layers towards the output layer. It is important to know that in a feedforward neural networks the neurons of a same layer are not connected to each other; they do not allow any feedback connections within a same layer. If we want to allow this process, we will be looking at recurrent neural networks.

To get a detailed explanation of the theory of feedforward neural network we recommend to read this chapter: <https://www.deeplearningbook.org/contents/mlp.html>

To get a short but still useful summary we recommend this chapter: <https://www.dropbox.com/s/uh48e6wjs4w13t5/Chapter6.pdf?dl=0>

### 2.1.2 RNN

Recurrent neural networks are a type of neural networks architecture having proven state-of-art performance for solving tasks related to sequential data such as language traduction, generation or text classification. As a key differentiator from feedforward neural networks, they include feedback loops connections and get an internal memory. One of their other advantage is to be able to handle input and output sequences that do not have the same length. TBC....

To get a detailed explanation of the theory of recurrent neural networks we recommend to read this chapter: <https://www.deeplearningbook.org/contents/rnn.html>

2.1.2. expliquer les différent possibilité qu'il existe dans le monde deep learning (i.e. RNN, CNN , GNN , etc.).

Si tu veux on peux expliquer les graphes aussi

### 2.1.3 CNN

To get a detailed explanation of convolutional neural networks we recommend to read this chapter: <https://www.deeplearningbook.org/contents/convnets.html>

2.1.3. Recommend books for deep learning or maybe here the hype cycle makes more sense

## 2.2 How to integrate Deep Learning in R

Deep Learning with R

2.2.0. Recommend books for deep learning that implements R

## 3 Description of methods

3.0.0. I think this section is more to explain, for example, the dataset with their end objective so when we are doing examples we just say we are going to use the CIFAR10 and the readers know we are doing a classification problem.

## 4 Methodology

4.0.0. Give example of deep learning project pocedure

## 5 Available resources

5.0.0. Très intéressant: [https://edu.kpfu.ru/pluginfile.php/419285/mod\\_resource/content/2/neural-networks-r.pdf](https://edu.kpfu.ru/pluginfile.php/419285/mod_resource/content/2/neural-networks-r.pdf)

5.0.0. Faire une recherche exhaustive des ressources disponibles en R pour faire des analyses liées à ce sujet. Par exemple: fonctions R de base, packages sur les différentes plate-formes (CRAN, )

According to the CRAN-R project website, we give a list of the different packages known in R allowing to use simple and deep neural network algorithms.

<https://cran.r-project.org/web/views/MachineLearning.html>

### 5.1 Nnet

## 6 Resources available in R

Like discuss, I think we should divide this section into two sections ; The most popular packages in deep learning adn the less popular but yet available package.

### 6.1 Application Programming Interface (API) packages

#### 6.1.1 Keras

**How to install it** First step, is the installation and download of the Keras files from GitHub :

```
devtools::install_github("rstudio/keras")
```

Then, we need to to install the package and import in the project :

```
library(keras)
install_keras()
```

```
##
## Installation complete.
```

When the "*Installation complete.*" message appear you have a complete installation with CPU configure on the TensorFlow backend. If you want to take advantage of your GPU (Ensure that you have the hardware prerequisites) you will need to execute a different command as follows:

```
install_keras(tensorflow = "gpu")
```

**Tensorflow backend**

**CNTK backend**

**Theano backend**

### 6.1.2 Tensorflow

### 6.1.3 rTorch

## 6.2 R packages

**RSNNS** Another package **RSNNS** (Bergmeir, 2019) allows to have access to a high view of the package SNNS (Stuttgart Neural Network Simulator), containing several neural networks algorithms

6.2.0. à creuser ce package

**Deepnet** For deep learning algorithms, **Deepnet** (Rong, 2014), allows to us neural networks with several hidden layers. This package contains interesting features such as neural networks having their neurones' weight automatically initialized by a DBN (deep belief network) or a stacked autoencoder. (

6.2.0. il fait aussi Boltzmann machine, à voir ce que c'est

)

Another package, **RcppDL** (Kou and Sugomori, 2014), allows a simple use of deep neural netowkrsm including denoising autoencoders, stacked denoising autoencoder, restricted Boltzmann machines and deep belief nets.

**H2o** (LeDell, 2020) video qui explique h2o H2o is a "scalable open source machine learning platform that offers parallelized implementations of many supervised, unsupervised and fully automatic machine learning algorithms on clusters". This package allows to run H2o via its REST API through R and offers several advantages such as the ability ot know the computation time remaining when running a model. Prerequisites to launch H2o, 64 bit Java 6+ if you want to open a h2o model that s more than 1 GB. R users: prerequisite R installed. Add R to your PATH. `install.packages("h2o")` different syntax to work with h2o. `read.csv = h2o.importFile`. `cbind = h2o.cbind`. `predict = h2o.predict`. `glm = h2o.glm`, ... According to KD Nuggets, "Recurrent Neural Networks and Convolutional Neural Networks can be constructed using H2o's deep water project throught others libraries such as Caffe and TensorFlow". "Some of the features of H2o deep learning models are: Automatic Adaptive learning rate, Model regularization, Model checkpointing, Grid Search". Source:

Package	Pro	Con	Actif	URL
tensorflow R				Link
Kera R				
MxNet				

6.2.0. Faire une recherche exhaustive des ressources disponibles en R pour faire des analyses liées à ce sujet. Par exemple: fonctions R de base, packages sur les différentes plate-formes (CRAN, )

According to the CRAN-R project website, we give a list of the different packages known in R allowing to use simple and deep neural network algorithms.

<https://cran.r-project.org/web/views/MachineLearning.html>

### 6.3 Nnet

**Nnet** (Ripley and Venables, 2016) allows to quickly train and fit a feed-forward neural networks with one hidden layer. This package does not allow to use more that one hidden layer, and does not have any feature to find the optimal number of neurones in the hidden layer. It is up to the analyst to build a loop to test by cross-validation, for exemple, the optimal hyperparameter values. <https://cran.r-project.org/web/packages/nnet/nnet.pdf>

**Keras and tensorflow(backend)** (Falbel, 2019)

**CNTK-R (backend)**

**Theano (backend)**

**brnn**

**deepnlp**

**brnn**

**neuralnet** allows to plot the neural net (keras allows it too i think)

6.3.0. Ce mec parle de la gestion de la memoire en R avec keras, qui me semble utilise des numpy array en back-end ... à creuser mais peut etre interessant d'en parler car le gros probleme de R pour le deep learning c'est sa gestion de la memoire

<https://community.rstudio.com/t/deep-learning-in-r-memory-allocation/17541>

6.3.0. Bonne ressource pour videos <https://www.youtube.com/user/westlandindia/videos>

6.3.0. Ici on pourrait faire un tableau avec tous les packages et donner les pour et les contres, ADRIEN: Le tableau je suis pas trop fan sachant qu on doit ecrire 20 pages sur ces librairies

## 7 Examples

7.0.0. Encore à voiron pourrait créer des tutoriels pour peut-être comparer

7.0.0. Il faut trouver des datasets intéressantes à utiliser avec les différents packages



## References

- [1] Ian Goodfellow, Yoshua Bengio, and Aaron Courville. *Deep Learning*. <http://www.deeplearningbook.org>. MIT Press, 2016.