Table of Contents

Script Template Settings


```
1   ///----------------------------------------
2   ///    Author : #DEVELOPER_NAME#
3   ///    Date   : #DATE#
4   ///----------------------------------------
5
6   using UnityEngine;
7
8   namespace #RELATIVE_NAMESPACE# {
9       public class #SCRIPTNAME# : MonoBehaviour {
10
11          private void Start () {
12              #NOTRIM#
13          }
14
15          private void Update () {
16              #NOTRIM#
17          }
18      }
19  }
20
21
22
23
```

```
1   ///----------------------------------------
2   ///    Author : Théo Sabattié
3   ///    Date   : 28/04/2018 16:19
4   ///----------------------------------------
5
6   using UnityEngine;
7
8   namespace Com.Sabattie.Theo.MyGame {
9       public class Exemple : MonoBehaviour {
10
11          private void Start () {
12
13          }
14
15          private void Update () {
16
17          }
18      }
19  }
20
21
22
23
```

Script Template Settings allows you to add your own script template keywords and use them for the default templates Unity or your script templates.

With this extension, your can add namespace, author, date, (...) to your new script automatically on creation.

The Keywords values can be serialized per project or globally for all your project, they can also be computed (Date, ScriptNumber, ...). You can write your keywords to make your own way to compute value.

Unity Asset store

Forum

Twitter contact

Basic Setup

By default 4 keywords are created : **DATE**, **DEVELOPER_NAME**, **NAMESPACE**, **RELATIVE_NAMESPACE**. They are on the ScriptTemplateSettings asset file.


Configure the keyword **DEVELOPER_NAME** by selecting it and filling the Value field :

Note : **DEVELOPER_NAME** is a keyword with personnal value. The value is stored only on your computer.

Configure the keyword **RELATIVE_NAMESPACE** by selecting it and filling the Namespace field :

RELATIVE_NAMESPACE is a keyword computing the relative namespace using namespace plus a combinaison of folder where the script is placed. Some filters allow to ignore specials folders. More Informations

Edit the Unity basic template by selecting ScriptTemplateSettings and clicking on "Edit Script Template" button :

Open 81-C# Script-NewBehaviourScript.cs.txt
And copy paste the template below : (or setup your own template style)

```
///-----------------------------------------------------------
///   Author : #DEVELOPER_NAME#
///   Date   : #DATE#
///-----------------------------------------------------------

using UnityEngine;

namespace #RELATIVE_NAMESPACE# {
    public class #SCRIPTNAME# : MonoBehaviour {

        private void Start () {
            #NOTRIM#
        }

        private void Update () {
            #NOTRIM#
        }
    }
}
```

Save and close the template.
All the keywords will be replaced by the values.
DATE is a keyword with a computed value. You can edit the date format by selecting **DATE** keyword and updating the field Date
Format.

Now, it's time to check if the setup is correct :
Create a script and open it.
You should get the result at the right (with your datas) :

Note : There is an enabled option on ScriptTemplateSettings to update automatically namespace when you move a script and another option to update automatically type when you rename a script.
Be careful ! That does not update all the other scripts referencing it.

Add your own templates

Example with singleton

Add template to Unity templates folder by selecting ScriptTemplateSettings and clicking on "Edit Script Template" button :

Create a new file and name it `82-C# Singleton Script-NewSingletonBehaviourScript.cs.txt`

Open this file and fill it :

```
///--------------------------------------------------------------
///   Author : #DEVELOPER_NAME#
///   Date   : #DATE#
///--------------------------------------------------------------

using UnityEngine;

namespace #RELATIVE_NAMESPACE# {
    public class #SCRIPTNAME# : MonoBehaviour {
        private static #SCRIPTNAME# _instance;
        public static #SCRIPTNAME# Instance { get { return _instance; } }

        private void Awake(){
            if (_instance){
                Destroy(gameObject);
                return;
            }

            _instance = this;
        }

        private void Start () {
            #NOTRIM#
        }

        private void Update () {
            #NOTRIM#
        }

        private void OnDestroy(){
            if (this == _instance)
                _instance = null;
        }
    }
}
```

Unity generates automatically new menu when you add your templates to its resources. (Menus appear after restarting Unity)

Composition of the menu from the file name:

`82-C# Singleton Script-NewSingletonBehaviourScript.cs.txt`

`82` : Menu Item position.

`C# Singleton Script` : Menu name

`NewSingletonBehaviourScript.cs` : Default script name

You can also make submenu:
With:

`82-C# Example__Singleton-NewSingletonBehaviourScript.cs.txt`

You will get this result below :

Each ▢ represent a submenu. You can cumulate them.

Note: If you want create script from template in another location Unity will not create menu but you can add your own MenuItem and use a method in ScriptTemplateUtils to create script.

RELATIVE_NAMESPACE keyword

RELATIVE_NAMESPACE is a keyword computing the relative namespace using namespace concatened with the folders where the script is placed.

Filter prevent usage of some part of the path for namespace.

There are global filters working directly on the path.

And per folder filters.

Each match remove a part of the path.

Relative namespace removes also diacritics, non-letter char and number at beginning to make a valid namespace.

All operations are visible and can be observed:


They are relative to the selected file.

The resulting value can be observed in Value field. (That is not editable because it is a computed value)

Tips:
I conserved the focus on **RELATIVE_NAMESPACE** by locking the inspector on it.

There are some alternatives if you aren't confortable with regex.

Keyword with personnal value

Those keywords values are not stored per project but globaly per user. They are stored in EditorPrefs. You can add your own personnal keyword by the menu below:

After that, you need to add that keyword to the ScriptTemplateSettings:

Note: if you create a personnal keyword in another project with the same name, you will get the same value.

Keyword with project value

For project keyword, create a Serialized Keyword.

Keyword with computed value

Some keywords already exist : **DATE**, **RELATIVE_NAMESPACE**.

When GetValue is call on thoses Keyword, they compute the resulting value. You can create your own Keyword class to compute value as you want.

Make your own Keyword

If you need to add a keyword with a computed value, extend Keyword class and implement GetValue method.
If you need to add a keyword with a serialized value, extend SettableKeyword class and implement GetValue and SetValue method.

Keyword
Abstract Classe
→ ScriptableObject

▲ Propriétés
  🔧 FormattedName
  🔧 KeywordNameTemplate
▲ Méthodes
  ⬡ GetValue

RelativeNamespaceKeyword
Classe
→ Keyword

DateKeyword
Classe
→ Keyword

SettableKeyword
Abstract Classe
→ Keyword

▲ Méthodes
  ⬡ SetValue

EditorPrefKeyword
Classe
→ SettableKeyword

SerializedKeyword
Classe
→ SettableKeyword

NamespaceKeyword
Classe
→ SettableKeyword

If you want make your own Editor:

KeywordEditor
Classe
→ Editor

▲ Champs
  ▣ VALUE
▲ Propriétés
  🔧 DelayedValueTextField
  🔧 DrawAllSerializedProperties
  🔧 DrawValue
  🔧 HasEditableValue
▲ Méthodes
  ⬡ DrawFields
  ⬡ GetSelectedAssetPath
  ⬡ OnInspectorGUI
  ⬡ OnNewValue

DateKeywordEditor
Classe
→ KeywordEditor

RelativeNamespaceKeywordEditor
Classe
→ KeywordEditor

SettableKeywordEditor
Classe
→ KeywordEditor

NamespaceKeywordEditor
Classe
→ SettableKeywordEditor

EditorPrefKeywordEditor
Classe
→ SettableKeywordEditor

Other templates

Scriptable Object (`81-C# Scriptable Object-NewScriptableObject.cs.txt`)

```
///-------------------------------------------------------------
///   Author : #DEVELOPER_NAME#
///   Date    : #DATE#
///-------------------------------------------------------------

using UnityEngine;

namespace #RELATIVE_NAMESPACE# {
    [CreateAssetMenu(menuName = "#PRODUCT#/#SCRIPTNAME#")]
    public class #SCRIPTNAME# : ScriptableObject {

    }
}
```

Editor (`81-Editor__C# Editor-NewEditor.cs.txt`)

```
///-------------------------------------------------------------
///   Author : #DEVELOPER_NAME#
///   Date    : #DATE#
///-------------------------------------------------------------

using UnityEditor;

namespace #RELATIVE_NAMESPACE#
{
    [CustomEditor(typeof(#SCRIPTNAME_NO_EDITOR#))]
    public class #SCRIPTNAME# : Editor
    {
        public sealed override void OnInspectorGUI()
        {
            base.OnInspectorGUI();
            serializedObject.Update();

            // Do what you want

            serializedObject.ApplyModifiedProperties();
        }
    }
}
```

EditorWindow (`81-Editor__C# EditorWindow-NewEditorWindow.cs.txt`)

```
///----------------------------------------------------------------
///   Author : #DEVELOPER_NAME#
///   Date   : #DATE#
///----------------------------------------------------------------

using UnityEditor;

namespace #RELATIVE_NAMESPACE#
{
    public class #SCRIPTNAME# : EditorWindow
    {
        [MenuItem("Window/#PRODUCT#/#SCRIPTNAME#")]
        public static void Open()
        {
            GetWindow<#SCRIPTNAME#>().Show();
        }

        private void OnEnable()
        {

        }

        private void OnGUI()
        {

        }
    }
}
```

Property Attribute (`81-Editor__C# Property Attribute-NewPropertyAttribute.cs.txt`)

```
///----------------------------------------------------------------
///   Author : #DEVELOPER_NAME#
///   Date   : #DATE#
///----------------------------------------------------------------

namespace #RELATIVE_NAMESPACE#
{
    public class #SCRIPTNAME# : PropertyAttribute
    {
    }
}
```

Property Drawer (`81-Editor__C# Property Drawer-NewPropertyDrawer.cs.txt`)

```
///----------------------------------------------------------------
///    Author : #DEVELOPER_NAME#
///    Date   : #DATE#
///----------------------------------------------------------------

using UnityEditor;

namespace #RELATIVE_NAMESPACE#
{
    [CustomPropertyDrawer(typeof(#SCRIPTNAME_NO_EDITOR#))]
    public class #SCRIPTNAME# : PropertyDrawer
    {
        public override void OnGUI(Rect position, SerializedProperty property, GUIContent label)
        {
            // Draw what you want with EditorGUI
        }

        public override float GetPropertyHeight(SerializedProperty property, GUIContent label)
        {
            return EditorGUIUtility.singleLineHeight; // To tune in
        }
    }
}
```