

INDEX

A

abdominal pain, 36, 55, 72, 85, 99, 124, 133-134, 192, 236, 239, 250, 403, 411
abnormal vaginal bleeding, 250
abscess, 99, 203, 407
abstinence, 11, 15, 42, 58, 81, 95, 122, 160-161, 168, 178, 313
acne, 34, 133, 403
adolescent, 14-15, 85, 209-214, 240, 290
amenorrhea, 53, 64, 67-68, 71, 73, 75, 79, 84, 86, 97, 105, 219, 224, 242-243, 254, 288, 294, 394, 395, 405, 407, 412
anaphylactic shock, 138
anatomical abnormalities, 31, 47, 89, 104-105, 107, 131-132
anemia See iron deficiency anemia
sickle cell anemia, 32, 48, 75-76, 89, 104, 130, 187, 199, 380
thalassemia, 65, 76, 89, 104, 130, 380
anesthesia, 23, 87, 88, 181-185, 195, 205, 215, 289, 290, 302, 335
anti-anxiety therapies, 164, 169
antibiotics, 31, 47, 65, 76, 89, 109, 118, 126, 133, 164, 169, 202-203, 252, 358
and contraceptive effectiveness, 37, 54
before IUD insertion, 126
for abscess infection, 99
for pelvic inflammatory disease, 118, 120
anticoagulants, 34, 50, 66, 77, 90, 131, 179, 189, 220, 372, 374-375, 378
anticonvulsants, 30, 37, 46, 53-54, 67, 76-77, 90
antidepressants, 164, 169, 383
anti-nausea medications, 236
antiretroviral (ARV) therapy, 131-132, 200, 254, 256, 354, 377
antiseptic, 80, 99, 109, 112, 191, 201, 203, 282
aspirin, 68, 97, 108, 164, 169, 203
aura in migraines, 32-34, 48-50, 65-66, 77, 90, 131, 348, 369, 372

B

bacteria, 246, 257, 281, 407-408, 411-412
bacterial vaginosis, 150, 153, 247, 249, 407
barbiturates, 37, 54, 64, 360, 369, 372
basal body temperature, 160-161, 169, 174-176, 265, 313, 382-383, 391, 394-396, 408, 412
benign breast disease, 31, 34, 47, 64-65, 76, 89, 130, 186, 350
birth spacing, 180
birth weight, 217, 219, 220, 240, 249, 291
bleeding, vaginal, 31, 47, 53, 66, 77, 90, 103-104, 130-131, 164, 169, 186, 192, 236, 287, 348, 374, 376-377, 382, 407, 411-412
blood pressure, 20, 23, 33, 42, 49, 53, 65-66, 77, 89-90, 119, 130-131, 187, 223, 342, 368, 371, 373, 374, 391, 410
as medical eligibility criterion, 32-33, 48-49, 65-66, 77, 89-90, 103, 130, 131, 342
bone density, 209, 230
breakthrough bleeding, 35, 67, 71, 73, 79, 84, 86, 407, 412
breast cancer, 34, 38, 55, 79, 85, 286, 369, 371, 373-374, 376, 378, 379
as medical eligibility criterion, 33-34, 49-50, 67, 78, 91, 132, 186-187
breast milk, 42, 51, 64, 75, 87, 102, 178, 220, 222, 242, 248, 254, 366, 370, 407, 409
breastfeeding, 24, 32-33, 42, 48-49, 51, 63-65, 67, 70, 71, 73, 76, 79, 81-82, 89, 95-96, 106-107, 115, 129-130, 168-169, 177-180, 184, 219, 220-222, 224-225, 242, 254, 291, 325, 327, 336, 338, 366, 370, 372, 373, 375, 382, 407, 411
and starting a method, 42, 51, 69, 81, 95, 177, 180, 243, 366, 370
as medical eligibility criterion, 32, 34, 48, 50, 65, 67, 76, 78, 89, 91, 164, 169
bromocriptine, 179, 220

C

calendar rhythm method, 160
calendar-based methods, 160, 164, 224
candidiasis, 150, 153, 407
carbamazepine, 37, 54, 360, 369, 372
cervical cancer, 23, 32, 48, 65, 77, 85, 90, 108, 131, 137, 151, 155, 158, 184, 188, 217, 286, 382, 409
cervical cancer screening, 23, 184
cervical cap, 23, 122, 152-155, 211, 213, 217, 222-223, 225-226, 229, 256, 323
contraceptive effectiveness, 152
insertion, 153
cervical intraepithelial neoplasia, 32, 48, 77, 90, 103, 131
cervical mucus secretions, 169-170, 172, 176, 224
cervicitis, 246, 352
cervix, 21, 107-114, 117, 119, 120-121, 142, 146, 147, 149, 151-153, 155-156, 183, 282, 317, 318, 320, 408
chest pain, 36, 55, 391
chlamydia, 23, 104-105, 124, 131-132, 186, 188, 239, 246-247, 249-250, 252-253, 256, 352, 377, 379, 408
and IUD use, 124
cholestasis, 32-33, 48, 65-66, 76-77, 89-90, 103, 130-132, 186
coagulation disorders, 189, 200, 380, 381
combined injectable contraceptives, 23, 45-47, 49-55, 211, 218, 222, 322, 370-372, 394
contraceptive effectiveness, 45
medical eligibility criteria, 46, 49
side effects and management, 53
combined oral contraceptives, 23, 30, 31, 33-34, 36, 39, 40-44, 46, 48, 52-53, 57, 60, 66, 73, 77, 79, 84, 90, 96-98, 122, 131-132, 211, 214-215, 217-218, 222, 225, 229-230, 232, 234, 236, 242, 285, 322, 366, 368-370, 372, 391
side effects and management, 44
combined patch, 33-35, 57-59, 60, 122, 211, 214, 218, 229-230, 238, 256, 286, 368
combined vaginal ring, 60-62, 122, 211, 214-215, 218, 229-230, 286, 294, 368
community healthcare providers, 261, 263-264, 302, 308, 408
complications, 10, 14, 30, 36, 53, 55, 72, 75, 85, 99, 116, 120, 123-124, 153, 185, 192, 197, 202, 213, 215, 223, 231, 243, 251, 257, 260, 264-267, 283-284, 290, 379, 396, 398-399, 408
condom breaks or slips, 140
condoms, female, 122, 138, 142-146, 241, 293, 323
contraceptive effectiveness, 142

condoms, male, 135-138, 140, 145, 222, 293
contraceptive effectiveness, 135
confidentiality, 2, 7, 12, 13, 210-211, 262-263, 276, 403
continuous method use, 10, 27, 32, 48, 67, 74, 91, 131-132, 146, 252
copper-bearing intrauterine device, 101-103, 120, 345
contraceptive effectiveness, 102
medical eligibility criteria, 103
side effects and management, 116
corticosteroids, 179, 220
counseling, 1, 4, 7, 8, 10-12, 14-16, 51, 111, 116, 118, 120, 123, 164, 181, 185, 188, 190, 193, 194, 200-201, 204, 210, 212, 231, 241, 251, 259-260, 262-263, 265-266, 285, 287, 290, 292, 304, 309-310, 334, 364, 382, 410
about violence, 231
for family planning methods, 8, 38, 56, 73, 86, 99, 123, 133, 139, 146, 151, 155, 193, 203
new FP clients, 8-9

D

deep vein thrombosis, 32, 34, 48, 50, 65-67, 76-78, 86, 89, 90-91, 103, 130, 131, 186, 188, 189, 342, 344, 366, 370, 408, 411
Depo Provera, 74, 288
depot medroxyprogesterone acetate (DMPA), 74-77, 79-81, 83-86, 209, 211, 214, 220, 222, 228, 284, 288, 360, 394-395, 397, 400-401
bone density, 209, 230
diaphragm, 21, 147, 149-151, 211, 213, 217, 223, 226, 229, 256, 282, 323
contraceptive effectiveness, 147
insertion, 147
side effects and management, 150
disinfection of instruments, 110, 112, 281-282
dizziness, 30, 46, 53, 68, 75, 87, 192
dual protection strategies, 27, 211, 251, 257

E

eclampsia, 188, 223, 337, 379, 408
ectopic pregnancy, 31, 34, 45, 47, 66, 72-73, 75-76, 88-89, 98-99, 103, 117, 127, 129-130, 185-186, 192, 194, 237, 239, 408
ejaculation, 136-137, 198, 316, 409
emergency contraceptive pills, 241, 292
emphysema, 189, 362, 380
endometrial cancer, 30-31, 47, 65, 75-76, 79, 85, 88-89, 98, 105, 131-132, 188, 286

endometriosis, 30-31, 47, 65, 75-76, 89, 104, 128, 130, 137, 379
endometrium, 84, 318, 410-411
epididymitis, 246, 360
epilepsy, 31, 47, 64-65, 76, 89, 103, 130, 187, 380
erection, 136, 141, 198, 204
ergotamine, 179
estrogen, 29, 34, 39, 41-42, 45-46, 53, 57, 64, 75, 79, 87, 97, 129, 218, 228, 234, 255, 318, 320, 368-370, 371-372, 374-375, 407-409, 411
ethinyl estradiol, 39-41, 43, 57, 60, 232, 234-235, 255, 286, 294
expulsion, 106, 110-111, 114-115, 117, 119, 120, 126, 221, 223
extended use of combined oral contraceptives, 41

F

fallopian tube, 107, 181-184, 191, 313, 316, 318, 408-411
female sterilization, 122, 181, 184-185, 189, 192-194, 207, 243, 282, 290, 379, 380, 395
contraceptive effectiveness, 184
medical eligibility criteria, 186
fertility, 7, 37, 46, 54, 72, 75, 85-87, 98, 102, 121-122, 125, 128, 160, 162, 164, 168, 170, 176, 212, 216, 224, 227, 229-230, 238, 244, 262, 265, 287, 289, 294, 296, 301, 309, 313, 316, 320-321, 323, 334, 382-383, 405
fertility-awareness based methods, 160, 161, 163, 164, 170, 216, 224, 230, 244, 313, 323, 334, 382-383, 405
contraceptive effectiveness, 160
medical eligibility criteria, 162
fertilization, 101, 103, 135, 197, 237, 244, 316, 318, 408-409
fever, 72, 118, 123, 175, 188, 192, 223, 248, 339, 410
fibroids, 31, 47, 65, 76, 89, 105, 132
follicle, 72, 74
follow-up visit, 9, 11, 13, 17-18, 28, 32, 38, 48, 55, 66, 73, 77, 83, 90, 96, 104, 122-123, 130, 145, 151, 154, 158, 162, 192, 202, 231, 239, 241, 243, 260, 265, 275, 279, 284, 292, 303, 382, 395-396
forceps, 95, 111-114, 121, 196, 201, 266

G

gall bladder disease, 32-33, 48, 103, 131-132, 188, 213, 371
genital herpes, 248, 409
genital warts, 248, 250, 253, 293, 409
gall bladder disease, 32-33, 48, 103, 131-132, 188, 213, 371
genital herpes, 248, 409
genital warts, 248, 250, 253, 293, 409

I

ibuprofen, 68, 84, 97, 108, 116, 164, 169, 191, 203, 410
implanon, 87, 91-93, 95-96, 214, 288
implants, 14, 23, 63, 87-89, 91, 94-99, 122, 211, 214, 217, 220, 222, 228, 238, 243, 256, 265-266, 282, 288, 290-291, 302, 332, 345, 374-377, 403
contraceptive effectiveness, 87
medical eligibility criteria, 89, 91
side effects and management, 97
levonorgestrel intrauterine device, 96, 101, 128-

H

hand washing, 149, 153, 282
headaches, migraine, 32-34, 48-49, 50, 65-66, 76-
77, 89-90, 130-131, 186, 230, 346, 369, 372, 410
headaches, ordinary, 46, 53, 103
heart attack, 36, 217-218, 369, 371, 374, 391
heart disease, 32, 34, 48, 50, 65-67, 76, 78, 89-91, 103-104, 130, 131, 187-189, 207, 369-372, 374, 391, 410
heavy or prolonged bleeding, 84, 97, 130
hematoma, 188, 198, 201
hemoglobin test, 23
hemorrhage, 112, 119, 188, 337, 339, 366, 379
hepatitis, 79, 103, 248, 281, 352, 368, 371
hernia, 187, 189, 200, 362, 379-381, 409
herpes, 248, 250, 409
high blood pressure, 32, 34, 36, 48, 50, 65-66, 76-
78, 89-90, 103, 130, 131, 189, 368, 370-373, 375, 408
high-level disinfection, 112, 282, 408
HIV/AIDS, 15, 23, 30, 31, 37-38, 46-47, 54, 56, 64-
65, 75-76, 88-89, 104, 118, 131-132, 136-138, 140, 142, 144-146, 149, 151, 153, 154-155, 157, 158, 160, 179, 185-186, 189, 193, 198-200, 204-205, 207, 210, 220, 231, 233, 238-240, 241, 245, 248, 251-255, 256, 262, 277, 281, 283, 286, 293, 352, 354, 377, 379, 381, 404, 407, 409
hormone-free week, 96
human papillomavirus, 46, 250
hydrocele, 199, 381, 409
hypertension, 33-34, 49-50, 65-66, 77-78, 89-90, 103, 130, 131, 187, 189, 227-228, 333, 340, 410
hyperthyroidism, 189, 380
hypothyroidism, 187, 380

130, 133-134, 212, 322, 378, 405
contraceptive effectiveness, 128
medical eligibility criteria, 129, 132
side effects, 133
lithium, 179, 220, 383
liver disease, 248, 368, 371-373, 375, 378, 382, 391, 408, 410
logistics, 262, 264, 268, 271-273, 277-278, 303, 410
lubricants, 139, 143-144, 253

J

Jadelle, 87, 94-95, 214, 291
jaundice, 36, 55, 368, 371, 372-373, 375, 378, 408, 410

K

kidney disease, 187, 277, 380

L

lactational amenorrhea method, 115, 177-179, 180, 219, 225, 265, 289, 302, 391, 394-396, 398, 405
contraceptive effectiveness, 177
lamotrigine, 37, 49, 65, 75-76, 89, 369, 372
laparoscope, 182, 410
latex allergy, 137-138, 149
lesions, 150, 153, 157-158, 246, 248, 412
evonorgestrel intrauterine device, 96, 101, 128-130, 133-134, 212, 322, 378, 405
contraceptive effectiveness, 128
medical eligibility criteria, 129, 132
side effects, 133
lithium, 179, 220, 383
liver disease, 248, 368, 371-373, 375, 378, 382, 391, 408, 410
logistics, 262, 264, 268, 271-273, 277-278, 303, 410

M

malaria, 31, 47, 65, 76, 89, 103, 130, 186
male sterilization, 122, 200, 221, 289-290, 334-335, 395
maternal health, 292, 294
medical eligibility criteria, 13, 17-20, 23, 26, 27, 30, 31, 47, 49, 53, 64-67, 76, 78, 89, 96, 103, 129-130, 164, 169, 185-186, 190, 199-200, 211-214, 218, 220-223, 225, 228-230, 239, 242, 255, 265, 287-288, 333, 334-335, 366, 370, 372-373, 375-380, 382
menarche, 31, 47, 77, 104, 131, 164, 169, 336-337
menopause, 120, 124, 164, 217, 227-228, 320
menstrual cramps, 45
menstrual cycle, 30, 35, 51, 68-72, 81-82, 86, 95, 105-107, 120, 126, 160-161, 164-166, 168-169, 175, 184, 194, 224, 227, 234, 289, 313, 319-320, 323, 382
minilaparotomy, 181, 184, 195, 289, 302, 400, 410
miscarriage, 24, 106, 117, 126, 129, 133, 164, 168-169, 240, 327
missed pills, 38, 42, 44, 71, 73
mood changes, 24, 73, 133
mood-altering drugs, 164, 169, 179, 220, 383
mucous membranes, 282-283

N

natural family planning, 160, 265-266, 275, 289, 302, 394-396, 398
no monthly bleeding, 67-68, 168, 220, 325-326
nonoxynol, 23, 156, 158
nonsteroidal anti-inflammatory drugs, 97-98, 164, 169, 410
norethisterone enantate (NET-EN), 74, 76-77, 80, 83, 85, 211, 214, 217, 220, 222, 228, 360
norgestrel, 40
Norplant, 282, 401
no-scalpel vasectomy, 20, 196, 200, 205, 264-267, 391

O

obesity, 213-216, 366, 380
orchitis, 200, 246, 360
ovarian cancer, 31, 47, 64-65, 76, 79, 85, 89, 104, 131-132, 188, 377
ovarian cysts, 97, 99
ovary, 29, 34, 97, 107, 129, 133, 232, 313, 318, 320, 382, 408-411
overweight, 216
ovulation, 29, 34, 63, 74, 88, 129, 160-161, 164, 169, 172-175, 177, 219, 224, 227, 232, 237, 289, 294, 308, 313, 396, 409, 411
ovulation method, 160-161, 172-173, 289, 308, 396
oxcarbazepine, 37, 54, 64, 360, 369, 372

P

pain, 36, 55, 68, 72, 75, 85, 99, 108, 115-116, 118-120, 123, 128, 133-134, 137-138, 145, 176, 191, 194, 196-198, 202-203, 205-206, 231, 236, 250, 369, 372, 403, 410-412
abdominal pain, 72, 85, 99, 124, 133-134, 192, 236, 239, 250, 403, 411
after female sterilization, 192
after implant insertion, 99
after IUD insertion, 116
after vasectomy, 203
breast pain and tenderness, 30, 46, 57, 64, 176
menstrual cramps, 45
pain reliever, 68, 108, 116, 203, 205-206
paracetamol, 68, 108, 116, 164, 169, 191, 203, 205
pelvic examination, 21, 38, 45, 55, 102, 107-108, 123, 147, 152, 190, 262, 325, 393
pelvic inflammatory disease, 31, 45, 47, 64-65, 75-76, 89, 99, 103-108, 118, 120, 123-126, 130-132, 137, 186-188, 239, 246-247, 252, 256, 352, 379, 383, 411
penis, 135-136, 139, 142-145, 150, 153, 154, 157, 248, 250, 256, 314-315, 317, 381, 409, 411
periodic abstinence, 160
phenytoin, 37, 54, 64, 360, 369, 372
pre-eclampsia, 186, 188, 221, 223, 337, 366, 408
pregnancy, 5, 10, 23-25, 29-32, 34, 37-38, 42, 45, 47-48, 54, 64-66, 70, 72-74, 76, 79, 83-86, 88-89, 96, 98-99, 101, 103-105, 110, 115, 117, 118, 120, 122, 124, 127-132, 134-135, 137, 139-140, 142, 144, 146-147, 150-153, 155, 160-161, 165, 167, 171, 177-180, 182, 184-187, 192, 194, 207, 209-213, 216-217, 219, 222, 227, 231-233, 236, 237-239, 241-248, 251, 257, 277, 289-291, 293, 301, 313, 325-327, 338, 352, 374, 376-377, 379, 382, 391, 403, 405, 407-409, 411-412
progesterone, 29, 46, 63, 101, 128, 174, 211, 220, 222, 228, 235, 294, 318, 320, 411
progestin, 34, 37, 53, 63, 74, 79, 87-88, 96-97, 122, 214, 217, 220-222, 225, 228, 241, 256, 287, 322, 325, 344-345, 368-377, 411
progestin-only injectables, 23, 53, 63, 74-76, 79-86, 122, 256, 322, 368-377
contraceptive effectiveness, 74
medical eligibility criteria, 76, 78
side effects and management, 79
progestin-only pills, 23, 63-64, 67-73, 96, 98, 122, 214, 217, 228, 242-243, 256, 287, 322, 369, 372-373

R

rape, 239, 291-292
rash, 247
regret of sterilization, 193, 204
reproductive tract infections, 260, 266
reserpine, 179, 220
return of fertility, 30, 85
reversal of sterilization, 85, 183, 185, 207
rifampicin, 30, 33, 37, 46, 48-49, 53-54, 64-67, 76, 77, 90, 369, 372
ritonavir, 33, 37, 49, 54, 64, 67, 76, 77, 90, 255-256,

S

schistosomiasis, 31, 47, 65, 76, 89, 103, 130, 186-187, 380
scrotal skin infection, 256, 381
scrotum, 198, 203, 205-206, 314, 381, 411-412
sedation, 181, 182, 184
semen, 135-138, 142, 144, 173, 197, 202, 206, 245, 281, 314-316, 381, 409, 411-412
semen analysis, 137
sepsis, 115, 188, 231, 339
septic abortion, 105, 132, 338, 376
sexually transmitted infections, 11-13, 15, 23-24, 30-31, 37-38, 46-47, 54, 56, 64-65, 75-76, 88-89, 102, 104, 107, 108, 118, 123-124, 126, 131-132, 135-142, 144-147, 151, 154, 157-158, 160, 185, 186, 198, 200, 205, 207, 210, 212, 231, 233, 238-241, 245-257, 260, 262, 276-277, 293, 352, 354, 360, 391, 404-405, 412
prevention, 251
sickle cell anemia, 75
smoking, 33, 38, 49, 56, 66, 78, 90, 189, 217-218, 340, 366, 370, 372
sores, 138, 145, 249, 250, 391
speculum, 21, 109-110, 112, 121, 266
sperm, 23, 29, 63, 75, 103, 122, 129, 135, 137-139, 147, 154, 156-158, 165-166, 183-184, 196-198, 202, 204, 206, 208, 213, 217, 237, 253, 256, 313-316, 318, 320, 323, 381, 405, 407-409, 411-412
sperm duct, 256, 315, 381
spermicides, 23, 122, 135, 139, 154, 156-158, 166, 213, 217, 226, 253, 256, 323, 405
contraceptive effectiveness, 156
insertion, 156
side effects and management, 157
Standard Days Method, 160-161, 165-167, 224, 265, 302, 391, 394-395, 405
symptoms-based methods, 160, 168, 169, 224
symptothermal method, 160, 169, 176
syphilis, 247, 250, 412
syringe, 80, 81, 91, 282
systemic infection, 380
systemic lupus erythematosus, 32, 34, 48, 50, 66, 67, 77-91, 103-104, 131, 187, 189

T

testicles, testis, 197, 204-205, 207, 250, 256, 314-316, 381, 409, 411-412
thalassemia, 31, 47, 65, 76, 89, 104, 130, 187, 380
thrombophlebitis, 32, 48, 75, 412
topiramate, 37, 54, 369, 372
trichomoniasis, 249-250, 412
trophoblast disease, 377
tuberculosis, 31, 47, 64-65, 76, 89, 103, 105, 130, 132, 186, 189, 277, 354, 369, 372, 377, 380, 391
Two-Day Method, 160-161, 170-171, 405

U

ulcer, 107, 246-248, 408
unexplained vaginal bleeding, 32, 48, 66, 78, 91, 105, 132, 188, 348, 374, 376-377, 379
uterine cavity, 101, 105, 107-109, 113-115, 118, 132, 183, 317, 352
uterine fibroids, 75, 103, 130, 187, 379
uterine involution, 223
uterine perforation, 108, 118, 133, 339
uterine rupture, 189, 223, 339, 379
uterus, 29, 63, 75, 107-108, 111, 113-115, 117, 120, -183, 189-191, 194, 212, 223, 313, 316, 318, 320, 325-326, 362, 376, 379, 391, 407-412

V

vaginal bleeding, 31, 47, 66, 77, 90, 103-104, 130-131, 164, 169, 186, 192, 374, 376-377, 407, 411, 412
irregular bleeding, 46, 67, 75, 116, 128, 194, 239
monthly bleeding, 67, 69, 71, 81-83, 105-107, 122-124, 126, 158, 164, 166, 168, 172-173, 175-177, 185, 220, 325-327, 382, 409-410
no monthly bleeding, 67-68, 168, 220, 325, 326
prolonged bleeding, 241
unexplained vaginal bleeding, 105, 132, 374, 376-377, 379
vaginal discharge, 25, 118, 123, 145, 164, 169, 249, 250, 412
vaginal dryness, 172
vaginal infection, 35, 144, 171, 173, 383, 407
vaginal ring, 60-62, 122, 211, 214-215, 218, 229-230, 286, 294, 368
vaginal secretions, 35, 158, 281
vaginitis, 60, 104, 131-133, 186
vaginosis, 249, 407
varicocele, 199, 362, 381
varicose veins, 31, 47, 86, 344
vas deferens, 196-197, 201, 206, 314-316, 412
vasectomy, 4, 15, 21, 23, 122, 181, 196-208, 212, 215, 218, 221, 229, 243, 256, 290, 302, 313, 331-332, 345, 380-381, 394-395, 397-400, 404-405, 411
contraceptive effectiveness, 197
medical eligibility criteria, 199
violence against women, 231, 291-292, 391

viral hepatitis, 31, 33, 47, 49, 65, 76, 89, 130, 186, 188, 380
voluntary surgical contraception, 181, 182, 196, 264, 302, 395, 397, 401, 410
vomiting, 24, 35, 44, 67, 236, 369, 372, 410
vulva, 107, 142, 172, 317

W

weight change, 24, 35, 215

Y

Yuzpe Method, 215, 232-239