



Republic of the Philippines

REGION XII

COMMISSION ON POPULATION AND DEVELOPMENT

Empowering Filipino Families

HEALTH 8

First Quarter

Lesson: Preventing Teen Pregnancies



LEARNER'S MATERIAL (Self-Learning Module)

BARM Complex (ORG Compound), Cotabato City, Philippines 9600
Tel.: (064) 421-5595 Email Address: region12@popcom.gov.ph | popcomr12@gmail.com



@popcom_12



facebook.com/POPCOMXII



rpo12.popcom.gov.ph



Health – Grade 8 Self-Learning Module (SLM)

Quarter 1 – Lesson: Preventing Teen Pregnancies

First Edition, 2022

Republic Act 8293, section 176 states that: No copyright shall subsist in any work of the Government of the Philippines. However, prior approval of the government agency or office wherein the work is created shall be necessary for exploitation of such work for profit. Such agency or office may, among other things, impose as a condition the payment of royalties.

Borrowed materials (i.e., songs, stories, poems, pictures, photos, brand names, trademarks, etc.) included in this module are owned by their respective copyright holders. The publisher and authors do not represent nor claim ownership over them.

Majority of the contents in this module are taken from the Sexually Healthy and Personally Empowered Adolescents (SHAPE) manual published by the Commission on Population and Development.

Development Team of the Module

| | | |
|------------------|--|--|
| Reviewed by: | Knowledge Management and Communications Division (KMCD)- POPCOM Central Office | |
| Evaluated by: | ARTURO D. TINGSON, JR. Regional Education Program Supervisor LRMS, DepEd Regional Office XII | ROY D. TRIBUNALO Principal In-Charge, Sarangani Province Division |
| | IRENE S. CUTAMORA, Ed. D School Head, General Santos City Division | MYLENE S. ARZADON School Head, General Santos City Division |
| | ELY BOBBYLORD C. ALAMIN Head Teacher I, General Santos City Division | FENELIA M. CUARESMA Master Teacher I, Sarangani Province Division |
| | | |
| Developed by: | FITZGERALD J. CARMONA - Information Officer II VINNA P. BOHOLST - Information Officer I | |
| Management Team: | EDWIN MATEO P. QUIJANO, CSEE - Regional Director DESIREE CONCEPCION U. GARGANIAN - Planning Officer IV MARIA FE G. ESMUNDO - Administrative Officer V ALVIN DWIGHT F. ASENTISTA - Information Officer III | |

Printed in the Philippines by the Commission on Population and Development (POPCOM) XII

Regional Office Address: BARMM Complex, ORG Compound, Cotabato City

Tel no: (064)-421-5595

E-mail address: region12@popcom.gov.ph



Introduction:

SOCCSKSARGEN region is currently faced with the pressing issues and concerns on adolescent health and development. One of these is teen pregnancy, which is a major social and health concern. The 2017 National Demographic Health Survey (NDHS) showed that Region XII is the third highest teen pregnancy rate in the entire country with 14.5% of 15-19 women who have begun childbearing. The high rate of teen pregnancy in the region and in the entire country (¹183, 967) prompted NEDA to issue teen pregnancy as a “National social emergency concern”, as it has a negative impact to the health and total well-being of the teens and to the country’s development.

In the 2016 study on teenage pregnancy in the Philippines by A. Herrin, it revealed that the discounted lifetime wage earnings foregone by a cohort of teenage girls 18-19 years resulting from early childbearing is estimated on an average of P33 billion.

It is with this context that POPCOM XII developed this additional learning material to enhance the knowledge of the learners on the topic to directly contribute on the reduction of teen pregnancies in the region.

Learning Competency:

Analyzes the factors that affect one’s attitude and practices related to sexuality and sexual behavior (**H8FH-Ib-19**).

Session Objectives:

At the end of the session, the learners are able to:

1. Explain the health and social risks of early pregnancy to mother and baby;
2. Identify common complications of pregnancy in adolescent mothers;
3. Describe how pregnancy can be prevented; and,
4. Recognize sexual abstinence and use of contraceptive or family planning as effective protection against pregnancy.

¹ 2018 PSA, Civil Registration and Vital Statistics (Live Births by Teen Mothers)



Pre-test

Instructions: Read the questions carefully. Please encircle the letter of the correct answer.

1. Teenage pregnancy is caused by a variety of complex and interrelated factors. Some of these causes and factors include the following, EXCEPT;
 - a. Lack of access to appropriate information and life skills
 - b. Peer pressure
 - c. Exposure to pornographic contents and materials
 - d. Sexual feelings and lust
2. According to 2017 National Demographic Health Survey, SOCSKSARGEN region ranked third with ____ % of 15-19 girls who have begun childbearing?
 - a. 16
 - b. 15
 - c. 14
 - d. 17
3. Because of the high rate of teenage pregnancy in the country, the government particularly the NEDA declared it last 2019 as _____.
 - a. national concern
 - b. national emergency concern
 - c. national social emergency concern
 - d. national social concern
4. What are the possible health risks that teenage mothers may experience because of early pregnancy?
 - a. Difficult delivery
 - b. Pressure to mental health
 - c. Possible hole between the vagina and the bladder or rectum
 - d. All of the above
5. Babies born from teenage mothers may also face various health risks which include the following, EXCEPT;
 - a. Low birth weight
 - b. Risk of being premature
 - c. Risk of dying before delivery
 - d. Increase in blood pressure
6. Which of the following are the effects of early pregnancy for adolescent or teenage fathers?
 - a. Inability to cope with the demands of fatherhood
 - b. Inability to relate with equally young and inexperienced wife
 - c. Inadequate support from their family and isolation from friends
 - d. All of the above



7. Adolescent or teenage pregnancy puts teens at risks of having disrupted dreams and aspirations. Which of the following is NOT a social cost of teen pregnancy?
 - a. Increase chance of being able to find a job or employment
 - b. May be able to drop-out of school due to difficulty in balancing responsibilities in rearing a child and completing studies
 - c. Poverty because of lack of education and employment
 - d. Dependence to family and government on basic needs
8. The following are the ways which boys and girls can do to be able to prevent teenage pregnancy, EXCEPT;
 - a. Abstaining from sex
 - b. Correct and consistent use of contraception (condom) or family planning for sexually active adolescents
 - c. Engaging into risky behaviors together such as smoking, drinking and taking illegal drugs
 - d. Respecting one's partner and his/her decision not to have sex
9. The concern on teenage pregnancy must be addressed by the following:
 - a. Parents and community leaders
 - b. Government and private stakeholders
 - c. Youth
 - d. All of the above
10. Which of the following statements are true about teenage pregnancy?
 - a. Too early pregnancy puts the life of the teen mother and her baby at risks of complications and even death
 - b. Too early pregnancy affects teen fathers, and puts teen at risks of experiencing the social cost of teen pregnancy
 - c. Both A and B
 - d. None of the above



LESSON: PREVENTING TEEN PREGNANCY


As you may know, our sexual maturation during puberty enables girls to get pregnant and boys to impregnate. But pregnancy is something that needs full responsibilities that adolescents may not be ready for – **physically, emotionally, and financially.**

In this session, let us further understand the implications of teen pregnancy in your growth and development.

Let us have a simple activity.

Activity: Fishbone (see worksheet 1 on **page no. 9**)

Write the underlying causes of teenage pregnancy on the bones attached to the backbone of the fish.



You have noticed that you were able to think of the various causes of teenage pregnancy. Let us try to reflect on the activity.

- What did you feel while doing the activity?
- What did you learn while doing the activity?

TEENAGE PREGNANCY is such a complex reality. It is a result of several factors that should be known and understood by teens so they can prevent them from happening. In this session, let us discuss further the implications of teenage pregnancy to your life as adolescents particularly in relation to your dreams in life.

Let us try to read and understand the key messages that the topic wants to convey.



Key Messages

1. Early pregnancy among adolescents is caused by complex and interrelated factors. ²Some of the major causes of teenage pregnancy include, but not limited to exposure to pornographic contents and materials, peer pressure, lack of appropriate information and life skills, exposure to risky behaviors such as substance use including alcohol and drugs, sexual abuse or rape, and lack of parental guidance, among others. *Please see figure 1 for causes of adolescent pregnancy on page 13.*
2. Social norms and peer pressure influence sexual behaviors among adolescents. However, negative peer pressure including engaging in sexual activities should be challenged through critical thinking and assertiveness.
 - a. It is not because “everybody is doing it” that one should be pressured to do the same. Critical thinking and assertiveness are needed to prevent consequences of negative pressures from peers, media, or the society as a whole.
 - b. It is always okay to be different!
3. Too early pregnancy puts the young mother and her baby at risk of health complications and even death.
 - a. Motherhood at a very young age entails a risk of maternal death (*death of mother due to pregnancy complications*) that is much greater than average, and the children of young mothers have higher levels of morbidity (*diseases*) and mortality (*death*).
 - b. Pregnant adolescents are exposed to the following health risks especially when they fail to seek timely and appropriate maternal health care.
 - **Obstructed labor or difficult delivery.** Adolescent girls are still growing and their pelvis has not yet reached its full size. Pregnancy increases the body’s nutritional needs and can slow down growth size.

If an adolescent girl gives birth and her pelvis is not yet at its full, she may suffer from what is called “obstructed labor” delivery or difficult delivery.
 - **Obstetric fistula.** A damaging complication of obstructed labor is obstetric fistula. In this case, there is a hole between the vagina and the bladder or rectum. A female afflicted with this condition constantly leaks urine or feces and smells bad.

² Parent-Teen Talk Facilitator’s Guide



- **Unsafe abortion.** Overall, complications from unsafe abortion are one of the main causes of maternal deaths. Since most of teenage pregnancies are unintended or unplanned, and because of the shame, social stigma, and unpreparedness of the young mother and father to bear the child, many pregnant girls' resort to unsafe abortion. Unsafe abortion can also result in lasting and devastating consequences including sepsis, perforation of the uterus or intestines, hemorrhage, chronic pelvic infection, and infertility.
 - **Pressure to mental health.** Carrying a baby and becoming a mother not only creates physical changes. Women also go through mental changes. Young mothers face added stress from sleepless nights, arranging child care, social stigma, and attempting to finish schooling.
 - c. The babies of adolescent mothers or teen mothers are also exposed to medical complications. Studies have shown that children among mothers have higher levels of mortality (death) and morbidity (diseases). Some of the health risks among babies born from young mothers include:
 - babies of adolescent mothers are likely to have low birth weight;
 - they may also run a higher risk of being premature; and
 - have a higher risk of dying before delivery.
4. Too early pregnancy puts you at risk of having **DISRUPTED** dreams and aspirations (i.e. social cost of teenage pregnancy).
- D - Dropping-out** of school due to difficulty of balancing the physical stress of carrying a child and completing studies.
 - I - Incapacity** to assume parental and familial responsibilities further resulting to incapacity of young couples to raise their child and family responsibly.
 - S - Social stigma** and discrimination attached to negative and prevailing assumption of social promiscuity among pregnant adolescents.
 - R - Repeat pregnancy** especially resulting from continued exposure to sexual activities with the mother's partner.
 - U - Unemployment** or **underemployment** primarily due to lack of education or training required for available or higher paying jobs.
 - P - Poverty.** Without education and employment, young parents have high vulnerability to poverty.
 - T - Taking illegal drugs** or substance abuse as a means to "escape" from or deal with the difficulties of being a young mother or father;
 - E - Emotional instability** or crisis due to the pressure and tension from taking care of the pregnancy, social stigma, and lack of family support, among others; and
 - D - Dependence** to family and government on basic needs. As young couples are unable to provide for their needs, they will be highly reliant to their families and to the government.



5. Too early pregnancy also affects the adolescent father:
 - a. not being able to cope with the demands of fatherhood;
 - b. isolation or staying away from friends;
 - c. not being able to relate with equally young and inexperienced wife; and
 - d. opposition or lack of support from their family.
6. To prevent early and unwanted pregnancy, you should abstain from or delay the debut of your sexual relations:
 - a. Not engaging in sex or abstinence is the safest and most effective way to prevent pregnancy. Adolescents like you need the capacity to refuse, abstain, or at least delay engagement in sexual intercourse. For this, adolescents need proper information about their sexuality so they can be effectively guided in making responsible decisions; and
 - b. For sexually active adolescents, correct and consistent use of contraception (or family planning method) can prevent pregnancy. However, the Responsible Parenthood and Reproductive Health Law requires parental consent from adolescents below 18 years old for accessing modern methods of contraception or Family Planning.
7. Mutual consent is a requirement before any sexual activity with a partner. Any unwanted sexual activity that happens when one partner is pressured, tricked, threatened, or forced in a non-physical way by the other partner is sexual coercion.
 - a. Coercion can also make one thinks he/she owes sex to someone such as his girlfriend or her boyfriend (i.e. fear of being abandoned).
 - b. Sexual coercion and harassment are violations of human rights that need to be reported to authorities (teachers, police officials, social workers).
8. Preventing teenage pregnancy requires the participation of both male and female adolescents. Boys can prevent teenage pregnancy by:
 - a. abstaining from sex;
 - b. communicating with his female partner and respecting his partner's decision not to have sex;
 - c. educating himself about the different contraceptives for sexually active adolescents;
 - d. avoiding risky behaviors such as smoking, drinking, and taking illegal drugs; and
 - e. supporting his partner to finish her education towards the achievement of their aspirations or dreams.



Points to Remember


- Engaging in unsafe sexual intercourse may lead to pregnancy. Too early adolescent or teenage pregnancy puts mother and baby at risk of health complications. In addition, it causes adolescent mothers, and also adolescent fathers, to stop schooling, and bear its social cost.
- The surest way to prevent pregnancy is NOT to have sexual intercourse. Everyone has the right to refuse sex. Everyone should respect that right.
- People who have become sexually active but do not want a pregnancy can choose to use contraception.
- Consulting a health care provider can help in choosing a suitable contraceptive or family planning method. Those below 18 years old, however, need parental consent to access contraceptive or family planning services.

“Piliin ang pangarap, huwag ipagpalit sa sandaling sarap”



Worksheet 1: Fishbone activity

Write the underlying causes of teenage pregnancy on the bones attached to the backbone of the fish.





Post-test

Instructions: Read the questions carefully. Please encircle the letter of the correct answer

1. Teenage pregnancy is caused by a variety of complex and interrelated factors. Some of these causes and factors include the following, EXCEPT;
 - a. Lack of access to appropriate information and life skills
 - b. Peer pressure
 - c. Exposure to pornographic contents and materials
 - d. Sexual feelings and lust
2. According to 2017 National Demographic Health Survey, SOCSKSARGEN region ranked third with ____ % of 15-19 girls who have begun childbearing?
 - a. 16
 - b. 15
 - c. 14
 - d. 17
3. Because of the high rate of teenage pregnancy in the country, the government particularly the NEDA declared it last 2019 as _____.
 - a. national concern
 - b. national emergency concern
 - c. national social emergency concern
 - d. national social concern
4. What are the possible health risks that teenage mothers may experience because of early pregnancy?
 - a. Difficult delivery
 - b. Pressure to mental health
 - c. Possible hole between the vagina and the bladder or rectum
 - d. All of the above
5. Babies born from teenage mothers may also face various health risks which include the following, EXCEPT;
 - a. Low birth weight
 - b. Risk of being premature
 - c. Risk of dying before delivery
 - d. Increase in blood pressure
6. Which of the following are the effects of early pregnancy for adolescent or teenage fathers?
 - a. Inability to cope with the demands of fatherhood
 - b. Inability to relate with equally young and inexperienced wife
 - c. Inadequate support from their family and isolation from friends
 - d. All of the above



7. Adolescent or teenage pregnancy puts teens at risks of having disrupted dreams and aspirations. Which of the following is NOT a social cost of teen pregnancy?
 - a. Increase chance of being able to find a job or employment
 - b. May be able to drop-out of school due to difficulty in balancing responsibilities in rearing a child and completing studies
 - c. Poverty because of lack of education and employment
 - d. Dependence to family and government on basic needs
8. The following are the ways which boys and girls can do to be able to prevent teenage pregnancy, EXCEPT;
 - a. Abstaining from sex
 - b. Correct and consistent use of contraception (condom) or family planning for sexually active adolescents
 - c. Engaging into risky behaviors together such as smoking, drinking and taking illegal drugs
 - d. Respecting one's partner and his/her decision not to have sex
9. The concern on teenage pregnancy must be addressed by the following:
 - a. Parents and community leaders
 - b. Government and private stakeholders
 - c. Youth
 - d. All of the above
10. Which of the following statements are true about teenage pregnancy?
 - a. Too early pregnancy puts the life of the teen mother and her baby at risks of complications and even death
 - b. Too early pregnancy affects teen fathers, and puts teen at risks of experiencing the social cost of teen pregnancy
 - c. Both A and B
 - d. None of the above




Reflection Activity:

Please share your insights (*either through drawing, poem writing, essay writing*) on the agency's tagline on Adolescent Health and Development Program, ***"Piliin ang pangarap, huwag ipagpalit sa sandaling sarap"***.

Answer key

6.d 7.a 8.c 9.d 10.c
1.d 2.b 3.c 4.d 5.d

Figure 1: Causes of Adolescent Pregnancy





References:

¹ Philippine Statistics Authority (2018), Civil Registration and Vital Statistics (Live Births by Teen Mother)

National Demographic Health Survey (2017)

Alejandro Herrin (July 2016), Education, Earnings and Health Effects of Teenage Pregnancy in the Philippines,

Sexually Healthy and Personally Empowered Adolescents (SHAPE-A) Facilitator's Guide (2018), Module 1: Growing Up pages 43-54, Commission on Population and Development

Parent-Teen Talk Facilitator's Guide (2018), Commission on Population and Development

www.canva.com



Republic of the Philippines

REGION XII

COMMISSION ON POPULATION AND DEVELOPMENT

Empowering Filipino Families

DISCLAIMER

This Self-Learning Module (SLM) was developed by POPCOM XII with the primary objective of providing teens in-school with information regarding adolescent health, in the absence of face-to-face interactions. This serves as a supplementary material to the existing SLMs of DepEd, to be used by the selected learners of Region XII in the selected public schools beginning SY 2020-2021. This module has been reviewed by DepEd to ensure its adherence to the standards of DepEd on learning resource development. This is version 2.0. We highly encourage feedback, comments, and recommendations.

For inquiries or feedback, please write or call:

Commission on Population and Development (POPCOM) Region XII-
Knowledge Management and Communications Unit (KMCU)

Regional Office Address: BARMM Complex, ORG Compound, Cotabato City

Tel no: (064) - 421-5595

E-mail address: region12@popcom.gov.ph

About POPCOM:

The Commission on Population and Development (POPCOM) is the country's lead organization in population and development for well-planned and empowered Filipino families and communities. POPCOM aims to empower Filipino individuals, families and communities by enabling them to achieve their fertility intentions, prevent adolescent pregnancies, and consciously consider population factors in sustainable development initiatives.

POPCOM-IEC-2022-018

BARMM Complex (ORG Compound), Cotabato City, Philippines 9600
Tel.: (064) 421-5595 Email Address: region12@popcom.gov.ph | popcomr12@gmail.com



@popcom_12



facebook.com/POPCOMXII



rpo12.popcom.gov.ph