Assignment-2

刘行逸

20250928

1

		z	x	y	s_1	s_2	s_3	
		1	-3	-2	0	0	0	0
	s_1	0	2	1 3 1	1	0	0	18
	s_2	0	2	3	0	1	0	42
*	s_3	0	3	1	0	0	1	24

		z	x	y	s_1	s_2	s_3	
		1	0	-2 + 1 = -1	0	0	0 + 1 = 1	0 + 24 = 24
*	s_1	0	0	$1 - 1 \times \frac{2}{3} = \frac{1}{3}$	1	0	$0 - 1 \times \frac{2}{3} = -\frac{2}{3}$	$18 - 24 \times \frac{2}{3} = 2$
	s_2	0	0	$3-1 \times \frac{2}{3} = \frac{7}{3}$	0	1	$0-1 \times \frac{2}{3} = -\frac{2}{3}$	$42 - 24 \times \frac{2}{3} = 26$
				1				24

	z	x	y	s_1	s_2	s_3	
	1	0	0	$3 + (-4) \times \frac{1}{4} = 2$	$0+1\times \frac{1}{4} = \frac{1}{4}$	0	$30 + 12 \times \frac{1}{4} = 33$
\overline{y}	0	0	$\frac{1}{3}$	$1 + (-7) \times \frac{1}{6} = -\frac{1}{6}$	$0 + 1 \times \frac{1}{6} = \frac{1}{6}$	0	$2 + 12 \times \frac{1}{6} = 4$
s_3	0	0	0	-7	1	4	12
x	0	3	0	$-3 - (-7) \times \frac{3}{4} = \frac{9}{4}$	$0-1 \times \frac{3}{4} = -\frac{3}{4}$	$3 - 4 \times \frac{3}{4} = 0$	$18 - 12 \times \frac{3}{4} = 9$

$$\begin{pmatrix} 0 & \frac{1}{3} & 0 \\ 0 & 0 & 4 \\ 3 & 0 & 0 \end{pmatrix} \begin{pmatrix} x \\ y \\ s_3 \end{pmatrix} = \begin{pmatrix} 4 \\ 12 \\ 9 \end{pmatrix}$$
$$\begin{pmatrix} x \\ y \\ s_3 \end{pmatrix} = \begin{pmatrix} 3 \\ 12 \\ 3 \end{pmatrix}$$

 \therefore $x = 3, y = 12, \max(3x + 2y) = 33$

		z	x_1	x_2	x_3	s_1	s_2	s_3
		1	1	-3	-1	0	0	0
	s_1	0	3	-1	2	1	0	0
*	s_2	0	-2	4	0	0	1	0
	s_3	0	-4	3	8	0	0	1

	z	x_1	x_2	x_3	s_1	s_2	s_3	
	1	0	0	0	$0 + 1 \times \frac{13}{50} = \frac{13}{50}$	$\frac{21}{32} + \frac{7}{16} \times \frac{13}{50} = \frac{77}{100}$	$\frac{1}{8} + (-\frac{1}{4}) \times \frac{13}{50} = \frac{3}{50}$	$\frac{73}{8} + \frac{39}{4} \times \frac{13}{50} = \frac{583}{50}$
x_1	0	$\frac{25}{8}$	0	0	1	$\frac{7}{16}$	$-\frac{1}{4}$	$\frac{39}{4}$
x_2	0	0	4	0	$0 + 1 \times \frac{16}{25} = \frac{16}{25}$	$1 + \frac{7}{16} \times \frac{16}{25} = \frac{32}{25}$	$0 + \left(-\frac{1}{4}\right) \times \frac{16}{25} = -\frac{4}{25}$	$12 + \frac{39}{4} \times \frac{16}{25} = \frac{456}{25}$ $1 + \frac{39}{4} \times \frac{4}{5} = \frac{44}{5}$
x_3	0	0	0	8	$0 + 1 \times \frac{4}{5} = \frac{4}{5}$	$-\frac{3}{4} + \frac{7}{16} \times \frac{4}{5} = -\frac{2}{5}$		$1 + \frac{39}{4} \times \frac{4}{5} = \frac{44}{5}$

$$\begin{pmatrix} \frac{25}{8} & 0 & 0 \\ 0 & 4 & 0 \\ 0 & 0 & 8 \end{pmatrix} \begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix} = \begin{pmatrix} \frac{39}{4} \\ \frac{456}{25} \\ \frac{44}{5} \end{pmatrix}$$

$$\begin{pmatrix} x_1 \\ x_2 \\ x_3 \end{pmatrix} = \begin{pmatrix} \frac{78}{25} \\ \frac{144}{25} \\ \frac{11}{10} \end{pmatrix}$$

$$\therefore \quad x_1 = \frac{78}{25}, \ x_2 = \frac{144}{25}, \ x_3 = \frac{11}{10}, \ \max(-x_1 + 3x_2 + x_3) = \frac{583}{50}$$