

Imagix 'Powershell Terminal Version' user manual




The intention of this manual is to warn users of the possible errors that can occur when running the program and the possible solutions proposed by the development team.

First run

Imagix Powershell Terminal Version depends on an external program called vlc, in the portable version, IPTV also includes it, but in the installed version you need to get vlc by your own.

“Red screen” problem at running IPTV


It is possible that when you start IPTV for the first time a window similar to the one in the screenshot below appears, this is because IPTV could not automatically recognize where the external program vlc is located.



Possible solutions

Option 1 - Enter the path where you have installed vlc

If you have downloaded and installed the vlc program on your computer, if you press the [P] key when this screen appears, a pop-up window will appear asking you to select the executable file "vlc.exe"




If you have correctly selected the file and it is a valid vlc path, IPTV will autoconfigure itself to launch the program from that folder

Path succesfully recognized

Option 2 - Download vlc

If you do not have a version of the vlc program, download it from this link and restart IPTV to update the program startup.



<https://www.videolan.org/vlc/download-windows.html>

If the Red Window reappears after installation, try the steps in *option 1*.

Option 3 - Download our portable version

If after performing the previous steps the same window still appears, you can choose to download our portable version of the program that already includes the vlc itself.



<https://github.com/AdsysDevelop/Imagix-Powershell-Terminal-Version-Portable>


Graphic troubles

IPTV is intended to be executed in a command interpreter environment, therefore making a simulated graphic section can cause various types of problems for many users.

These are the typical graphical errors that can be found when executing IPTV.

“Mosaic window”

This is one of the most frequent problems when executing the program, and it can be caused by two specific reasons specified below.



Case 1 - This happens when I resize the Powershell window

This error comes from the host program (Powershell), and the only way to solve it is that every time you resize the program window you must press any key to make an IPTV update, we recommend pressing [ENTER] each time this happens.

In case it doesn't work with any key, try going back by pressing [Z] and it should also have been fixed.

Case 2 - This happens when I run the program

In case this problem occurs when you start the program, the error should occur because the dimension of your Powershell window is not sufficiently expanded.

Try to resize the window as much as possible and press any key as described in case 1 and the problem should have been solved.

Playback problems

Due to the use of the external program vlc, the control of playback through the terminal can be a bit complicated, IPTV has a little help in each menu that tells you what each key is for but there are several things to keep in mind

❑ I can't use the play keys after IPTV is closed

If you have closed the program by pressing the cross (X) of the powershell window while a song is playing, you will not be able to use these keys while vlc continues running.

--- How to solve this?

To solve this problem quickly, you will have to start IPTV again and start another song or video, and this time you must exit the program by pressing the [Z] key, in this way the vlc process will stop correctly.

❑ I can't close a video with the cross in the top bar

Unfortunately we still do not know how to solve this problem, we are working on it but in the meantime, you can close the video window by pressing the [Z] key, we are sorry for the inconvenience.