

MANGU 2025 KCSE PREDICTION



CONFIDENTIAL EXAM

233/3



CHEMISTRY

PAPER 3

TIME: 2¼ HOURS

SCHOOL..... SIGN.....

(Kenya Certificate of Secondary Education)

CONFIDENTIAL

1. Apart from the school laboratory fittings supply the following
 - (i). 100cm³ solution A - 0.02M Acidified potassium manganite (VII) (H⁺/KMnO₄)
 - (ii). 100cm³ Solution B - 0.05M Oxalic acid
 - (iii). 100cm³ Solution C - containing 4.9g of (NH₄)₂SO₄ FeSO₄.6H₂O in 250cm³ of solution)
 - (iv). 50ml measuring cylinder
 - (v). 5 Test tubes
 - (vi). 1 boiling tube
 - (vii). 250ml beaker
 - (viii). Thermometer
 - (ix). Stopwatch
 - (x). Burette
 - (xi). Pipette
 - (xii). Two conical flasks
 - (xiii). About 0.5g of solid Q (ZnSO₄)
 - (xiv). Distilled water
 - (xv). About 0.5g of solid L (oxalic acid)
 - (xvi). Red and blue litmus papers
 - (xvii). Metallic spatula
 - (xviii) test tube holder
 - (xix) 0.5g sodium carbonate

ACCESS TO:

- i. 1 M Sodium hydroxide solution.

- ii. 1M Ammonia solution.
- i. 0.5M Acidified Barium Nitrate solution.
- ii. 1M sulphuric (VI) acid.
- iii. Acidified potassium Manganate (VII)
- iv. Source of heat.

NB

1. Solution A 0.02M of H^+/KMnO_4 is prepared by dissolving 3.16g of KMnO_4 in 400cm^3 of 2M H_2SO_4 . Add distilled water to make 1 litre of solution.
2. 1M sodium hydroxide is prepared by dissolving 40 g of sodium hydroxide dissolved in about 200 cm^3 of distilled water in a 1000 ml volumetric flask and top up with distilled water to the mark.
3. Acidified Barium Nitrate solution is prepared by dissolving 26.1g of Barium Nitrate in 400 cm^3 of 2M nitric acid and top up to 1 litre of solution using distilled water.
4. 2M Sulphuric acid. Prepared by dissolving 110 cm^3 of concentrated Sulphuric acid in about 600cm^3 of distilled water and diluting to one litre of solution.
5. Solution B 0.05M oxalic prepared by dissolving 6.3 g of dehydrated oxalic acid in about 400 ml of distilled water in a 1 litre volumetric flask and top up to the mark.

