

KISII SCHOOL 2025 PREDICTION



(KCSE PRE-ANALYSIS TEST)

441/2

HOME SCIENCE

PAPER 2

TIME: 2½ HOURS

SCHOOL.....

SIGN.....

(Kenya Certificate of Secondary Education)

HOME SCIENCE

FORM FOUR

PAPER 2

441/2

CLOTHING CONSTRUCTION

CONFIDENTIAL

TO SCHOOLS

Provide the following to the candidates

1. Plain weight cotton fabric 60cm long and 90cm wide
2. Sewing thread to match the fabric

KISII SCHOOL 2025 PREDICTION



(KCSE PRE-ANALYSIS TEST)

441/2

HOME SCIENCE

PAPER 2

TIME: 2½ HOURS



NAME.....

SCHOOL..... SIGN.....

INDEX NO..... ADM NO.....

(Kenya Certificate of Secondary Education)

(CLOTHING CONSTRUCTION)

INSTRUCTIONS TO CANDIDATES

- A. Candidates should check the question paper to ascertain that all the pages are printed and no questions are missing.
- B. Candidates must use machines stitches appropriately in the construction of the garment
- C. Hand stitches used instead of machine stitches will not be marked.
- D. Hand stitches will only be allowed for the making of loop worked button hole and tacking stitches

A pattern of a skirt is provided. You are advised to study the sketches. Instructions and layout carefully before you begin the test.

Materials provided

1. Pattern pieces
 - A.-Skirt back
 - B-skirt front
 - C-Skirt frill
 - D-Pocket
 - E-Waist band
2. Plain weight cotton fabric 60cm long and 90 cm wide
3. Sewing thread to match the fabric.

THE TEST

Using the materials provided, cut out and make the **RIGHT HALF** of the skirt to show the following process.

- (a) Making the back dart
- (b) Preparation of the box pleat on the skirt frill
- (c) Joining of the skirt front to the front frill using an overlaid seam. Neaten half of the seam using loop stitches.
- (d) Attachment of front pocket to the skirt front and back pocket to the skirt back
Do not trim or neaten the seam
- (e) Making the side seam using an open seam
- (f)Joining of the pocket seam .Do not neaten
- (g) Preparing and attaching the waist band and fixing using slip hemming.

At the end of the examination, firmly sew on to your work a single fabric, a label bearing your name and index number.

Remove the needle and pins from your work.

Then fold your work carefully and place it into the envelope provided.

Do not put scraps of materials in the envelope.

LAYOUT NOT DRAWN TO SCALE

